



PowerServ® OH

Multiplex Overhead Aluminum Service Cable
 Specification ICEA Standard S-76-474
 General Cable Specification Sheet #AC-0004 and #AC-0006

CODE WORD	Base Price Per MFT		Power Conductor Size -Stranding AWG/KCMIL	Neutral Messenger Type-Size Stranding	Approx. Net Weight Lbs. Per 1000 Feet			Primary Packages			
	LDPE	XLPE			Aluminum	Total		Package Type/Size (1)	Footage	Conductor Pounds	
						LDPE	XLPE			LDPE	XLPE
Duplex											
SETTER	\$482.00	\$523.00	6-1	ACSR 6-6/1	49	71	72	NRC 30.18 Coil	3,300 1,000	234 71	238 72
COLLIE	\$423.00	\$473.00	6-7	AAC 6-7	48	62	63	NRC 30.18 Coil	3,300 1,000	205 62	208 63
CHIHUAHUA	\$486.00	\$539.00	6-1	6201 6-7	52	63	64	NRC 30.18 Coil	3,500 1,000	221 63	224 64
VIZSLA	\$479.00	\$550.00	6-7	6201 6-7	52	66	67	NRC 30.18 Coil	3,300 1,000	218 66	221 67
SHEPHERD *	\$473.00	\$520.00	6-7	ACSR 6-6/1	49	74	75	NRC 30.18 * Coil *	3,300 500	244 37	248 38
TERRIER*	\$570.00	\$624.00	4-7	ACSR 4-6/1	78	115	117	NRC 30.18 * Coil *	2,400 500	276 56	281 59
SPANIEL	\$599.00	\$651.00	4-7	AAC 4-7	77	94	96	NRC 30.18 Coil Coil	2,200 1,000 1,000	207 94 94	211 96 96
WHIPPET	\$618.00	\$674.00	4-7	6201 4-7	84	101	102	NRC 30.18 Coil	2,400 1,000	242 101	274 102
CHOW	\$755.00	\$814.00	2-7	ACSR 2-6/1	123	174	177	NRC 36.24 Coil	2,400 500	418 87	425 89
Triplex											
PATELLA	\$618.00	\$658.00	6-7	AAC 6-7	73	101	104	NRC 30.18 Coil	2,200 1,000	222 101	229 104
HIPPA	\$744.00	\$826.00	6-7	6201 6-7	77	105	107	NRC 30.18 Coil	2,200 1,000	231 105	235 107
VOLUTA *	\$737.00	\$841.00	6-7	ACSR 6-6/1	73	112	115	NRC 30.18 * Coil *	2,200 500	246 56	253 58
OYSTER	\$821.00	\$915.00	4-7	AAC 4-7	116	151	154	NRC 30.18 Coil	1,500 500	227 76	231 77

CODE WORD	Base Price Per MFT		Power Conductor Size -Stranding AWG/KCMIL	Neutral Messenger Type-Size Stranding	Approx. Net Weight Lbs. Per 1000 Feet			Primary Packages			
	LDPE	XLPE			Aluminum	Total		Package Type/Size (1)	Footage	Conductor Pounds	
						LDPE	XLPE			LDPE	XLPE
WHELK	\$844.00	\$893.00	4-1	ACSR 4-6/1	115	161	163	NRC 30.18 Coil	1,700 500	274 81	277 82
PERIWINKLE *	\$930.00	\$1,035.00	4-7	ACSR 4-6/1	116	169	172	NRC 32.24 * NRC 30.18 * Coil *	1,800 1,500 500	304 254 85	310 258 86
SCALLOP	\$689.00	\$748.00	4-1	ACSR 6-6/1	100	139	142	NRC 30.18 Coil	1,700 500	236 70	241 71
BARNACLES *	\$1,016.00	\$1,112.00	4-7	6201 4-7	122	157	160	NRC 30.18 * Coil	1,500 500	236 79	240 80
STROMBUS	\$891.00	\$983.00	4-7	ACSR 6-6/1	102	148	151	NRC 30.18 Coil	1,500 500	222 74	227 76
ARTEMIA	\$611.00	\$667.00	4-1	6201 6-7	104	132	134	NRC 30.18 Coil	1,700 1,000	224 132	228 134
CRAB	\$950.00	\$998.00	4-7	6201 6-7	106	141	144	NRC 30.18 Coil	1,500 1,000	212 141	216 144
CLAM	\$1,177.00	\$1,284.00	2-7	AAC 2-7	184	228	232	NRC 36.24 Coil	1,800 500	410 114	410 116
CONCH *	\$1,243.00	\$1,348.00	2-7	ACSR 2-6/1	184	257	262	NRC 36.24 * Coil *	1,800 500	463 129	472 131
COCKLE *	\$1,151.00	\$1,257.00	2-7	ACSR 4-6/1	162	224	228	NRC 36.24 * Coil *	1,800 500	403 112	112 114
SHRIMP *	\$1,340.00	\$1,454.00	2-7	6201 2-7	194	238	243	NRC 36.24 * Coil	1,800 500	428 119	437 122
SOLASTER *	\$1,238.00	\$1,384.00	2-7	6201 4-7	168	212	216	NRC 36.24 Coil	1,800 500	382 106	389 108
MUREX	\$1,729.00	\$1,806.00	1/0-7	AAC 1/0-7	293	367	374	NRC 36.24 Coil	1,200 500	440 184	449 187
NERITINA *	\$1,825.00	\$1,893.00	1/0-7	ACSR 1/0-6/1	294	414	420	NRC 36.24 * Coil *	1,200 500	497 207	504 210
JANTHINA *	\$1,677.00	\$1,896.00	1/0-7	ACSR 2-6/1	257	360	367	NRC 36.24 * Coil *	1,200 500	432 180	440 184
GAMMARUS *	\$1,954.00	\$2,062.00	1/0-7	6201 1/0-7	310	384	390	NRC 36.24 * Coil	1,200 500	461 192	468 195
SANDCRAB	\$1,768.00	\$1,895.00	1/0-7	6201 2-7	267	341	348	NRC 36.24 Coil	1,200 500	409 171	418 174
PURPURA	\$1,768.00	\$1,882.00	1/0-19	AAC 1/0-7	293	362	368	NRC 36.24 Coil	1,200 500	434 181	442 184
CENIA	\$1,896.00	\$1,946.00	1/0-19	ACSR 1/0-6/1	293	408	414	NRC 36.24 Coil	1,200 500	490 204	497 207

CODE WORD	Base Price Per MFT		Power Conductor Size -Stranding AWG/KCMIL	Neutral Messenger Type-Size Stranding	Approx. Net Weight Lbs. Per 1000 Feet			Primary Packages			
					Aluminum	Total		Package Type/Size (1)	Footage	Conductor Pounds	
	LDPE	XLPE				LDPE	XLPE			LDPE	XLPE
RANELLA	\$1,814.00	\$1,943.00	1/0-19	ACSR 2-6/1	257	356	361	NRC 36.24 Coil	1,200 500	427 178	433 181
LEDA	\$2,001.00	\$2,124.00	1/0-19	6201 1/0-7	309	378	384	NRC 36.24 Coil	1,200 500	454 189	461 192
ECHINUS	\$1,838.00	\$1,956.00	1/0-19	6201 2-7	267	336	342	NRC 36.24 Coil	1,200 500	404 168	410 171

* Stock Products - XLPE Only

Notes

1. Prices for other constructions available on inquiry.



PowerServ® OH

Multiplex Overhead Aluminum Service Cable
 Specification ICEA Standard S-76-474
 General Cable Specification Sheet #AC-0004 and #AC-0006

Triplex (cont.)												
CODE WORD	Base Price Per MFT		Power Conductor Size -Stranding AWG/KCMIL	Neutral Messenger Type-Size Stranding	Approx. Net Weight Lbs. Per 1000 Feet			Primary Packages				
	LDPE	XLPE			Aluminum	Total		Package Type/Size	Footage	Conductor Pounds		
						LDPE	XLPE			LDPE	XLPE	
CAVOLINIA	\$1,952.00	\$2,020.00	2/0-7	ACSR 1-6/1	323	444	452	NRC 42.26	1,500	666	678	
NASSA	\$1,954.00	\$2,084.00	2/0-7	AAC 2/0-7	369	453	461	NRC 42.26	1,500	680	691	
RUNCINA *	\$2,106.00	\$2,180.00	2/0-7	ACSR 2/0-6/1	369	512	519	NRC 42.26 *	1,500	768	779	
DUNGENESE	\$1,832.00	\$1,957.00	2/0-7	6201 2/0-7	390	474	481	NRC 42.26	1,500	711	722	
TROPHON	\$1,972.00	\$2,028.00	2/0-19	AAC 2/0-7	369	447	453	NRC 42.26	1,500	671	680	
TRITON	\$2,036.00	\$2,148.00	2/0-19	ACSR 2/0-6/1	369	505	511	NRC 42.26	1,500	758	767	
CYCLOPS	\$2,004.00	\$2,127.00	2/0-19	6201 2/0-7	390	467	473	NRC 42.26	1,500	701	710	
FULGUR	\$2,177.00	\$2,255.00	3/0-19	6201 1/0-7	431	518	525	NRC 42.26	1,300	673	683	
MURZIA	\$2,493.00	\$2,628.00	3/0-19	ACSR 3/0-6/1	466	626	633	NRC 42.26	1,300	814	823	
FLUSTRA	\$2,609.00	\$2,699.00	3/0-19	6201 3/0-7	502	588	596	NRC 42.26	1,300	764	775	
KINGCRAB	\$2,769.00	\$2,939.00	4/0-7	6201 4/0-7	619	728	737	NRC 42.26	1,000	728	737	
PORTUNUS	\$2,967.00	\$3,086.00	4/0-19	AAC 4/0-19	587	684	693	NRC 42.26	1,000	684	693	
ZUZARA *	\$3,081.00	\$3,198.00	4/0-19	ACSR 4/0-6/1	587	777	785	NRC 42.26 *	1,000	777	785	
CERAPUS *	\$2,777.00	\$2,894.00	4/0-19	ACSR 2/0-6/1	514	670	678	NRC 40.24 *	1,000	670	678	
LEPAS	\$3,279.00	\$3,428.00	4/0-19	6201 4/0-7	619	716	725	NRC 42.26	1,000	716	725	
ARCA	\$2,835.00	\$2,896.00	4/0-19	6201 2/0-7	535	632	640	NRC 42.26	1,000	632	640	
NANNYNOSE	\$6,146.00	\$6,439.00	336.4-19	AAC 336.4-19	933	1096	1111	NRC 50.32	1,000	1,096	1,111	
LIMPET	\$6,472.00	\$6,925.00	336.4-19	ACSR 336.4-18/1	933	1147	1161	NRC 50.32	1,000	1,147	1,161	

* Stock Products - XLPE Only

Notes

1. Prices for other constructions available on inquiry.



PowerServ® OH

Multiplex Overhead Aluminum Service Cable

Specification ICEA Standard S-76-474

General Cable Specification Sheet #AC-0004 and #AC-0006

Quadruplex												
CODE WORD	Base Price Per MFT		Power Conductor Size -Stranding AWG/KCMIL	Neutral Messenger Type-Size Stranding	Approx. Net Weight Lbs. Per 1000 Feet			Primary Packages				
	LDPE	XLPE			Aluminum	Total		Package Type/Size (1)	Footage	Conductor Pounds		
						LDPE	XLPE			LDPE	XLPE	
CHOLA	\$986.00	\$1,106.00	6-7	ACSR 6-6/1	97	150	154	NRC 36.24	2,200	315	323	
	\$986.00	\$1,106.00	6-8	ACSR 6-6/2	97	150	154		Coil	500	75	77
FRENCH-COACH	\$977.00	\$1,069.00	6-7	6201 6-7	100	144	147	NRC 36.24	2,200	302	309	
QUARTER	\$937.00	\$981.00	6-1	AAC 6-7	96	131	134	NRC 36.24	2,200	275	281	
PINTO	\$1,132.00	\$1,246.00	4-7	AAC 4-7	154	207	213	NRC 36.24	1,700	352	362	
HACKNEY	\$1,231.00	\$1,390.00	4-7	ACSR 4-6/1	154	225	230	NRC 36.24	1,700	383	391	
	\$1,126.00	\$1,390.00	4-8	ACSR 4-6/2	154	225	230		Coil	500	113	115
ARABIAN	\$1,354.00	\$1,532.00	4-7	6201 4-7	160	213	218	NRC 36.24	1,700	362	371	
MUSTANG	\$1,528.00	\$1,639.00	2-7	AAC 2-7	246	312	318	NRC 42.26	1,800	562	572	
PALOMINO *	\$1,591.00	\$1,763.00	2-7	ACSR 2-6/1	246	341	347	NRC 40.24 *	1,800	614	625	
	\$1,591.00	\$1,763.00	2-8	ACSR 2-6/2	246	341	347		Coil *	500	307	313
BELGIAN	\$1,941.00	\$1,799.00	2-7	6201 2-7	256	322	328	NRC 42.26	1,800	580	590	
CRIOLO	\$2,283.00	\$2,392.00	1/0-19	AAC 1/0-7	390	494	503	NRC 42.26	1,200	593	604	
COSTENA	\$2,571.00	\$2,709.00	1/0-19	ACSR 1/0-6/1	390	540	550	NRC 42.26	1,200	648	660	
SHETLAND	\$2,698.00	\$2,914.00	1/0-19	6201 1/0-7	407	511	520	NRC 42.26	1,200	613	624	
PERCHERON	\$2,932.00	\$3,049.00	2/0-19	AAC 2/0-7	492	608	618	NRC 50.32	1,500	912	927	
GRULLO	\$3,007.00	\$3,119.00	2/0-19	ACSR 2/0-6/1	491	666	676	NRC 50.32	1,500	999	1,014	
THOROUGHbred	\$3,266.00	\$3,408.00	2/0-19	6201 2/0-7	513	629	639	NRC 50.32	1,500	944	959	
HANOVERIAN	\$3,449.00	\$3,620.00	3/0-19	AAC 3/0-19	620	750	761	NRC 50.32	1,300	975	989	
SUFFOLK	\$3,331.00	\$3,507.00	3/0-19	ACSR 3/0-6/1	620	824	835	NRC 50.32	1,300	1,071	1,086	
TROTTER	\$3,478.00	\$3,696.00	3/0-19	6201 3/0-7	646	776	787	NRC 50.32	1,300	1,009	1,023	
OLDENBURG	\$4,299.00	\$4,444.00	4/0-19	AAC 4/0-19	782	928	941	NRC 50.32	1,100	1,021	1,035	
APPALOOSA *	\$4,349.00	\$4,535.00	4/0-19	ACSR 4/0-6/1	786	1,021	1,034	NRC 50.32 *	1,100	1,130	1,137	
WALKING	\$4,553.00	\$4,926.00	4/0-19	6201 4/0-7	815	961	973	NRC 50.32	1,100	1,057	1,070	
SINGLEFOOT	\$4,509.00	\$4,722.00	4/0-7	AAC 4/0-7	783	945	960	NRC 50.32	1,100	1,040	1,056	
STALLION	\$4,550.00	\$4,799.00	4/0-7	ACSR 4/0-6/1	782	1,038	1,053	NRC 50.32	1,100	1,142	1,158	
LIPPIZANER	\$8,134.00	\$8,425.00	336.4-19	AAC 336.4-19	1,245	1,491	1,511	NRC 60.28	1,100	1,491	1,511	
BRONCO	\$8,254.00	\$8,558.00	336.4-19	ACSR 336.4-18/1	1,245	1,539	1,560	NRC 60.28	1,000	1,539	1,560	
BRETON	\$8,146.00	\$8,333.00	336.4-19	6201 336.4-19	1,298	1,544	1,565	NRC 60.28	1,000	1,544	1,565	

* Stock Products - XLPE Only

Notes

1. Prices for other constructions available on inquiry.



PowerServ® OH

Reverse Twist Secondary Cables

Specification ICEA #S-76-474

Three Conductor RTS Cables: 6201 Alloy Neutral

CODE WORD	Base Price Per MFT		Aluminum Phase Conductor	Aluminum Neutral Conductor		Approx. Net Weight, Lbs. Per 1000 Feet		Primary Packages	
			Size and Stranding AWG/KCMIL	Size and Stranding AWG/KCMIL	Rated Strength			Package Type/Size (1)	Footage
	HDPE	XLPE	Aluminum	Total					
POPE	\$1,770.00	\$1,790.00	2 - 7	77.47 - 7	2,800	209	262	NR 40.24	2,000
AUBURN	\$2,488.00	\$2,669.00	1/0 - 7	123.3 - 7	4,450	327	419	NR 40.24	1,200
ROCKNE	\$2,993.00	\$3,173.00	2/0 - 7	155.4 - 7	5,380	410	510	NR 48.28	1,600
DURANT	\$4,225.00	\$4,596.00	4/0 - 7	246.9 - 7	8,550	644	777	NR 48.28	1,000

Three Conductor RTS Cables: ACSR Neutral

EDSEL	\$1,835.00	\$1,883.00	2 - 7	2/6/2001	2,850	228	281	NR 40.24	2,000
ESSEX	\$2,639.00	\$3,153.00	1/0 - 7	1/0 - 6/1	4,380	357	449	NR 40.24	1,200
CORD	\$2,786.00	\$2,891.00	2/0 - 7	2/0 - 6/1	5,300	448	549	NR 48.28	1,600

Notes

1. Prices for other constructions available on inquiry.



PowerServ® XL

600 Volt Underground Single Conductor

Aluminum Distribution Cable

Black Cross-Linked Polyethylene Insulated Phase Conductors 90°C
Specification ICEA S-105-692

Refer to Specification Sheet UDS for Product Specifications

Single Conductor						
CODE WORD	Base Price Per MFT	Aluminum Conductor	Approx. Net Weight, Lbs. Per 1000 Feet		Primary Packages	
		Size AWG/KCMIL	Aluminum	Total	Package Type/Size (1)	Footage
PRINCETON/XLP	\$354.00	6	25	44	NRC 16.15	1,000
MERCER/XLP	\$410.00	4	39	63	NRC 24.10	1,000
CLEMSON/XLP	\$482.00	2	62	92	NRC 24.10	1,000
KENYON/XLP	\$588.00	1	78	122	NRC 30.11	1,000
HARVARD/XLP	\$661.00	1/0	99	147	NRC 30.11	1,000
YALE/XLP	\$805.00	2/0	125	178	NRC 30.11	1,000
TUFTS/XLP	\$901.00	3/0	157	216	NRC 30.11	1,000
BELOIT/XLP	\$1,049.00	4/0	198	264	NRC 30.14	1,000
HOFSTRA/XLP	\$1,623.00	250	234	316	NRC 30.18	1,000
GONZAGA/XLP	\$1,919.00	300	281	369	NRC 30.18	1,000
RUTGERS/XLP	\$2,213.00	350	328	423	NRC 32.24	1,000
DARTMOUTH/XLP	\$2,460.00	400	375	476	NRC 32.24	1,000
EMORY/XLP	\$3,077.00	500	469	580	NRC 32.24	1,000
DUKE/XLP	\$3,426.00	600	563	702	NRC 36.28	1,000
FURMAN/XLP	\$3,862.00	700	657	808	NRC 36.28	1,000
SEWANEE/XLP	\$3,891.00	750	704	857	NRC 40.24	1,000
FORDHAM/XLP	\$5,392.00	1000	939	1,114	NRC 48.28	1,000

Notes

1. Prices for other constructions available on inquiry



PowerServ® XL

600 Volt Aluminum Underground Distribution Cable
 Black Cross-Linked Polyethylene Insulated Phase Conductors 90°C
 Extruded Yellow Stripes
 Specification ICEA S-105-692

Refer to General Cable Specification #AC-001 for Product Specifications

Duplex with a Tristribe Neutral (EYS)							
CODE WORD	Base Price Per MFT	Aluminum Phase Conductor	Aluminum Neutral Conductor	Approx. Net Weight, Lbs. Per 1000 Feet		Primary Packages	
		Size AWG/KCMIL	Size AWG/KCMIL	Aluminum	Total	Package Type/Size (1)	Footage
CLAFLIN / XLP *	\$731.00	6	6	49	91	NRC 30.11 *	1,000
DELGADO / XLP	\$821.00	4	4	77	129	NRC 30.14	1,000
EVERETT / XLP	\$901.00	2	2	123	189	NRC 30.18	1,000
Triplex with a Tristribe Neutral (EYS)							
ERSKINE / XLP *	\$1,037.00	6	6	73	136	NRC 30.11 *	1,000
VASSAR / XLP *	\$1,149.00	4	4	116	194	NRC 30.18 *	1,000
STEPHENS / XLP *	\$1,433.00	2	4	162	252	NRC 22.24 *	1,000
RAMAPO / XLP *	\$1,463.00	2	2	184	281	NRC 32.24 *	1,000
BRENAU / XLP *	\$1,802.00	1/0	2	257	392	NRC 34.26 *	1,000
BERGEN / XLP *	\$1,980.00	1/0	1/0	293	447	NRC 36.28 *	1,000
FISK / XLP	\$2,010.00	2/0	2	308	454	NRC 40.24	1,000
CONVERSE / XLP *	\$2,128.00	2/0	1	323	484	NRC 40.24 *	1,000
HUNTER / XLP	\$2,371.00	2/0	2/0	369	540	NRC 40.24	1,000
HOLLINS / XLP	\$2,529.00	3/0	1/0	408	586	NRC 42.26	1,000
ROCKLAND / XLP	\$2,888.00	3/0	3/0	466	656	NRC 42.28	1,000
SWEETBRIAR / XLP *	\$2,928.00	4/0	2/0	514	713	NRC 42.28 *	1,000
						NRC 50.32*	1,500
						NRC 32.24*	500
MONMOUTH / XLP *	\$3,238.00	4/0	4/0	587	799	NRC 42.28 *	1,000
AQUINAS / XLP	\$3,711.00	250	2/0	585	822	NRC 50.32	1,000
PRATT / XLP *	\$4,368.00	250	3/0	618	857	NRC 50.32	1,000
WESLEYAN / XLP *	\$5,472.00	350	4/0	843	1,118	NRC 50.32 *	1,000
NEWARK / XLP	\$6,606.00	350	350	971	1,278	NRC 54.32	1,000
RIDER / XLP *	\$7,850.00	500	350	1,248	1,591	NRC 60.28 *	1,000
WESTCHESTER / XLP	\$8,611.00	500	500	1,384	1,745	NRC 68.28	1,000
FAIRFIELD / XLP	\$11,414.00	750	500	1,850	2,304	NRC 68.38	1,000

* Stock Products

Notes

1. Prices for other constructions available on inquiry.



PowerServ® XL

600 Volt Aluminum Underground Distribution Cable

Black Cross-Linked Polyethylene Insulated Phase Conductors 90°C

Extruded Yellow Stripes

Specification: ICEA S-105-692

Refer to General Cable Specification Sheet #AC-0001 for Product Specifications

Quadruplex with a Trisripe Neutral (EYS)							
CODE WORD	Base Price Per MFT	Aluminum Phase Conductor	Aluminum Neutral Conductor	Approx. Net Weight, Lbs. Per 1000 Feet		Primary Packages	
		Size AWG/KCMIL	Size AWG/KCMIL	Aluminum	Total	Package Type/Size (1)	Footage
TULSA / XLP	\$1,563.00	4	4	154	258	NRC 32.24	1,000
DYKE / XLP *	\$1,889.00	2	4	223	346	NRC 32.24 * NRC 40.24 *	1,000 1,500
WITTENBERG / XLP	\$1,923.00	2	2	246	375	NRC 32.28	1,000
NOTRE DAME / XLP *	\$2,651.00	1/0	2	354	541	NRC 40.24 *	1,000
PURDUE / XLP	\$2,833.00	1/0	1/0	390	596	NRC 42.26	1,000
SYRACUSE / XLP	\$3,096.00	2/0	1	446	664	NRC 42.26	1,000
LAFAYETTE / XLP	\$3,282.00	2/0	2/0	492	720	NRC 42.28	1,000
SWARTHMORE / XLP	\$3,883.00	3/0	1/0	563	805	NRC 42.28	1,000
DAVIDSON / XLP	\$4,010.00	3/0	3/0	618	874	NRC 42.28	1,000
WAKE FOREST / XLP *	\$4,320.00	4/0	2/0	709	979	NRC 50.32 *	1,000
EARLHAM / XLP	\$4,678.00	4/0	4/0	783	1,066	NRC 50.32	1,000
RUST / XLP	\$5,983.00	250	3/0	849	1,176	NRC 54.32	1,000
SLIPPERY ROCK / XLP *	\$6,827.00	350	4/0	1,166	1,544	NRC 60.28 *	1,000
NIAGARA / XLP	\$7,710.00	350	350	1,294	1,704	NRC 60.28	1,000
WOFFORD / XLP	\$9,468.00	500	350	1,710	2,174	NRC 66.32	1,000
MARSHALL / XLP	\$10,421.00	500	500	1,850	2,332	NRC 66.32	1,000
WINDHAM / XLP	\$14,145.00	750	500	2,542	3,147	NRC 72.38	1,000
TABOR / XLP	\$15,385.00	750	750	2,773	3,440	NRC 72.38	1,000

* Stock Products

Notes

1. Prices for other constructions available on inquiry.



PowerServ® AR

600 Volt Underground - Single Conductor Abuse Resistant

Aluminum Distribution Cable

Ruggedized -- 90°C

High Density Crosslinked Polyethylene

Specification ICEA S-81-570

Single Conductor						
CODE WORD	Base Price Per MFT	Aluminum Conductor	Approx. Net Weight, Lbs. Per 1000 Feet		Primary Packages	
		Size AWG/KCMIL	Aluminum	Total	Package Type/Size (1)	Footage
PRINCETON-AR	\$472.00	6	25	45	NRC 16.15	1,000
MERCER-AR	\$526.00	4	39	64	NRC 24.10	1,000
CLEMSON-AR	\$581.00	2	62	93	NRC 30.11	1,000
KENYON-AR	\$605.00	1	78	124	NRC 30.11	1,000
HARVARD-AR	\$671.00	1/0	99	148	NRC 30.11	1,000
YALE-AR	\$832.00	2/0	125	178	NRC 30.11	1,000
TUFTS-AR	\$933.00	3/0	157	217	NRC 30.11	1,000
BELOIT-AR	\$1,134.00	4/0	198	265	NRC 30.14	1,000
HOFSTRA-AR	\$1,675.00	250	234	317	NRC 30.18	1,000
GONZAGA-AR	\$1,982.00	300	282	371	NRC 30.18	1,000
RUTGERS-AR	\$2,289.00	350	328	425	NRC 32.24	1,000
DARTMOUTH-AR	\$2,540.00	400	375	477	NRC 32.24	1,000
EMORY-AR	\$3,089.00	500	469	582	NRC 32.24	1,000
DUKE-AR	\$3,882.00	600	563	704	NRC 36.28	1,000
FURMAN-AR	\$3,909.00	700	657	808	NRC 36.28	1,000
SEWANEE-AR	\$4,035.00	750	704	860	NRC 40.24	1,000
FORDHAM-AR	\$5,587.00	1000	939	1,117	NRC 48.28	1,000

Notes

1. Prices for other constructions available on inquiry.



PowerServ® AR

600 Volt Underground Abuse Resistant Aluminum Distribution Cable

Ruggedized -- 90°C
High Density Crosslinked Polyethylene
Specification ICEA S-81-570

Duplex with a Tristripe Neutral (EYS)							
CODE WORD	Base Price Per MFT	Aluminum Phase Conductor	Aluminum Neutral Conductor	Approx. Net Weight, Lbs. Per 1000 Feet		Primary Packages	
		Size AWG/KCMIL	Size AWG/KCMIL	Aluminum	Total	Package Type/Size (1)	Footage
CLAFLIN-AR *	\$753.00	6	6	49	93	NRC 30.11 *	1,000
DELGADO-AR	\$847.00	4	4	77	130	NRC 30.14	1,000
Triplex with a Tristripe Neutral (EYS)							
ERSKINE-AR *	\$1,067.00	6	6	73	136	NRC 30.18 *	1,000
VASSAR-AR	\$1,183.00	4	4	116	192	NRC 30.18	1,000
STEPHENS-AR *	\$1,475.00	2	4	162	251	NRC 32.24 *	1,000
RAMAPO-AR	\$1,513.00	2	2	184	281	NRC 32.24	1,000
BRENAU-AR *	\$1,855.00	1/0	2	257	390	NRC 34.26 *	1,000
BERGEN-AR	\$2,039.00	1/0	1/0	293	446	NRC 36.28	1,000
CONVERSE-AR *	\$2,191.00	2/0	1	323	482	NRC 40.26 *	1,000
HUNTER-AR	\$2,371.00	2/0	2/0	369	538	NRC 40.26	1,000
HOLLINS-AR	\$2,604.00	3/0	1/0	408	584	NRC 42.26	1,000
ROCKLAND-AR	\$3,048.00	3/0	3/0	466	655	NRC 42.28	1,000
SWEETBRIAR-AR *	\$3,017.00	4/0	2/0	514	711	NRC 42.28 *	1,000
MONMOUTH-AR	\$3,340.00	4/0	4/0	587	797	NRC 48.28	1,000
PRATT-AR	\$4,511.00	250	3/0	618	855	NRC 50.32	1,000
WESLEYAN-AR *	\$5,638.00	350	4/0	843	1,116	NRC 50.32 *	1,000
NEWARK-AR	\$6,893.00	350	350	971	1,275	NRC 60.28	1,000
RIDER-AR *	\$8,297.00	500	350	1,248	1,576	NRC 60.28 *	1,000
WESTCHESTER-AR	\$9,088.00	500	500	1,384	1,727	NRC 66.28	1,000
VILLANOVA-AR	\$11,396.00	750	350	1,706	2,140	NRC 68.38	1,000
SETON HALL-AR	\$13,798.00	750	750	2,080	2,580	NRC 68.38	1,000

* Stock Products

Notes

1. Prices for other constructions available on inquiry.



PowerServ® AR

600 Volt Underground Aluminum Distribution Cable

Ruggedized -- 90°C
High Density Crosslinked Polyethylene
Specification ICEA S-81-570

Quadruplex with a Tristribe Neutral (EYS)						
CODE WORD	Base Price Per MFT	Aluminum Phase Conductor	Aluminum Neutral Conductor	Approx. Net Weight, Lbs. Per 1000 Feet		Primary Pac
		Size AWG/KCMIL	Size AWG/KCMIL	Aluminum	Total	Package Type/Size (1)
TULSA-AR	\$1,611.00	4	4	154	256	NRC 32.24
DYKE-AR	\$1,948.00	2	4	223	342	NRC 32.24
WITTENBERG-AR	\$1,981.00	2	2	246	371	NRC 32.24
NOTRE DAME-AR	\$2,731.00	1/0	2	354	539	NRC 42.26
PURDUE-AR	\$2,925.00	1/0	1/0	390	591	NRC 42.26
SYRACUSE-AR	\$3,192.00	2/0	1	446	658	NRC 42.26
LAFAYETTE-AR	\$3,390.00	2/0	2/0	492	714	NRC 42.28
SWARTHMORE-AR	\$3,883.00	3/0	1/0	563	806	NRC 48.28
DAVIDSON-AR	\$4,148.00	3/0	3/0	618	868	NRC 48.28
WAKE FOREST-AR *	\$4,454.00	4/0	2/0	709	978	NRC 50.32 * NRC 66.32
EARLHAM-AR	\$4,786.00	4/0	4/0	783	1,062	NRC 50.32
RUST-AR	\$6,161.00	250	3/0	849	1,171	NRC 50.32 NRC 66.32
SLIPPERY ROCK-AR *	\$7,034.00	350	4/0	1,166	1,538	NRC 60.28 *
NIAGARA-AR	\$7,980.00	350	350	1,294	1,699	NRC 60.28
WOFFORD-AR	\$10,219.00	500	350	1,710	2,156	NRC 66.32
MARSHALL-AR	\$11,187.00	500	500	1,850	2,312	NRC 66.32

* Stock Products

Notes

Weatherproof Aluminum Conductor											
Standards: Insulated Cable Engineers Association (ICEA) -- S70-547								Primary Packages			
CODE WORD	Base Price Per MFT		CONDUCTOR TYPE	Size and Stranding AWG/KCMIL	Approx. Net Weight Lbs. Per 1000 Feet Total			Package Type/Size (1)	Footage	Conductor Pounds	
	LDPE	XLPE			Aluminum	LDPE	XLPE			Total	
										LDPE	XLPE
APRICOT	\$304.00	\$320.00	AAC	4-7	39	50	51	NRC 30.18	7,000	370	390
BUTTERNUT	\$366.00	\$422.00	ACSR	4-6/1	39	71	72	NRC 30.18	6,200	448	468
HICKORY	\$379.00	\$444.00	ACSR	4-7/1	38	80	82	NRC 30.18	6,000	490	510
PEACH	\$433.00	\$525.00	AAC	2-7	61	83	85	NRC 36.24	7,500	657	700
PIGNUT	\$544.00	\$692.00	ACSR	2-6/1	61	116	118	NRC 36.24	6,700	797	837
QUINCE	\$686.00	\$714.00	AAC	1/0-7	97	134	137	NRC 36.24	4,700	663	710
ALMOND	\$819.00	\$962.00	ACSR	1/0-6/1	97	187	191	NRC 36.24	4,000	764	808
OILNUT	\$965.00	\$1,010.00	6201	1/0-7	113	157	161	NRC 36.24	4,000	648	688
ORANGE	\$849.00	\$1,087.00	AAC	2/0-7	122	164	167	NRC 36.24	3,800	657	699
PECAN	\$1,102.00	\$1,127.00	ACSR	2/0-6/1	123	231	233	NRC 36.24	3,400	799	840
WATERASH	\$966.00	\$1,090.00	6201	2/0-7	143	193	198	NRC 36.24	3,400	673	714
FIG	\$1,238.00	\$1,334.00	AAC	3/0-7	154	202	206	NRC 40.24	4,400	933	986
FILBERT	\$1,392.00	\$1,515.00	ACSR	3/0-6/1	154	285	291	NRC 40.24	3,900	1,131	1,186
OLIVE	\$1,187.00	\$1,286.00	AAC	4/0-7	194	248	253	NRC 40.24	3,500	913	962
BUCKEYE	\$1,432.00	\$1,625.00	ACSR	4/0-6/1	194	353	359	NRC 40.24	3,000	1,080	1,125
PLANETREE	\$1,736.00	\$1,907.00	6201	4/0-7	227	293	299	NRC 40.24	3,000	901	947
MULBERRY	\$1,838.00	\$1,891.00	AAC	266.8-19	246	300	304	NRC 40.24	3,000	945	987
ANONA	\$2,198.00	\$2,272.00	AAC	336.4-19	310	371	376	NRC 40.24	2,500	922	1,012
MOLLES	\$2,309.00	\$2,371.00	AAC	397.5-19	366	454	462	NRC 40.24	2,000	934	984
HUCKLEBERRY	\$3,129.00	\$3,219.00	AAC	477-37	439	529	544	NRC 50.32	3,300	1,812	1,888
PAW PAW	\$3,514.00	\$3,614.00	AAC	556.5-37	512	610	618	NRC 50.32	2,800	1,770	1,840
BREADFRUIT	\$3,641.00	\$3,661.00	AAC	636-61	585	705	716	NRC 50.32	2,500	1,832	1,910
PERSIMMON	\$4,926.00	\$4,960.00	AAC	795-61	731	865	877	NRC 50.32	2,200	1,980	2,570
GRAPEFRUIT	\$5,534.00	\$5,559.00	AAC	1033.5-61	951	1103	1115	NRC 50.32	1,700	1,950	2,018

Notes

1. Prices for other constructions available on inquiry.



600 Volt Aluminum Underground Distribution Cable- Tri Rated

Black Cross-Linked Polyethylene Insulated Phase Conductors 90°C

Extruded Tristripe Neutral

Specification ICEA S-105-692

Refer to General Cable Specification #AC-001 for Product Specifications

Triplex with a Tristripe Neutral (EYS)							
CODE WORD	Base Price Per MFT	Aluminum Phase Conductor	Aluminum Neutral Conductor	Approx. Net Weight, Lbs. Per 1000 Feet		Primary Packages	
		Size AWG/KCMIL	Size AWG/KCMIL	Aluminum	Total	Package Type/Size (1)	Footage
VASSAR / USE-2/RHH/RHW-2*	\$1,364.00	4	4	116	194	NRC 30.18	1,000*
STEPHENS / USE-2/RHH/RHW-2*	\$1,624.00	2	4	162	252	NRC 22.24	1,000*
RAMAPO / USE-2/RHH/RHW-2*	\$1,825.00	2	2	184	281	NRC 32.24	1,000*
BRENAU / USE-2/RHH/RHW-2*	\$2,307.00	1/0	2	257	392	NRC 34.26	1,000*
BERGEN / USE-2/RHH/RHW-2	\$2,554.00	1/0	1/0	299	452	NRC 40.24	1,000
CONVERSE / USE-2/RHH/RHW-2	\$2,642.00	2/0	1	323	484	NRC 40.24	1,000*
SWEETBRIAR / USE-2/RHH/RHW-2*	\$3,703.00	4/0	2/0	524	713	NRC 42.28	1,000*
						NRC 50.32	1,500*
						NRC 66.28	2,000*
						NRC 66.28	2,500*
MONMOUTH / USE-2/RHH/RHW-2*	\$4,056.00	4/0	4/0	587	799	NRC 42.28	1,000*
PRATT / USE-2/RHH/RHW-2*	\$4,214.00	250	3/0	618	857	NRC 50.32	1,000*
WESLEYAN / USE-2/RHH/RHW-2*	\$5,590.00	350	4/0	843	1,118	NRC 50.32	1,000*
						NRC 66.28	1,500
Quadruplex with a Tristripe Neutral (EYS)							
WAKE FOREST / USE-2/RHH/RHW-2	\$4,628.00	4/0	2/0	722	965	NRC 50.32	1,000
RUST / USE-2 /RHH/RHW-2	\$6,418.00	250	3/0	908	1,230	NRC 50.32	1,000
SLIPPERY ROCK / USE/RHH/RHW-2	\$8,748.00	350	4/0	1,166	1,544	NRC 60.28	1,000

Notes

1. Prices for other constructions available on inquiry

* Stock Product