

Data and signal line chokes


- The series products provide noise emission for Automotive and Telecom data line applications.
- For RoHS Compliant is designed for reflow soldering at temperature 250 °C (+0 °C /-5 °C).
- Rated voltage 42Vac or 80Vdc.
- Rated current 200mA to 300mA
- Common mode attenuation frequency from 10KHz to 1GHz

Electrical Specification @25°C:

UMEC Model No.	Inductance (μ H+50%/-30%)	Current ratio (mA typ)	DC Resistance ($m\Omega$ typ)	Leakage Inductance (nH typ)	Hi-Pot (Vdc, 2s)
UT21356S	12	300	120	40	250
UT21357S	25	250	170	60	250
UT21358S	25	250	170	800	250
UT21359S	33	200	200	70	250
UT21360S	33	200	200	900	250
UT21361S	51	200	250	90	250
UT21362S	51	200	250	1200	250
UT21363S	100	300	150	50	750
UT21364S	220	200	200	60	750
UT21365S	330	200	250	70	750
UT21366S	470	200	320	100	750

- Notes:
1. For RoHS compliant products, the Ordering Code: TG-Model No. ex. TG-UT21356S.
 2. Inductance at 100 kHz 100mV
 3. Leakage Inductance at 100KHz 1V
 4. Packaging Information: TBD

Mechanicals & Schematics:



DATA SHEET 17-21 AUG./14
1 OF 4



UNIVERSAL MICROELECTRONICS CO.,LTD.
TEL:886-4-23590096 FAX:886-4-23590129
<http://www.umec-web.net> E-mail:business@umec.com.tw




3,27TH RD.,TAICHUNG INDUSTRIAL PARK,
TAICHUNG,TAIWAN,R.O.C

Data and signal line chokes





Attenuation (typical values at $Z=50\Omega$)

asymmetrical, all branches in parallel (common mode)

----- symmetrical (differential mode)



Data and signal line chokes







DATA SHEET 17-21 AUG./14
3 OF 4



UNIVERSAL MICROELECTRONICS CO.,LTD.
TEL:886-4-23590096 FAX:886-4-23590129
<http://www.umec-web.net> E-mail:business@umec.com.tw

3,27TH RD.,TAICHUNG INDUSTRIAL PARK,
TAICHUNG,TAIWAN,R.O.C

Data and signal line chokes



DATA SHEET 17-21 AUG./14
4 OF 4



UNIVERSAL MICROELECTRONICS CO.,LTD.
TEL:886-4-23590096 FAX:886-4-23590129
<http://www.umec-web.net> E-mail:business@umec.com.tw

3,27TH RD.,TAICHUNG INDUSTRIAL PARK,
TAICHUNG,TAIWAN,R.O.C