



N300



Fast Ethernet



Remote Management



Easy Setup



DIR-605L

N300 Cloud Router

Features

- mydlink™ Service for Push Event, User Control, View Real-time Browsing History, and Remotely Connect and Disconnect Computer Devices from the Network
- Backwards Compatible with 802.11g
- Supports Secure Wireless Encryption Using WPA™ or WPA2™ Security
- Wi-Fi Protected Setup™ (WPS) Push Button
- Dual Active Firewalls - SPI and NAT
- Easy Setup Wizard for Installing Router and mydlink™ Service
- Traffic Control and Time Scheduling
- 4-Port 10/100 Switch
- UPnP® Support
- 24/7 Basic Installation Support²
- 1-Year Limited Warranty³

Stay informed and protected with mydlink

You can count on the DIR-605L for a safe and secure network environment – great for families. The DIR-605L features the mydlink remote cloud service for monitoring your network from anywhere. By simply downloading D-Link's free iPad⁶, iPhone or Android app, you can monitor Web site visits and intrusion attempts from wherever you are. In addition, the DIR-605L features a built-in Stateful Packet Inspection (SPI) firewall to minimize the threats of hackers and intruders as well as analyzing network traffic. The router also supports WEP, WPA, and WPA2 wireless encryption to keep your network traffic secure. Imagine having peace of mind knowing that you can maintain a safe and secure environment on your network from anywhere, especially if you have children at home. And, to insure that your router is up-to-date with the latest features, the mydlink cloud service will even notify you when an update is available for your router.

High-speed wireless networking

Create a high-speed wireless network for your home using the D-Link DIR-605L Cloud Router. Connect the device to a broadband modem and wirelessly share your high-speed Internet connection at up to 300Mbps. Enjoy surfing the web, checking e-mail, and chatting with family and friends online. The router uses Wireless N technology, which offers increased speed and range over the 802.11g standard¹

Easy to install and use

With the D-Link Easy Setup Wizard, you can set up your wireless network in minutes. The wizard will guide you through an easy to follow process to install your new hardware, connect to your network, and add new devices. It configures your Internet Service Provider (ISP) settings to quickly establish broadband Internet connectivity. In addition, the DIR-605L Cloud Router is Wi-Fi Protected Setup™ (WPS) certified, making it even easier to configure your wireless network and enable security



Technical Specifications	
General	
Device Management	• Web UI
Wireless Frequency Range	• 2.4 GHz to 2.4835 GHz
Antennas	• 2 Fixed 5dbi external antennas
Standards	<ul style="list-style-type: none"> • IEEE 802.11n • IEEE 802.11g • IEEE 802.3 • IEEE 802.3u
Minimum System Requirements	<ul style="list-style-type: none"> • Windows® 8.1, Windows® 8, Windows® 7, or Mac OS® X (v10.7)⁴ • Ethernet Network Interface • Internet Explorer® 11, Mozilla® Firefox® v28, Google Chrome v33, or Safari v7
Functionality	
Advanced Features	<ul style="list-style-type: none"> • mydlink app for iOS and Android devices • Push notifications • Wireless Intrusion • Online user notice • New firmware upgrade • UPnP™ support • User Control • Access control • Real-time browsing records • Traffic control
Security	<ul style="list-style-type: none"> • WPA & WPA2 (Wi-Fi Protected Access) • Wi-Fi Protected Setup (WPS) PIN/PBC
Advanced Firewall Features	<ul style="list-style-type: none"> • SPI (Stateful Packet Inspection) • MAC address filtering • NAT (Network Address Translation) • URL filtering

For more information

U.S.A. | 17595 Mt. Herrmann Street | Fountain Valley, CA 92708 | 800.326.1688 | dlink.com

Specifications are subject to change without notice. D-Link is a registered trademark of D-Link Corporation and its overseas subsidiaries. All other trademarks belong to their respective owners. ©2013 D-Link Corporation. All rights reserved.

Updated April 8, 2015



Technical Specifications Continued

Physical	
Dimensions	• 4.4 x 5.9 x 1.1 inches
Weight	• 0.5 lbs
Power Input	• 5 V DC, 1A through external power adapter
Temperature	• Operating: 32 to 104 °F
Humidity	• Operating: 10% to 90% non-condensing
Certifications	<ul style="list-style-type: none"> • FCC • Wi-Fi Certified • Wi-Fi Protected System (WPS) • CE
Package Contents	
What's Inside	<ul style="list-style-type: none"> • N300 Cloud Router • Quick Installation Guide • Power Adapter • Ethernet Cable
Warranty	
Warranty	1-Year Limited Warranty ⁵
Order Information	
Part Number	Description
DIR-605L	• N300 Cloud Router

¹ Maximum wireless signal rate derived from IEEE 802.11 specifications. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead, lower actual data throughput rate. Environmental factors will adversely affect wireless signal range. Wireless range and speed rates are D-Link RELATIVE performance measurements based on the wireless range and speed rates of a standard Wireless G product from D-Link. Maximum throughput based on D-Link 802.11n devices.

² 24/7 Basic Installation Support is available only in the USA for the first 30 days from date of original purchase.

³ 1-Year Limited Warranty available only in the U.S.A and Canada.

⁴ Computer must adhere to Microsoft's recommended System Requirements.

⁵ Latest software and documentation are available at <http://support.dlink.com>.

⁶ iPad users need to download the available mydlink Lite app for cloud services.

All references to speed are for comparison purposes only. Product specifications, size and shape are subject to change without notice, and actual product appearance may differ from that depicted herein.

For more information

U.S.A. | 17595 Mt. Herrmann Street | Fountain Valley, CA 92708 | 800.326.1688 | dlink.com

Specifications are subject to change without notice. D-Link is a registered trademark of D-Link Corporation and its overseas subsidiaries. All other trademarks belong to their respective owners. ©2013 D-Link Corporation. All rights reserved.

Updated April 8, 2015



D-Link®