



*From Tyco Security Products*



PRODUCT CATALOG  
2016 • 2017



## **Wireless Intrusion by Visonic**

### **Doing More with Security**

Visonic is a leading developer and manufacturer of innovative security technologies and solutions. All of our products are designed, developed, and manufactured to the highest quality standards for residential, small business, and light commercial intrusion security, as well as residential premises safety.

Visonic is part of the Security Products business unit of Tyco (NYSE: TYC), the world's largest pure-play fire protection and security company.

# Contents

catalog 2016 | 17

## 5 PowerMaster Solutions – with PowerG

- 6 DNA Chart
- 8 Control Panels
- 9 Keypads and Arming Devices
- 10 Keyfobs and Arming Devices
- 11 Panic Buttons
- 12 Intrusion Detectors
- 16 Safety Detectors
- 18 Sirens and Repeaters
- 19 Brackets

## 21 PowerMax Solutions – with PowerCode

- 22 DNA Chart
- 24 Control Panels
- 25 Keyfobs
- 26 Keypads
- 27 Keypads and Intrusion Detectors
- 28 Intrusion Detectors
- 29 Intrusion Detectors - Outdoor
- 30 Personal Emergency
- 32 Safety Detectors
- 33 Sirens
- 34 Repeaters and Receivers
- 35 Brackets and Speech Box

## **37 CMS, Mobile App and Communication Solutions**

38 PowerManage Platform

39 Mobile App

40 Communicators

41 I/O Expander Modules

## **43 Wired Detectors**

44 PIR - General Purpose

45 PIR - Pet-tolerant

46 PIR - Ceiling and PIR - Curtain

47 PIR - Miniature

49 Dual-technology / Pet-tolerant

50 Dual-technology - Ceiling and Dual-technology / Anti-mask

51 Battery Powered PIR and Outdoor Motion - PIR Detectors

52 Photoelectric Beam and Dual-technology Detectors

53 Access Control Motion - Request to Exit

54 Energy Management Motion - PIR - Ceiling and Accessories

## **56 Index**

**NEW**  
**ORDER NOW**

# UNBREAKABLE SAFETY



Display windows



Windows



Doors

## Smart & Sure GB-502 PG2 Glass Break Detector

- Add extra perimeter security & safety
- Prevent damage to contents
- Save energy & reduce costs
- Rely on super-accurate detection



For more information contact your local distributor or  
visit our website [www.visonic.com](http://www.visonic.com)

© 2016 Tyco Security Products. All rights reserved.



**Visonic**

*From Tyco Security Products*



## **PowerMaster Solutions – with PowerG**

### **Leading-edge security solutions driven by PowerG wireless technology**

The PowerMaster family is Visonic's cutting-edge line of professional wireless intrusion alarm systems. Powered by PowerG wireless technology, it offers the perfect solution for residential, small business and light commercial premises.

- Includes multiple wireless control panels for multiple applications
- Offers an extensive array of wireless peripherals for unmatched reliability and performance
- Delivers unmatched detection accuracy, long-lasting reliability, system robustness and ease of use

# PowerMaster Family



## Intrusion Detectors



**Outdoor PIR Motion Mirror Detector and Integrated Camera**  
TOWER CAM PG2



**Outdoor PIR Motion Mirror Detector**  
TOWER-20AM PG2



**Glass-break Detector**  
GB-502 PG2



**Magnetic Contact**  
MC-302/E PG2



**Vanishing Contact**  
MC-302V PG2



**Motion Detector with Anti-masking**  
TOWER-30AM PG2



**Mirror Dual Technology Detector**  
TOWER-32AM PG2



**Shock Detector**  
SD-304 PG2



**Motion Detector**  
Next PG2 / Next K9 PG2



**Motion Detector with Integrated Camera**  
Next CAM PG2 / Next CAM K9 PG2



**Curtain PIR Detector**  
Clip PG2



## Safety Detectors



**Gas Detector**  
GSD-441 PG2



**Carbon Monoxide (CO) Detector**  
GSD-442 PG2



**Smoke Detector**  
SMD-426 PG2



**Smoke & Heat Detector**  
SMD-427 PG2



**Flood Detector**  
FLD-550 PG2 / FLD-551 PG2



**Temperature Detector**  
TMD-560 PG2



## Sirens



**Outdoor Siren**  
SR-740 HEX PG2



**Outdoor Siren**  
SR-740 PG2



**Indoor Siren**  
SR-720B PG2



## Repeater



**Repeater**  
RP-600 PG2




**PowerMaster-33**  
Distributed wireless alarm

**PowerMaster-30**  
64-zone control panel

**PowerMaster-10 Triple**  
30-zone control panel

**Keypads**




**Two-way Keypad**  
KP-250 PG2

**Touch-screen Keypad**  
KP-160 PG2

**Wireless Portable Keypad**  
KP-140 / 141 PG2

**Proximity Tags**  
Chicklets

**Keyfobs**



**Slim Keyfob**  
KF-235 PG2

**Keyfob**  
KF-234 PG2

**Panic Buttons**



**Panic Button**  
PB-101 PG2

**Panic Button**  
PB-102 PG2

**Alarm Communication**



**IP Security Management Platform**  
PowerManage

**GSM/GPRS Communicator**  
GSM-350

**IP Module**  
PowerLink3

**3G Communicator**  
WCDMA-3G







### PowerMaster-33 Distributed Wireless Security Alarm

PowerMaster-33 is the control panel for a distributed wireless security alarm system. The PowerMaster-33 panel is installed and operated by a wireless two-way keypad called KP-250 PG2. PowerMaster-33 can be installed in a hidden area. It provides an ideal solution for the highly security-aware residential market as well as for the SME / light- commercial market.

- Two-way communication eliminates lost alarms and unnecessary re-transmissions
- 64 wireless zones
- 48 user codes
- Supports partitions
- Up to 48 hour back-up battery
- Up to 10 KP-250 PG2 keypads, 32 keyfobs and 32 KP-140/141/160 PG2 keypads
- Built-in PSTN dialer
- Optional 3G, GSM/GPRS and IP modules
- Remote software updates



### PowerMaster-30 Professional, Wireless Security Alarm

PowerMaster-30 is a professional wireless security alarm system. Suitable for advanced security alarm monitoring applications and heavy duty operation, it has a superior range, extended battery life and unmatched wireless robustness. All devices are configured from the panel; there are no hardware switches.

- Two-way communication eliminates lost alarms and unnecessary re-transmissions
- 64 wireless zones
- 48 user codes
- Supports partitions
- Up to 48 hour back-up battery
- Up to 2 wired zones, 1 wired siren and 1 programmable output
- Built-in PSTN dialer
- Optional 3G, GSM/GPRS and IP modules
- Available in multiple languages
- Remote software updates
- Audible voice notifications



### PowerMaster-10 Triple Compact Wireless Security Alarm

PowerMaster-10 is a compact wireless home security and safety system. Using wireless technology that is highly secure, it delivers superior range, long battery life and unmatched wireless robustness. A perfect solution for monitoring service providers who require high performance at a low cost. Suitable for large residential and small to mid size business installations.

- Two-way communication eliminates lost alarms and unnecessary re-transmissions
- 30 wireless zones
- 8 user codes
- Supports partitions
- 12 or 24 hour back-up battery
- A single wired zone
- Built-in PSTN dialer
- Optional 3G, GSM/GPRS and IP modules
- Remote software updates
- Available in multiple languages

### KP-250 PG2 Wireless Two-way Keypad

KP-250 PG2 is a two-way keypad that operates and communicates with PowerMaster panels. It was especially designed to work with the hidden PowerMaster-33 panel, but it can also work with the PowerMaster-10 and PowerMaster-30 panels.

- Provides full user and installer menus
- Enables complete view and control of the system while the panel is hidden
- Optimizes installation time & efficiency
- Integrated sounder
- Wall-mounted or desktop, with back tamper
- Proximity Tag reader



### KP-160 PG2 Wireless Touchscreen Keypad

KP-160 PG2 is a touch-screen keypad that communicates with PowerMaster panels. It has a stylish design, graphical touchscreen and proximity tags. KP-160 PG2 is designed to maximize user experience while keeping price at bay.

- Easy arm and disarm with user code or proximity tags and/or any RFID employee card
- Supports systems with partitions – Controls up to 3 areas
- Wall-mounted or desktop
- Tamper switch protects battery compartment and prevents unit removal



### KP-140/141 PG2 Wireless Portable Keypad

KP-140/141 PG2 is a two-way keypad that communicates with PowerMaster panels. It offers easy programming and user-friendly control of the security system.

- Attractive, ergonomic design for handheld use or wall mounting
- Integrated panic feature
- Provides visible and audible status indications, including Exit/Entry and Trouble
- Proximity reader (KP-141 PG2 only) – Can be used even with panels that do not have a built-in proximity reader





### KF-235 PG2 Wireless Slim Keyfob

KF-235 PG2 is a slim 4-button keyfob that is used to perform arming and disarming, emergency signaling, panic alarm and viewing the system status. It provides instant visual verification that the requested command has been successfully executed.

- One-click arming/disarming, emergency signaling, panic alarm and checking of system status
- Visible signal quality indication shown on the device
- Prolonged battery life (5 years with typical use)
- Dimensions: 60 x 34.5 x 12.5mm (2.3 x 1.3 x 0.5in)



### KF-234 PG2 Wireless Keyfob

KF-234 PG2 is a 4-button, two-way wireless keyfob which arms and disarms the PowerMaster control-panel. It can also be used for emergency signaling, home automation and other remote control applications, providing instant visual verification that the requested command has been successfully executed.

- Confirms that the system has carried out the user's command
- Compatible with international standards
- Prolonged battery life (8 years with typical use)
- Comfortable, attractive, miniature design
- Dimensions: 53.5 x 31.5 x 12.5mm (2.12 x 1.25 x 0.5in)



### Chicklets Multi-Color Proximity Tags

Chicklets are small proximity tags for easy arming and disarming of the system. They are ideal for premises with multiple users or infrequent users who may not remember the arm/disarm code.

- Easily arm and disarm the system
- Compatible with selected control panels and keypads
- Can be placed on a keychain for convenient entry
- Available in eight different colors



### Pro Tags Proximity Tags

Small and easy to use, these proximity tags can be placed on a keychain for easy access to the premises. The user simply places the tag next to the reader to arm and disarm the system.

- Easily arm and disarm the system
- Compatible with international standards
- Compatible with selected control panels and keypads
- Can be placed on a keychain for convenient entry
- Available in gray, black and white

### **PB-101 PG2 Wireless, 1-Button Panic Button**

PB-101 PG2 panic is a stylish handheld PowerG wireless transmitters designed for emergency and control applications in supervised wireless security systems.

PB-101 PG2 has one push-button that offers enhanced security and peace of mind as they allow users to send alarm messages with just a simple press on a button.

- Prolonged battery life (7 years with typical use)
- Supplied with a belt clip, a key chain, and a lanyard necklace
- Comfortable, attractive, and a flexible design, suitable for carrying or wall mounting
- Dimensions: 53 x 33 x 11mm (2.1 x 1.3 x 0.43in)



### **PB-102 PG2 Wireless, 2-Buttons Panic Button**

PB-102 PG2 panic has two push-buttons designed for emergency and control applications in supervised wireless security systems.

With the PB-102 PG2, the user can initiate a distress alarm, by pressing both buttons simultaneously.

- Safety Mechanism for preventing false panic calls
- Prolonged battery life (7 years with typical use)
- Supplied with a belt clip, a key chain, and a lanyard necklace
- Comfortable, attractive, and a flexible design, suitable for carrying or wall mounting
- Dimensions: 53 x 33 x 11mm (2.1 x 1.3 x 0.43in)





### Next CAM PG2, NEXT CAM K9-85 PG2 Wireless, PIR Motion/Pet-immune detector with Integrated Camera

Next CAM PG2 provides the perfect solution for visual alarm verification, day or night. When the alarm system is armed and the PIR sensor detects movement, the detector sends an alert to the control panel and activates the camera. By reviewing the images in real time, security staff can verify the alarm and respond accordingly.

- Sends full color, high-resolution images from the premise to the monitoring station
- Camera range is parallel to PIR coverage - makes sure there are not "lost" areas when the camera takes pictures
- Instant capture feature - immediately starts recording when the alarm is activated
- Pet-tolerant model (Next CAM K9-85 PG2) Ignores animals weighing up to 38kg (85lb)
- Dimensions: 125 x 63 x 60mm (4.9 x 2.5 x 2.4in)



### Next PG2, NEXT K9-85 PG2 Wireless, PIR Motion/Pet immune PIR Motion Detector

Next PG2 is a two-way wireless digital PIR detector compatible with the PowerMaster family. Based on Visonic's ground-breaking PowerG technology, Next PG2 combines several field-proven advanced technologies and the highly reliable AES encryption method. This combination of technologies delivers extended transmission range and battery life, and unmatched advantages for professional installers, central monitoring stations and end-users alike.

- 15m (50ft) / 90° wall creep coverage
- Visible signal quality indication shown on the device
- Prolonged battery life (6 years with typical use)
- Pet-tolerant model (Next K9-85 PG2) Ignores animals weighing up to 38kg (85lb)
- Large transmission range enabling repeater-free installations
- Dimensions: 94.5 x 63.5 x 53mm (3.7 x 63.5 x 2.06in)



### TOWER-32AM PG2 Mirror Dual Technology Detector with Anti-masking

The TOWER-32AM PG2 dual technology detector combines advanced PIR detection algorithms with K-band microwave detection to dramatically reduce false alarms events even in harsh residential and commercial installations. The unique anti-disguise mode increases detection reliability by detecting an intruder who manipulates his body temperature to be very close to the ambient temperature.

- Dual PIR and K-band microwave technologies dramatically reduce false alarms and decrease associated operational costs
- Unprecedented, active anti-masking (AM) protection technology for both the PIR and microwave sensors
- Anti-disguise mode detects intruders even in extreme temperature conditions
- Vandal-resistant design – Enabled by patented V-Slot technology
- Dimensions: 115 x 60 x 48mm (4.5 x 2.3 x 1.9in)

## TOWER-30AM PG2 Wireless, PIR Motion, Mirror Detector with Anti-mask

TOWER-30AM PG2 comprehensively answers the need of commercial and residential applications for outstanding detection with minimum false alarms, even in the most challenging conditions.

- Coverage area – 15m (50ft) / 90°
- Small, recessed and robust slot window – patented V-slot technology
- Active anti-masking (AM) protection technology
- Easy to install, with no vertical adjustments
- Dimensions: 115 x 60 x 48mm (4.5 x 2.3 x 1.9in)



## Clip PG2 Wireless, PIR Curtain Motion Detector

Clip PG2 is a compact, elegant wireless curtain-type PIR detector designed for the protection of doors, windows and all-glass walls. This detector is compatible with the PowerMaster wireless family of intrusion alarm systems and PowerG receivers.

- Selectable curtain coverage 2, 4 and 6m (6, 12, 18ft) for optimized performance according to wall size
- Prolonged battery life (7 years with typical use)
- Visible link quality indication shown on the device
- Visible and transmitted low battery indication



## SD-304 PG2 Wireless Shock and Contact Detector with Wired Input

The innovative SD-304 PG2 wireless shock detector provides perimeter protection for residential and commercial premises. It provides early warning of an attempted intrusion by sensing forced entry before a burglar actually enters the property. This potentially reduces the damage and losses to a property as a result of a break in and provides home and business owners with enhanced security.

The detector's advanced digital processing uses a piezo shock sensor to precisely detect and analyze gross attacks or a series of low-level shocks while ignoring background vibrations, a major cause of false alarms.

- Early detection of gross attacks or low-level shocks
- High immunity to background vibrations which can cause false alarms
- Protects windows, doors, walls and roofs against forced entry
- Quick and easy installation using unique 7-segment shock meter and pushbuttons
- Optional auxiliary input to connect wired detectors, pushbuttons or other detection devices
- Prolonged battery life (5 years with typical use) with all sensors enabled





### MC-302V PG2 Wireless, Vanishing Door/Window Contact

MC-302V PG2 is an extremely small and thin wireless magnetic contact transmitter, designed primarily for protecting doors and windows. When installed, the MC-302V PG2 is virtually unnoticeable and doesn't interfere with home decoration. Fully compliant with international standards, the MC-302V PG2 is highly reliable wireless magnetic contact that compatible with PowerG alarm systems and is very easy to install and operate in a wide range of residential and commercial environments.

- Large transmission range enabling repeater-free installations
- Easy to install and remove
- Prolonged battery life (5 years with typical use)
- Dimensions: 62 x 25.4 x 7.7mm (2.45 x 1 x 0.3in)
- Available in white and brown colors



### MC-302 PG2 Wireless, Door/Window Contact

MC-302 PG2 is a fully supervised two-way magnetic contact transmitter, designed primarily for protecting doors and windows. This highly reliable top-performance wireless device is easy to install and operate in a wide range of residential and commercial environments.

- Visible signal quality indication shown on the device
- Large transmission range enabling repeater-free installations
- Prolonged battery life (8 years with typical use)
- Dimensions: 81 x 32 x 25mm (3.19 x 1.25 x 1in)



### MC-302E PG2 Wireless, Door/Window Contact with Wired Input

MC-302E PG2 is a fully supervised two-way magnetic contact transmitter, designed primarily for protecting doors and windows. This highly reliable top-performance wireless device is easy to install and operate in a wide range of residential and commercial environments. It is compatible with PowerMaster burglar alarm systems.

- Ideal for protecting doors, windows and other openings
- User-selectable operation of auxiliary input as NC or EOL
- Prolonged battery life (8 years with typical use)
- Back tamper switch options (MC-302E T PG2 model)
- Dimensions: 81 x 32 x 25mm (3.19 x 1.25 x 1in)



### GB-502 PG2 Wireless Glass-break Detector

GB-502 PG2 is a digital wireless glass-break detector compatible with PowerMaster intrusion alarm systems and PowerG receivers. It is designed for a wide range of residential and commercial applications where reliable glass-break detection with near-zero false alarms is required.

- Advanced technology that offers accurate and false alarm-free detection
- Adjustment free – no adjustment is necessary during installation; no need to configure according to glass type or room size
- Extended battery life – up to 5 years
- Certification according to latest EN standard 50131-2-7-1
- True self-test (incorporating buzzer)

## TOWER CAM PG2 Wireless, Outdoor Mirror PIR Motion detector with Integrated Camera

TOWER CAM PG2 is an innovative wireless outdoor PIR mirror detector with integrated camera, that provides the perfect solution for visual alarm verification. It, features several innovative technologies to overcome demanding outdoor challenges such as day or night, rain, direct sunlight, animals, changes of light levels and more. When the alarm system is armed and the PIR sensor detects movement, the detector sends an alert to the control panel and activates the camera. By reviewing the images in real time, security staff can verify the alarm and respond accordingly.

- Sends full color, high-resolution images from the premise to the monitoring station
- Camera range is parallel to PIR coverage - makes sure there are not "lost" areas when the camera takes pictures
- Innovative Octa-Quad technology can distinguish between a moving person, swaying trees and bushes, and a small animal, minimizing false alarms while ensuring effective detection of real threats
- Prolonged battery life (3 years with typical use)
- Instant capture feature - immediately starts recording when the alarm is activated



## TOWER-20AM PG2 Wireless, Outdoor PIR Motion, Mirror Detector with Anti-mask

TOWER-20AM PG2, an innovative wireless outdoor PIR mirror detector, comprehensively addresses property owners' security needs for accurate intruder detection with minimum false alarms.

TOWER-20AM PG2 features several innovative technologies to overcome demanding outdoor challenges such as rain, direct sunlight, animals, changes of light levels and more. Visonic's revolutionary Octa-Quad™ technology, which uses eight PIR sensors, each acting as a Quad detector, enables the TOWER-20AM PG2 to accurately and reliably determine whether an alarm is justified.

- Innovative Octa-Quad technology can distinguish between a moving person, swaying trees and bushes, and a small animal, minimizing false alarms while ensuring effective detection of real threats
- Prolonged battery life (3 years with typical use)
- Vandal-resistant design – Enabled by patented V-Slot technology
- Unprecedented, complete anti-masking protection
- Market-leading black mirror optics – Provide exceptionally high immunity to false alarms from sunlight and car headlights







### SMD-426 PG2 Wireless, Smoke Detector

SMD-426 PG2 is a fully supervised wireless photoelectric smoke detector that is compatible with PowerMaster wireless alarm systems. Designed for a wide range of applications, the easily installed smoke detector has a streamlined design and an extended battery life for easy and low-cost maintenance.

- Photoelectric, ceiling-mount smoke and heat detector
- Certified by the most strict and demanding international standards
- Visible signal quality indication shown on the device
- Loud (85db) alarm sounding at 3m (10ft)
- Prolonged battery life (8 years with typical use)



### SMD-427 PG2 Wireless, Smoke & Heat Detector

SMD-427 PG2 is a fully supervised wireless heat and photoelectric smoke detector that is compatible with PowerMaster residential alarm systems. By sensing rapid temperature changes in areas where they may occur SMD-427 PG2 activates an alarm when the temperature reaches 60°C (+/-3) / 140°F (+/-5).

- Photoelectric, ceiling-mount smoke and heat detector
- Certified by the most strict and demanding international standards
- Visible signal quality indication shown on the device
- Loud (85db) alarm sounding at 3m (10ft)
- Prolonged battery life (8 years with typical use)



### GSD-441 PG2 Wireless Natural Gas (Methane) Detector

GSD-441 PG2 wireless natural gas detector provides rapid warnings about leaks of natural gas (Methane CH<sub>4</sub>) commonly used for cooking, home heating and water heating.

GSD-441 PG2 transmits all alerts to the PowerMaster intrusion alarm system which sounds the alarm and forwards the alert message to a central station or private phone number.

- Detects Methane CH<sub>4</sub> gas used for cooking and heating
- Provides visual and audible alerts when gas is detected
- Self-test button for sensor, receiver, LED and buzzer checks
- Loud internal buzzer (85db)
- Dimensions: 155 x 80 x 58mm (6.12 x 3.16 x 2.31in)



### GSD-442 PG2 Wireless Carbon Monoxide (CO) Detector

GSD-442 PG2 is a wireless Carbon Monoxide (CO) detector that gives early warning of CO poisoning danger, preventing damage to vital organs and even death.

GSD-442 PG2 utilizes a sophisticated electrochemical sensor to provide linear output in proportion to CO gas concentration, which is the most accurate technology available for CO detection.

- Fully certified by the most strict and demanding international standards for safety products in Europe (LPCB UK, EN 50291) and USA (UL 2075)
- Loud built-in alarm buzzer (95db) and a large flashing LED alarm
- Auto-test and manual test buttons included
- Long battery life (4 years with typical use)
- Visible and transmitted low battery indication

## FLD-550 PG2 / FLD-551 PG2 Wireless Flood Detector

FLD-550 PG2 / FLD-551 PG2 is a fully supervised wireless flood detector, designed to detect the presence of water in basements, yachts and many others residential and commercial applications, providing early warning of developing floods.

- Visible signal quality indication shown on the device
- Easy installation: includes a 3m (10ft) sensor cable for high positioning of the transmitter
- FLD-551 PG2 sends a probe disconnection alert upon detection of probe terminal connection failure
- Prolonged battery life (8 years with typical use)
- Dimensions: 81 x 34 x 25mm (3.19 x 1.25 x 1in)



## TMD-560 PG2 Wireless Temperature Detector

TMD-560 PG2 temperature detector monitors ambient temperatures in the home and sends alerts to the control panel when extreme hot or cold is detected. Early warning of potentially dangerous temperatures enables homeowners to take action before they cause illness, or worse, and before freezing temperatures can damage building infrastructure and family possessions.

- Up to four selectable temperature alert points – extreme cold, freezer fault, cold and extreme heat
- Additional probe available for freezer, fridge and outdoor applications
- Prolonged battery life (7 years with typical use)
- Dimensions: 81 x 32 x 25mm (3.19 x 1.25 x 1in)





### SR-720B PG2 Wireless Indoor Siren

SR-720B PG2 is the ideal indoor siren for residential and light commercial buildings, where PowerMaster systems are installed. This cost effective, two-way wireless siren produces all alerts, with differentiated alarm sounds for intrusion and fire. The extremely strong siren sound and built-in high-power white strobe light ensure the alarm gets noticed.


- Differentiated alarm sound for intrusion and fire
- Prolonged battery life (8 years with typical use)
- 110dB Piezo siren and high-power strobe light
- Dimensions: 161 x 161 x 50mm (6.44 x 6.44 x 1.75in)



### SR-740 PG2 Wireless Outdoor Siren

SR-740 PG2 is two-way wireless outdoor siren (IP55). It provides the perfect security solution for home owners with a PowerMaster system who are looking for an affordable and easy to install outdoor siren. It excels in offering cabling-free installation and optional extended time between battery changes.

- Prolonged battery life (8 years with typical use)
- Loud 110db piezo siren
- Differentiated alarm sounds for intrusion, fire, gas and flood
- Large print screen area for customizable logos
- Dimensions: 295 x 186 x 63mm (11.63 x 7.31 x 2.5in)



### SR-740 HEX PG2 Wireless Outdoor Hexagon Siren

SR-740 HEX PG2 is a two-way wireless outdoor siren (IP55). It provides the perfect security solution for home owners with a PowerMaster system who are looking for an affordable and easy to install outdoor siren. It excels in offering cabling-free installation and optional extended time between battery changes.

- Sleek design Hexagonal and robust weatherproof housing (IP55) with high power strobe light
- Loud 110dB Piezo siren
- Transmission range is far greater than the industry standard - enabling repeater-free installations even in large premises
- Extended battery life (8 years with typical use)
- Visible signal quality indication shown on the device



### RP-600 PG2 Wireless Repeater

RP-600 PG2 extends the communication range between the PowerMaster control-panels and other PowerG devices. It receives alarm, status and control messages from the wireless devices and sends these messages to the control panel.

- Transmission range is by far greater than the industry standard
- Mains powered with 48 hour backup battery (rechargeable)
- Dimensions: 161 x 161 x 50mm (6.44 x 6.44 x 1.74in)

### Bracket BR-1 Wall Mount Bracket for PIR Detectors

BR-1 is a universal wall mount bracket that accommodates most Visonic PIR detectors.

- Designed for surface mounting.
- Adjustable vertically 0-30°
- Adjustable horizontally 45° left to 45° right



### Bracket BR-2 Corner Mount Bracket for PIR Detectors

BR-2 is a universal corner mount bracket that accommodates most Visonic PIR detectors.

- Adjustable vertically 0-30°
- Adjustable horizontally 45° left to 45° right



### Bracket BR-3 Ceiling Mount Bracket for PIR Detectors

BR-3 is a universal ceiling mount bracket that accommodates most Visonic PIR detectors. It is provided as a kit that includes the BR-1 surface-mount bracket.

- Adjustable vertically 0-30°
- Adjustable horizontally 45° left to 45° right



# Wiring can be a Monstrous Task. Go Wireless with Visonic.



with  
**PowerG**  
Technology

## No wires. No mess. No fuss.

- Easier and faster installations
- Market-leading reliability
- Cutting-edge products
- Experience you can rely on



Protecting  
homes  
since 1973

For more information contact your  
local distributor or visit our website  
[www.visonic.com](http://www.visonic.com)

© 2016 Tyco Security Products. All rights reserved.



**Visonic**

*From Tyco Security Products*



## **PowerMax Solutions – with PowerCode**

### **Residential property protection solutions based on PowerCode technology**

The PowerMax family of home security solutions meets a wide range of residential safety and security needs. With PowerMax home security alarms, families can rest assured their homes and loved ones are well-protected when they need it most.

- Ideal for standard premises with straightforward installation and protection requirements
- Includes a variety of wireless control panels and wireless peripherals, including indoor and outdoor motion detectors and safety sensors that detect smoke, gas, CO and floods
- Can be connected to a wide range of personal emergency transmitters to enable immediate response in cases of emergencies

# PowerMax Family



## Intrusion Detectors



**Outdoor Detector**  
TOWER-20AM MCW



**Curtain Detector**  
Clip MCW



**Motion Detector**  
Next+ K9-85 MCW



**Magnetic Contact**  
MCT-302 / MCT-320



## Safety Detectors



**Carbon Monoxide (CO) Detector**  
MCT-442



**Smoke Detector**  
MCT-426



**Smoke & Heat Detector**  
MCT-427



**Flood Detector**  
MCT-550



## Sirens



**Indoor Siren**  
MCS 720B



**Outdoor Siren**  
MCS-740



## Repeater



**Repeater**  
MCX-610

PowerMaxPro



PowerMaxExpress

PowerMaxComplete

### Keypads



Touch-screen Keypad  
MCK-160



Remote Commander  
MCM-140



Two-way Voice Keypad  
MCK-150



Two-way Voice Keypad  
MCK-152

### Keyfobs



Keyfob  
MCT-234



Two-way Keyfob  
MCT-237



Transmitters for Emergency and Control  
MCT-104 / 101 / 102

### Personal Emergency



Pendant-Style Transmitter  
MCT-201WP



Fall Detector  
MCT-241MD



Wristband Transmitter  
MCT-211



Emergency Button  
MCT-220 / MCT-220WP





### PowerMaxPro

PowerMaxPro is an all-in-one wireless home security system that brings an entirely new level of versatility, connectivity and style to the world of home security. It lets homeowners view and control their homes from anywhere via any web browser or mobile phone, delivering ease of use and reliability, in an elegant, contemporary design.

- Internal add-on, field-upgradeable GSM/GPRS or IP communication modules
- Internal, field-upgradeable PowerLink module – for internet-based operation and surveillance with connection for up to 12 cameras on-site
- Full voice prompts, two-way voice communications and listen-in functions
- Supports up to three partitions and multiple common areas (optional)
- Factory-installed proximity card reader
- Intelligent architecture with full protection of all critical components and dedicated side openings for easy wiring
- Internal power supply
- Isolated battery compartment with 48 hour back up
- Supports 30 zones (28 wireless + 2HW)



### PowerMaxComplete

PowerMaxComplete is a professional-grade wireless security and personal safety solution especially designed to answer the needs of residential and small office customers, many of whom are disconnecting from the standard PSTN network.

- Internal add-on, field-upgradeable GSM/GPRS or IP communication modules
- Internal PowerLink module – for internet-based operation and surveillance (field-upgradeable) with connection for up to 12 cameras on-site
- Flexible configuration ensures a competitive cost for the desired functionality:
- Optional expander module provides 12V auxiliary supply, additional hardwired zone and interface to remote speakerphone
- Voice functionality option (at the manufacturing level); two-way voice communication, voice prompts, and family message center
- Choice of external or internal power supply with 24-hour back-up battery included (can be expanded to 48 hour)
- Supports 29/30 zones (28 wireless + 1/2 HW)



### PowerMaxExpress

Packs outstanding functionality into an exceptionally compact wireless control panel. It delivers all the features and reliability professional installers and homeowners need in a highly cost-effective solution.

- Standard PSTN communicator
- Internal add-on, field-upgradeable GSM/GPRS or IP communication modules
- Internal PowerLink module – for internet-based operation and surveillance (field-upgradeable) with connection for up to 12 cameras on-site
- Supports up to three partitions and multiple common areas (optional)
- Intelligent architecture with full protection of all critical components and dedicated side openings for easy wiring
- External/internal transformer with 12-hour back-up battery included (optional)
- Supports 29 zones (28 wireless + 1 HW)

### MCT-237 6-Button, Two-way Wireless Keyfob

MCT-237 is a 6-button, miniature, wireless two-way keyfob with an icon-based LCD display. Designed for arming and disarming the security system, it also provides emergency signaling and query for status and home automation applications.

- LCD display provides instant system status reporting and command feedback
- 6 functional buttons for arming, disarming, home, and more
- 2 programmable buttons for status queries and home automation, including garage door and lighting control
- Compact size: 75 x 38 x 18mm (2.94 x 1.5 x 0.69in)



### MCT-234 4-button, One-way Wireless Keyfob

MCT-234 is a 4-button, miniature wireless CodeSecure™ keyfob transmitter designed for arming and disarming wireless security systems, and for emergency signaling, access control, home automation and remote control applications.

- Comfortable, attractive, miniature design
- 4 independent function buttons
- Includes a 12V alkaline battery, type GP 23A or equivalent
- Compact size: 53.5 x 31.5 x 12.5mm (2.12 x 1.25 x 0.5in)



### MCT-101/102/104 Wireless Control Keyfobs

MCT-101 (1-button), MCT-102 (2-button) and MCT-104 (4-button) hand-held PowerCode™ wireless transmitters are designed for emergency and control applications in supervised wireless security systems, as well as home automation and remote control systems.

- Available in 1, 2 and 4-button (channels) models
- Includes a 3.6V alkaline battery
- Visible and transmitted low-battery indication
- Includes a metal belt-clip for convenient use



### Proximity Tag Reader

Small and easy to use, these proximity tags can be placed on a keychain for easy access to the premises. The user simply places the tag next to the reader to arm and disarm the system.

- Compatible with PowerMaxPro and PowerMaxComplete
- Provides easy arming and disarming using only a small proximity tag
- Proximity tags enable authorized people only to enter restricted areas
- Up to 8 tags can be enrolled to the control panel





### MKP-160 Touch-screen Keypad

MKP-160 is a wireless proximity operated keypad that maximizes user experience and cost effectiveness. Suitable for home and office, the intuitive, icon-based display users' learning curve and the proximity tags replace the need for costly keyfobs or memorized codes.

- Large touch screen with graphical icons
- Easy and intuitive operation
- For arming/disarming, initiating fire and panic alarms, controlling PGM outputs, reviewing system status, and more
- Wall-mounted or desktop use
- Optional mains power allows always-on status display
- Audible and visual exit/entry warning (even when running on batteries)
- Alarm system control panel can be installed in a hidden location



### MCM-140 Universal Remote Commander

MCM-140 is a universal wireless portable remote control unit for PowerMax and home automation systems. It enables easy programming and user-friendly control of the programming of the PowerMax system and also enables control of X-10 devices using PowerMax keypad commands.

- Back light illumination
- Visual indications with three color-coded LEDs
- Audible signals confirm user commands
- Superior transmission range
- PowerCode technology with anti-collision transmission algorithm
- CodeSecure encryption technology prevents unauthorized "code grabbing"
- Long-life standard lithium battery, with automatic reporting of low battery
- Compatible with PowerMax and other PowerCode wireless systems



### MKP-150 Two-way Wireless Keypad with Voice

MKP-150 is a two-way wireless keypad for PowerMax systems that provides all of the controls, notifications, indications and voice prompts of the control panel. With the keypad placed in any convenient location, the control panel can be installed in a location inaccessible to intruders.

- Used to arm or disarm the security system, turn lights on and off, control electrical appliances, and more
- Easy programming and user-friendly control
- Family Message Center for voice memos
- Automatic reporting to control panel of low battery, AC failure, RF jamming, and tampering
- Built-in tamper switch
- Visual indicators (LED and LCD) and audible notifications
- Two long-life 3-Volt lithium batteries
- Compatible with PowerMax+, PowerMaxExpress, PowerMaxComplete and PowerMaxPro control panels

## MKP-152 Two-way Wireless Keypad with Voice

MKP-152 is a two-way wireless keypad for PowerMax systems that provides all of the controls, notifications, indications and voice prompts of the control panel. With the keypad placed in any convenient location, the control panel can be installed in a location inaccessible to intruders.

- Used to arm or disarm the security system, turn lights on and off, control electrical appliances, and more
- Easy programming and user-friendly control
- Family Message Center for voice memos
- Automatic reporting to control panel of low battery, AC failure, RF jamming, and tampering
- Built-in tamper switch
- Visual indicators (LED and LCD) and audible notifications
- Two long-life 3-volt lithium batteries
- Compatible with PowerMax+, PowerMaxExpress, PowerMaxComplete and PowerMaxPro control panels



## Next+ PIR MCW, Next+ K9-85 MCW Wireless Motion Detector/Pet-tolerant Detectors

Next+ PIR MCW and Next+ K9-85 MCW are fully supervised wireless detectors with anti-collision PowerCode technology. Next+ PIR MCW is compatible with PowerMax® and all Visonic PowerCode wireless panels and receivers.

Next+ K9-85 MCW is designed to enable homeowners to secure their homes while allowing their pets to move freely anywhere in the house.

- Coverage area: 15m (50ft) / 90°
- Contemporary, sleek design suits any decor
- Pet-tolerant version ignores animals weighing up to 38kg (85lb)
- Compact size: 94.5 x 63.5 x 53mm (3.7 x 2.5 x 2.06in)



## Clip MCW Wireless Curtain Detector

Clip MCW creates a protective curtain enabling complete coverage for properties with large or subdivided windows, doors and all-glass walls. It provides full perimeter protection while allowing consumers to normally and freely use the premises without triggering a false alarm.

- Ideal for protecting doors, windows and all-glass walls
- Horizontal mount for skylight and display protection
- Selectable curtain coverage: 2, 4 and 6m (6, 12, 18ft) for optimized performance according to wall size
- Compact size: 105 x 35 x 30mm (4.16 x 1.4 x 1.2in)





### MCT-302 Wireless Door/Window Contact

MCT-302 is a fully supervised PowerCode™ magnetic contact transmitter designed primarily to protect doors and windows. It uses a built-in magnetic contact that operates in conjunction with a magnet to detect the opening and closing of doors and windows. This highly reliable, top-performance wireless device is easy to install and operate in a wide range of residential and commercial environments.

- Includes hardwired auxiliary input for external devices
- Easy to install and remove if needed
- Back tamper switch options (MCT-302T model)
- Compact size: 81 x 32 x 25mm (3.19 x 1.25 x 1in)



### MCT-320 Wireless Low-profile Door/Window Contact

MCT-320 is a fully supervised, compact PowerCode™ door/window contact transmitter. Suitable for any residential or commercial environment, this low-profile transmitter has the added advantage of being very small, which allows for highly flexible and virtually invisible installation.

- Very compact design, ideal for low-profile installations
- Cover closure with hidden screws
- Easy to install and remove if needed
- Compact size: 51 x 30 x 21mm (2 x 1.2 x 0.8in)



### MCT-501 Wireless Glass-break Detector

MCT-501 is a fully supervised, digital glass-break wireless detector compatible with PowerMax and other Visonic PowerCode™ wireless security systems. It is designed for a wide range of residential and commercial applications where reliable glass-break detection is required.

- Detects the breaking of different types of glass, including plate, tempered, laminated and wired
- Maximum detection range: 6m (20ft)
- Compact size: 80 x 108 x 43mm (3.13 x 4.24 x 1.70in)



### MCT-100 Wireless Universal Transmitter

MCT-100 is a transmitter that is compatible with virtually any normally open (NO) or normally closed (NC) device connected to its two end-of-line (EOL) protected inputs, including push buttons, sensors, contacts, switches and other detection devices.

- Integrates between any hard-wired device and all Visonic PowerCode wireless panels and receivers
- 2 inputs with an individual ID code on each input
- User-selectable operation of each input as NC or EOL
- Compact size: 110 x 63 x 25mm (4.3 x 2.5 x 1in)

### MCPIR-3000 Wireless Motion Detector

MCPIR-3000 is a fully supervised, wireless PIR detector with advanced anti-collision technology compatible with PowerMax and all Visonic PowerCode™ wireless receivers. It is approved and available in various frequency bands according to international standards.

- Coverage area: 9-12m (30-40ft) depending on the lens used
- Easy to install, with surface and corner mounting
- Includes a 3.6V standard lithium battery
- Compact size: 104 x 60 x 32mm (2.4 x 4.1 x 1.3in)



### TOWER-20AM MCW Wireless Outdoor Motion Detector

TOWER-20AM MCW is a ground-breaking, anti-masking, wireless mirror detector that provides unparalleled alarm detection in outdoor environments due to the unique patented technologies it employs. It is the first detector to prevent false alarms caused by outdoor interferences such as rain, snow, lightning storms, swaying bushes and free-roaming animals, while still providing reliable detection of real threats.

- Coverage area: 12 x 12m (40 x 40ft) / 90°
- Offers superior outdoor detection, with virtually no false alarms
- Innovative Octa-Quad technology that can distinguish between a moving person, swaying trees or small animals, minimizing false alarms while ensuring effective detection of human movement
- Vandal-resistant design – enabled by patented V-Slot technology
- Weather resistant - rated IP55





### MCT-201 Wireless Pendant

MCT-201 is a miniature pendant PowerCode™ wireless transmitter designed for emergency and control applications in wireless security systems, and home automation and remote control systems.

- Includes neck-chain and key-ring accessories
- Superior transmission range
- Low battery indication
- Compact size: 32 x 53 x 17mm (1.25 x 2.12 x 0.69in)



### MCT-201WP Wireless Waterproof Pendant

MCT-201WP is a miniature, pendant PowerCode™ wireless transmitter designed for emergency and control applications in wireless security, home automation and remote control systems. Fully water-resistant, the pendant is suitable for wet environments such as factories, hospitals, gardens and outdoors in the rain.

- Fully waterproof factory-sealed model
- Includes neck-chain and key-ring accessories
- Includes a 12V alkaline battery
- Compact size: 40 x 61 x 18mm (1.56 x 2.37 x 0.7in)



### MCT-241 Wireless Pendant and Fall Detector

MCT-241 is a stylish, wireless fall detector that functions both as a standard manual emergency alert button and a fall detector, which automatically triggers a call to the monitoring center for immediate help. The fall detection is enabled by a built-in tilt sensor that can sense when the detector, which is worn by the user, tilts at more than 60° for more than a predefined period of time (approximately one minute). This activates an alert transmission to the control panel, which notifies the monitoring station, enabling help to be dispatched immediately.

- Includes a neck cord and belt clip
- Includes a 3V lithium battery
- Low battery indication
- Compact size (without clip): 67 x 41 x 21mm (2.63 x 1.63 x 0.81in)

## MCT-220 Wireless Emergency Button

MCT-220 is a wireless, personal emergency button that provides an ideal solution for people who need to raise emergency alarm calls. MCT-220 has a large red button that when pressed, activates the red LED light for a few seconds. This makes it visible from most angles and reassures the user that the call has been activated.

- Can be installed in humid environments such as in factories and on shower walls
- Back light can be switched on and off
- Compact size: 90 (diameter) x 35 (height) mm (3.5 x 1.37in)



## MCT-124 Wireless Twin Button

MCT-124 is a hand-held, 4-button PowerCode™ wireless transmitter designed to prevent accidental activation of distress signaling in accordance with police requirements and the latest international standards. To initiate a distress alarm, two buttons on each side of the unit, must be pressed simultaneously. Two additional buttons on the top of the transmitter can be used for remote control and home automation applications.

- Attractive, modern, ergonomic design
- Provides low-battery indication
- Includes a metal belt clip for convenient use
- Compact size: 104 x 44 x 24mm (4.12 x 1.75 x 0.9in)



## MCT-211 Waterproof Wrist Transmitter

MCT-211 is a PowerCode™ waterproof, wrist-worn transmitter designed for personal emergency signaling. As the transmitter is waterproof, it is suitable for wearing in wet environments such as the shower, factories, hospitals, gardens, pools and outdoors in the rain.

- Easy to wear as a wristband
- Attractive, comfortable, ergonomic waterproof design
- Visible and transmitted low battery indications
- Compact size: 35mm (1.4in) diameter







### MCT-426 Wireless Smoke Detector

MCT-426 is a wireless, photoelectric smoke detector that is compatible with PowerMax and other Visonic PowerCode wireless home security systems. Designed for a wide range of applications, the easily installed MCT-426 has a streamlined design and a longer battery life for easy and low-cost maintenance.

- Sends alarm, tamper, maintenance and battery condition alerts to the control panel
- Loud (85db) alarm sound at 3m (10ft)
- Extended battery life —Up to 5 or 8 years (depends on battery type)
- Compact size: 120 x 58mm (4.7 x 2.3in)



### MCT-427 Wireless Smoke & Heat Detector

MCT-427 is a fully supervised, wireless heat and photoelectric smoke detector that is compatible with PowerMax home security systems and other Visonic PowerCode™ wireless receivers. It has a streamlined design that fits any residential or commercial application.

- Activates an alarm when the temperature reaches 60°C (140°F) and starts increasing rapidly
- Loud (85db) alarm sound at 3m (10ft)
- Extended battery life – Up to 5 or 8 years (depending on the battery type)
- Sends alarm, tamper, maintenance and battery condition alerts to the control panel
- Compact size: 120 X 63mm (4.7 X 2.5in)



### MCT-550 Wireless Flood Detector

MCT-550 is a fully supervised, wireless flood detector compatible with PowerMax and other Visonic PowerCode wireless security systems. It is designed to detect the presence of water in basements, yachts and many others residential and commercial applications, providing early warning of developing floods.

- Easy to install, with a 3m (10ft) sensor cable for high positioning of the transmitter
- Sends tamper and low battery alerts to the control panel
- Includes a 3V lithium battery
- Compact size: 81 x 22 x 23.5mm (3.19 x 0.9 x 0.94in)



### MCT-442 Wireless Carbon Monoxide (CO) Detector

MCT-442 is a wireless Carbon Monoxide (CO) detector that gives early warning of CO poisoning danger, preventing damage to vital organs and even death. As a fully supervised, wireless detector, the MCT-442 transmits all alerts to the control panel, which instantly forwards the alerts to a central station or private phone number.

- Loud internal buzzer (95db)
- Includes auto-test and manual test buttons
- Provides both visual and audial indications
- 5-year sensor life
- Compact size: 127 x 40mm (5 x 1.6in)

### MCS-740 Wireless Outdoor Siren

MCS-740 is two-way, wireless outdoor siren (IP55) that provide the perfect security solution for home owners looking for an external siren that is both affordable and easy to install. They offer wiring-free installation and optional extended time between battery changes.

- Audible and visual notifications for intrusions, fires and low battery
- 110dB Piezo siren and high-power strobe light
- Choice of red, blue, orange or white strobe light lens
- Compact size: 295 x 186 x 63mm (11.63 x 7.31 x 2.5in)



### MCS-720B Wireless Indoor Siren

MCS-720B are the ideal indoor sirens for residential and light commercial buildings, particularly where outdoor sirens are prohibited. This cost-effective, two-way wireless siren emits different alarm sounds for intrusion and fire alerts. The extremely strong siren sound and built-in, high-power, white strobe light ensure the alarm is noticed.

- Modern, thin-profile design fits any home decor
- Different alarm sounds for intrusion and fire alerts
- 110dB Piezo siren and high-power strobe light
- Compact size: 161 x 161 x 50mm (6.44 x 6.44 x 1.75in)





### MCX-610 Advanced Wireless Repeater

MCX-610 extends the communication range between the PowerMax systems and other PowerCode™ transmitters, including one-way and two-way keyfobs\*, remote commander and PowerCode motion detectors. It receives alarm, status and control messages from the wireless devices, and sends them to the control panel.

- Up to 50 different devices can be enrolled to the repeater
- Mains powered, with a 36-hour, rechargeable backup battery
- LED indications for power failure, activity, and installation performance diagnostics
- Compact size: 161 x 161 x 50mm (6.44 x 6.44 x 1.75in)



### MCR-304 Single Output Receiver

MCR-304 is a receiver designed for easy and cost-effective upgrading that enables hard-wired control panels to operate with wireless remote devices. Compatible with all Visonic PowerCode and CodeSecure devices, the MCR-304 receiver supports up to 10 wireless devices – including hand-held and portable units, window/door transmitters and a variety of detectors and other devices.

- Converts a hard-wired control panel into a reliable, fully supervised, wireless home security system
- Low battery, tamper and inactivity indications
- Compact size: 110 x 63 x 25mm (4.3 x 2.5 x 1in)



### MCR-308 8-Output Receiver

MCR-308 is a receiver designed to convert a standard hard-wired control panel into a reliable, fully supervised wireless system. It offers a cost-effective way to gain all the benefits of Visonic wireless PowerMax systems and devices. The MCR-308 has 4 zones, each accommodating up to 4 transmitter devices.

- Converts a hard-wired control panel into a reliable, fully supervised, wireless home security system
- Supports up to 28 zones and 112 wireless devices
- Low battery, tamper, inactivity and RF jamming output indications
- Compact size: 108 x 165 x 38mm (4.25 x 6.5 x 1.5in)

### Bracket BR-1 Wall Mount Bracket for PIR Detectors

BR-1 is a universal wall mount bracket that accommodates most Visonic PIR detectors.

- Designed for surface mounting
- Adjustable vertically 0-30°
- Adjustable horizontally 45° left to 45° right



### Bracket BR-2 Corner Mount Bracket for PIR Detectors

BR-2 is a universal corner mount bracket that accommodates most Visonic PIR detectors.

- Adjustable vertically 0-30°
- Adjustable horizontally 45° left to 45° right



### Bracket BR-3 Ceiling Mount Bracket for PIR Detectors

BR-3 is a universal ceiling mount bracket that accommodates most Visonic PIR detectors. It is provided as a kit that includes the BR-1 surface-mount bracket.

- Adjustable vertically 0-30°
- Adjustable horizontally 45° left to 45° right



### Speech Box Two-Way Speaker Unit

The PowerMax Speech Box extends the control panels' voice notifications and two-way voice communications capabilities to remote locations in the home. Occupants can hear status notifications and talk with the central station from places that are out of reach of the panel's built-in speakers and microphones.

- Compatible with PowerMaxPro and PowerMaxComplete
- Installable anywhere within a 20 meter cable radius from the control panel
- Built-in volume adjustment
- ON/OFF push-button switch with visual LED indication
- Easy wall or desk mount installation
- Built-in front and back tamper (complies with EN standards)
- 12V power supply from the control panel



Join *VisoniClub*

to earn  
valuable  
points



© 2016 Tyco Security Products. All rights reserved.

As simple as **1-2-3**

1. **Buy** a new panel
2. **Scan** panel with app & earn points
3. **Redeem** points for free products

\* Participation and eligibility are subject to VisoniClub regulations per region.

Join now Download the app

[www.visoniclub.com](http://www.visoniclub.com)



**Visonic**

From Tyco Security Products



## **CMS, Mobile App and Communication Solutions**

**Advanced solutions that leverage cellular and IP networks for advanced security applications**

These cellular and Internet-based and communication systems provide home and business owners with remote visibility into their security system, boosting their confidence and control.

- Broadband and GSM/GPRS communication modules built-in to:
  - PowerMaster and PowerMax systems
  - PowerManage and PowerLink connectivity and control systems
  - RealAlarm solution for video verification
- Provide central monitoring stations (CMS) and security service providers with more control of connected premises
- Empower end-users with mobile visibility and control
- Easy and cost-effective management of connected accounts reduces unnecessary site visits



## PowerManage Platform

Visonic's PowerManage is a unique service management platform that enables central monitoring stations to efficiently monitor, manage and control Visonic security systems. An all-in-one receiver, technical management center, and interactive service platform, PowerManage runs on standard professional server hardware and proven web technologies.

- Two hardware-configurations are available:
- PowerManage High-End (HP) handles up to 100,000 alarm systems and 20,000 concurrent interactive sessions
- PowerManage Lite (DELL) handles up to 10,000 alarm systems and 1,000 concurrent
- Easy-to-use web interface with accounts for administrators, technical staff, shift administrators, and IT managers
- Secured communication over the network, using HTTPS protocol
- Flexible grouping of control panels allows for easy management and configuration
- Video verification of alarms allows monitoring stations to identify false alarms
- Technical-support system facilitates control and tuning of intrusion equipment
- Cluster redundancy deployment configuration – The servers back each other up and can be located in geographically distant locations
- Web based solution: no need for software installation on operators' client PCs
- Enables programming of the PowerMax and PowerMaster panels over IP/GPRS
- Supports all Visonic IP communicators – GPRS and Broadband (PowerLink)
- Allows PowerLink end-users to connect to their security system without the need for a fixed IP address
- Supports PowerLink3 as an IP communicator
- Allows software personalization through addition of a logo
- Allows automatic Remote Routine Inspection (RRI) of the remote alarm system
- Provides enhanced reporting system for alarms, device status and test results
- Allows Remote Software Upgrade (RSU) for Visonic panels


## Mobile App

VisonicGO is the mobile app that gives your customers peace of mind about their home and business security wherever they are.

They can see inside their home or business and make informed decisions about events and notifications, all in real time, from anywhere, via their smartphone or tablet.

VisonicGO connects to PowerMaster control panels through IP connectivity.

- Arm, disarm
- Image notification & image on demand
- Alarms & events history
- Alarms and alerts push notifications
- Zone status & zone bypass







### PowerLink3 Advanced, Internet-based Control Solution

PowerLink3 is a professional IP module for PowerMaster panels that connects to PowerManage for event forwarding and remote, IP-based management of the panel using the PowerManage user-interface.

- Plugs into PowerMaster panels as an add-on
- IP connectivity enables low-cost communication
- Panel status view, arm/disarm from remote
- Image verification from up to 10 NEXT CAM cameras



### GSM-350 GSM/GPRS Communicator

GSM-350 / GSM-350 PG2 is a cellular communication module that connects PowerMax and PowerMaster intrusion alarm system to the alarm central station.

The module can report via GPRS data channel and/or through the GSM network. .

- Compatible with: PowerMaxPro, PowerMaxComplete, PowerMaxExpress and PowerMaster panels
- Supports GPRS, GSM and SMS – for high-speed and highly reliable reporting
- Can be configured as primary or backup reporting method
- Full event reporting
- Supports SIA/IP, SIA and Contact ID monitoring protocols
- Two-way voice communication
- Optional external antenna is available to enhance the GSM signal reception



### WCDMA-3G 3G Communicator

WCDMA-3G PG2 is a cellular communication module that connects PowerMaster intrusion alarm system to the alarm central station. The module reports through the 3G network and if not available can switch to report via GPRS data channel and/or through the GSM network. This enables a high-speed and highly reliable primary or backup communication channel.

- Compatible with all PowerMaster panels
- Can be configured as primary or backup reporting method
- Full event reporting
- Supports SIA/IP, SIA and Contact ID monitoring protocols
- Two-way voice communication
- Optional external antenna is available to enhance the GSM signal reception



### VGSM-120 GSM/GPRS Universal Communicator

VGSM-120 is a GSM interface and a standalone device capable of generating voice dialer messages and SMS event notifications. Its onboard outputs can be triggered remotely via telephone to activate external equipment or indicators.

- Remote activation of the outputs through SMS transmission
- GSM Quad-Band
- PC-programmable options
- Telephone voice dialer and SMS dialer
- Credit balance check for pre-paid SIM Cards

## Expander Module

Enables the addition for one PGM output, two additional hardwired zones, one wired siren output and Speech Box interface.

- Compatible with PowerMaxComplete and all PowerMaster PGs panels
- Enables the addition of the following relay outputs:
  - 1 PGM
  - 2 additional hardwired zones
  - 1 wired siren
- Speech Box interface



## Dual RS-232 Module

Used to connect between the control panel and a local PC and for data downloading and uploading. The kit enables data transfer by using PowerMax Remote Programmer software. This module permits any two simultaneous device connections such as: internal PowerLink, Local PC programming, and External GSM module.



# Expand your Opportunities with PowerMaster-33

The perfect solution for small to medium  
enterprise and residential customers



with  
**PowerG**  
Technology

## Expanding the boundaries of security

- 64 zone enabled two-way wireless kit
- Fully programmable remote keypad with proximity
- Broaden your vision with the new TOWER CAM and the Visonic App

For more information contact your local distributor or  
visit our website [www.visonic.com](http://www.visonic.com)

© 2016 Tyco Security Products. All rights reserved.



**Visonic**

From Tyco Security Products



## **Wired Detectors**

**Broad range of wired detection solutions for almost any sit**

Visonic provides an advanced range of wired detectors for almost any challenging environment or installation requirement – both indoors and outdoors.

- Suitable for commercial, industrial, and residential sites
- Solutions for access control, energy management, CCTV motion control, and glass break applications
- High-security (Grade 3) indoor, outdoor and perimeter property protection solutions set the standard for reliable, high-performance detection



### Next+ PIR Digital PIR Motion Detector

Next+ PIR is a truly digital PIR motion detector for general purpose applications. Implementing a new generation of patented technologies, it delivers industry-leading detection accuracy, false alarm immunity and long-term reliability.

- Coverage: 15m (50ft) / 90° with wall creep zone
- Fast and easy to install
- Compact size: 94.5 x 63.5 x 53mm (3.7 x 2.5 x 2.06in)



### Vi-Motion Low-cost PIR Motion Detector

Vi-Motion is a digital PIR detector designed for easy installation, free of vertical adjustment. It includes a patented combination of a Fresnel and cylindrical optical system with high detection sensitivity at a distance of 0.5 - 12m (1.6 - 40ft) from the detector.

- Multiple curtain coverage: 12m (40ft) / 90° with no dead zones
- Fast and easy to install
- Compact size: 80 x 50 x 37mm (3.13 x 1.94 x 1.44in)



### Discovery PIR Detector for Professionals

Discovery PIR is a stylish, yet durable, passive infrared detector designed for general purpose residential, commercial and light industrial applications. With its high-efficiency sealed optics, superior RFI protection, temperature compensation and three-position pulse counter, Discovery PIR offers outstanding sensitivity, reliability and immunity to false alarms.

- Coverage area: 15m (50ft) / 90°
- Programmable 1,2,3 pulse counter for superior false alarm protection
- Includes snap-in "pet-alley" mask
- Integral swivel for ceiling or wall mounting
- Compact size: 117 x 65 x 47mm (4.63 x 2.56 x 1.87in)

### Next+ K9-85 Pet-tolerant Digital PIR Detector

Next+ K9-85 enables homeowners to secure their homes while allowing their pets to move freely around the house. Employing a patented optical system and unique pet identification software, the Next+ K9-85 reliably distinguishes humans and pets.

- Ignores pets weighing up to 38kg (83lb)
- Coverage: 15m (50ft) / 90° with wall creep zone
- Fast and easy to install
- Compact size: 94.5 x 63.5 x 49mm (3.7 x 2.5 x 1.94in)



### Vi-Pet Low-cost, Pet-tolerant PIR Motion Detector

Vi-Pet is a pet-tolerant digital PIR detector designed for easy installation, free of vertical adjustment. It includes a patented combination of a Fresnel and cylindrical optical system with high detection sensitivity at a distance of 0.5 - 12m (1.6 - 40ft) from the detector.

- Multiple curtain coverage: 12m (40ft) / 90° with no dead zones
- Ignores pets weighing up to 27kg (60lb)
- Fast and easy to install
- Compact size: 80 x 50 x 37mm (3.13 x 1.94 x 1.44in)



### Discovery K9-80 Pet-tolerant PIR Detector for Professionals

Discovery K9-80 is designed to provide effective security in premises where animals such as dogs, cats, or rats may be present, enabling homeowners to protect their homes while allowing their pets to move freely. Employing a patented optical system and unique pet identification 3D cylindrical lenses, it is able to distinguish between humans and animals.

- Ignores pets weighing up to 36kg (80lb)
- Coverage area: 12m (40ft) / 90°
- Programmable 1,2,3 pulse counter for superior false alarm protection
- Integral swivel bracket for ceiling or wall mounting
- Compact size: 117 x 65 x 47mm (4.63 x 2.56 x 1.87in)





### Disc Miniature Ceiling Mount PIR Detector

Disc is a small, 360°, ceiling-mount PIR detector. With its ultra-small size and sleek design it blends inconspicuously into any décor. High reliability and false alarm immunity make it ideal for home, office and other commercial applications.

- Floor coverage: up to 10.8m (36ft)
- Includes an adjustable 1 or 2 alternate polarity pulse counter
- Easy to install in any ceiling up to 3.6m (12ft) high
- Compact size: 8.6cm (3.4in) diameter, 2.5cm (1in) depth



### CH-1000 Curtain PIR Detector

CH-1000 is a multi-purpose, curtain PIR detector provides ideal protection for windows, wall, skylights, wide entrances, and corridors, or as an invisible barrier, in varied residential, commercial and light industrial applications.

- Coverage: 13.5 x 6m (45 x 20ft)
- Programmable 1,2 pulse counter for maximum immunity to false alarms
- Can be mounted on walls or ceilings
- Compact size: 105 x 65 x 53mm (4.1 x 2.5 x 2.1in)



### Clip 4N Solid-curtain, Micro PIR Detector

Clip 4N is a very small, inconspicuous digital curtain director that offers all the performance of a full-size curtain PIR. It provides virtually unnoticeable perimeter protection of openings such as doors, windows and corridors, as well as for CCTV and access control.

- Coverage: 3.6 x 6m (12 x 20ft)
- Easy to customize according to the size of the secured opening: 2, 4, 6m (6, 12, 20ft)
- Compact size: 70 x 28 x 25mm (2.75 x 1.1 x 1in)

## Clip Wide-angle Micro-PIR Detector

Clip is an ultra-small, inconspicuous detector that provides all the performance of a full-size PIR. Virtually unnoticeable after mounting, it is ideal for residential and light commercial applications. It features a two-step selectable alternate polarity pulse counter for high false-alarm protection.

- Miniature size 7 x 2.8 x 2.5cm (2.75 x 1.25 x 1in)
- Maximum coverage area: 9 x 13.5m (30 x 45ft) / 100°
- Exceptionally high reliability and false alarm immunity, with alternate polarity pulse counter
- Enhanced 20V/m RFI immunity
- 120° vertical adjustment
- Switchable walk-test LED
- Tamper switch
- Wall-mount and corner installation



## Spy 1 Inconspicuous Long-range Miniature PIR

Spy 1 is a very small detector that offers inconspicuous protection for corridors and passageways as well as control of CCTV, access control and similar systems. Despite its miniature size, it provides full-size performance. Once installed, only the miniature lens is visible – making the detector virtually unnoticeable.

- Fast and easy to install (collar, front/rear mounting plate)
- Coverage: 11m (35ft) / 17°
- Compact size: 19mm (0.75in) diameter, 70mm (2.75in) length



## Spy 2 Inconspicuous Medium-angle Miniature PIR

Spy 2 is a very small detector that offers inconspicuous protection for corridors and passageways as well as control of CCTV, access control and other systems. Despite its miniature size, it provides full-size performance. Once installed, only the miniature lens is visible – making the detector virtually unnoticeable.

- Fast and easy to install (collar, front/rear mounting plate)
- Coverage: 8m (25ft) / 50°
- Compact size: 19mm (0.75in) diameter, 70mm (2.75in) length



## Spy 4 Inconspicuous Miniature Curtain PIR

Spy 4 is a very small detector that offers inconspicuous curtain protection for corridors, passageways, doors and windows as well as support for access control, CCTV and various other control applications. Despite its miniature size, it provides full-size performance. Designed for trouble-free ceiling or wall mounting, it is mounted so only the miniature lens is visible – making the detector virtually unnoticeable.

- Fast and easy to install (collar, front/rear mounting plate)
- Coverage: 2 x 4m (6 x 12ft)
- Compact size: 19mm (0.75in) diameter, 70mm (2.75in) length







### TOWER-10AM High-security PIR Mirror Detector with Anti-masking

TOWER-10AM is industrial grade 3 anti-masking intrusion detector designed to provide reliable, highly sensitive and robust intrusion detection for large sites with medium to high security requirements – including large retail facilities, warehouses, museums, schools, universities, hospitals, and transportation stations.

- Coverage: 25 x 30m (82 x 100ft) / 90° with wall creep zone
- Optional interchangeable long range curtain mirror up to 35m (115ft) / 5°
- Built-in EOL resistors and plug-in terminals for pre-wiring
- Compact size: 160 x 77 x 47mm (6.3 x 3 x 1.8in)



### Hunter PIR Detector with Anti-masking

Hunter is a high-security passive infrared detector with advanced anti-masking and self-test capabilities. Incorporating numerous advanced technologies, and with the ability to compensate for environmental changes, it provides long-term reliability and false alarm immunity.

- High-sensitivity coverage: up to 15m (50ft) / 90°
- Surface, corner and optional swivel mounting
- Compact size: 116 x 60 x 45mm (4.56 x 2.38 x 1.75in)

## Next+ Duo Dual-technology Digital PIR Detector

Next+ Duo is designed to prevent false alarms due to interferences in residential and light commercial environments.

- Multiple curtain coverage: 15m (50ft) / 90°with wall creep zone
- Easy to customize according to the size of the secured area (5, 10, 15m / 16, 33, 50ft)
- Fast and easy to install
- Compact size: 94.5 x 63.5 x 49mm (3.7 x 2.5 x 1.94in)



## Next+ Duo K9-85 Pet-tolerant, Dual-technology Motion Detector

Next+ Duo K9-85 is a pet-tolerant, dual-technology digital detector designed to provide effective security and ultimate false alarm immunity in areas where animals, such as dogs, cats or rats, may be present. A pet-tolerant passive infrared (PIR) sensor and active microwave sensor together enable outstanding capacity to distinguish between the motion of a human body and any other disturbance, including small animals.

- Ignores animals weighing up to 38kg (83lb)
- Multiple curtain coverage: 15m (50ft) / 90°with creep zone
- Fast and easy to install
- Compact size: 94.5 x 63.5 x 49mm (3.7 x 2.5 x 1.94in)



## Next+ Duo K9-85 AM Pet-tolerant Dual-technology Detector with Anti-masking

Next+ Duo K9-85 AM is a pet-tolerant, dual-technology digital detector designed to provide effective security and false alarm immunity, as well as tamper detection, in areas where pets or other animals, such as dogs, cats or rats, may be present. A pet-tolerant passive infrared (PIR) sensor and active microwave sensor together enable outstanding capacity to distinguish between the motion of a human body and any other disturbance, including small animals.

- Ignores pets weighing up to 38kg (83lb)
- Multiple curtain coverage: 15m (50ft) / 90°with wall creep zone
- Easy to customize according to the size of the secured area (5, 10, 15m / 16, 33, 50ft)
- Compact size: 94.5 x 63.5 x 49mm (3.7 x 2.5 x 1.94in)





### Duo-240 Miniature Ceiling-mount Dual-technology Detector

Duo-240 is a very small 360° ceiling-mount, dual-technology digital detector. It is designed to prevent false alarms in harsh environment conditions that may exist in residential or commercial applications. A passive infrared (PIR) sensor and a complementary active microwave sensor are combined in a single unit, providing outstanding capacity to distinguish between the motion of a human body and any other disturbance.

- Coverage: up to 10.8m (36ft) using a 360° detection pattern
- Easily installed on any ceiling up to 4.5m (15ft) high
- Compact size: 8.6cm (3.4in) diameter, 2.4cm (0.95in) depth



### Next+ Duo AM Dual-technology PIR Detector with Anti-masking

Next+ Duo AM is a dual-technology digital detector designed to prevent false alarms due to interferences in residential and light commercial environments and to detect tampering. A passive infrared (PIR) sensor and active microwave sensor together enable outstanding capacity to distinguish between the motion of a human body and any other disturbance.

- Multiple curtain coverage: 15m (50ft) / 90° with wall creep zone
- Easy to customize according to the size of the secured area (5, 10, 15m / 16, 33, 50ft)
- Fast and easy to install
- Compact size: 94.5 x 63.5 x 49mm (3.7 x 2.5 x 1.94in)



### TOWER-12AM High-security PIR Mirror Detector with Anti-masking

TOWER-12AM is industrial grade 3 anti-masking intrusion detector designed to provide reliable, highly sensitive and robust intrusion detection for large sites with medium to high security requirements – including large retail facilities, warehouses, museums, schools, universities, hospitals, and transportation stations.

- Coverage: 25m x 30m (82ft x 100ft) / 90° with wall creep zone
- Optional interchangeable long range curtain mirror up to 25m (115ft) / 5°
- Built-in EOL resistors and plug-in terminals for pre-wiring
- Compact size: 160 x 77 x 47mm (6.3 x 3 x 1.8in)

### SRN-2000 C/PC Battery-powered Ultra Low-current PIR

SRN-2000 C/PC is a universal battery-operated PIR designed for varied OEM wireless and low current applications.

- Coverage: 18m (60ft) / 90°
- Includes a 9V lithium or alkaline battery with ultra-low current consumption
- 45 easy-to-change lenses
- Compact size: 70 x 120 x 48mm (2.7 x 4.7 x 1.9in)



### TOWER-20AM Outdoor Mirror Detector with Anti-masking

TOWER-20AM is a ground-breaking, anti-masking mirror detector that provides unparalleled alarm detection in outdoor environments. It effectively prevents false alarms caused by outdoor interferences, such as rain, snow, lightning storms, swaying bushes and free-roaming animals, while reliably detecting real threats.

- Superior outdoor detection, with virtually no false alarms
- Innovative Octa-Quad technology can distinguish between a moving person, swaying trees or small animals, minimizing false alarms while ensuring effective detection of human movements
- Market-leading mirror optics provide exceptionally high detection sensitivity and immunity to false alarms caused by sunlight and car headlights
- Coverage: 12 x 12m (40 x 40ft) / 90°
- Weather resistant - IP55 rated
- Compact size: 157 x 147 x 124mm (6.9 x 5.8 x 4.8in)





### VMX-150D/300D/450D Photoelectric Dual-beam Systems

VMX-150D/300D/450D are rugged dual-beam photoelectric detectors for a wide variety of outdoor and indoor residential, commercial and industrial applications up. It provides ideal cost-effective solutions for medium- to long-range applications such as perimeter protection of buildings, fences, warehouses, factories, parking lots, gardens, walls, etc.

- Detect intrusion through fences, gates, roads, windows, gardens and walls
- Option of single or dual-beam models
- Weather resistant - IP54
- Coverage:
  - VMX-150D: 50m (165ft) indoors, 25m (80ft) outdoors
  - VMX-300D: 100m (325ft) indoor, 50m (165ft) outdoors
  - VMX-450D: 150m (500ft) indoor, 75m (250ft) outdoors
- Compact size: 167 x 67 x 66.5mm (6.56 x 2.62 x 2.62in)



### Duet-AM Dual-technology Detector with Anti-masking

Duet-AM is a smart high-security dual-technology detector that combines digital PIR and microwave technologies with anti-masking to optimize intrusion detection for harsh environments in commercial and light industrial environments.

- High-sensitivity coverage: up to 20m (67ft) / 90° with wall creep zone  
Programmable 1,2 event counter for maximum immunity to false alarms
- Compact size: 123 x 76 x 48mm (4.8 x 3 x 1.87in)

### DA-5 Automatic Door Control PIR Detector

DA-5 is a passive infrared motion detector designed for use with access control and automatic door opening systems.

- 3 detection zones with 7 beams per zone
- User-adjustable relay activation time (1-60 seconds)
- Wall, ceiling or door frame mounting options
- Compact size: 105 x 65 x 53mm (4.1 x 2.5 x 2.1in)



### Spy 4 Inconspicuous Miniature Curtain PIR

Spy 4 is a very small detector that offers inconspicuous curtain protection for corridors, passageways, doors and windows as well as support for access control, CCTV and various other control applications. Despite its miniature size, it provides full-size performance. Designed for trouble-free ceiling or wall mounting, it is mounted so only the miniature lens is visible – making the detector virtually unnoticeable.

- Fast and easy to install (collar, front/rear mounting plate)
- Coverage: 2 x 4m (6 x 12ft)
- Compact size: 19mm (0.75in) diameter, 70mm (2.75in) length





### Disc ET Energy Management Ceiling Mount PIR Detector

Disc ET is a ceiling mount PIR specially designed for energy management systems requiring high sensitivity and reliability. One of the smallest ceiling-mount energy management detectors available, it provides exceptionally high sensitivity with 360° floor coverage over an area of up to 11m (35ft) diameter.

- Form 1C relay output with activation time adjustment from 3 second to 20 minutes
- 360° detection pattern with floor coverage of up to 10.8m (36ft)
- Exceptionally high reliability
- Power supply: 12 Volt DC or AC
- One of the world's smallest ceiling-mount PIR detectors
- Dimensions: 8.6cm (3.4in) diameter, 2.4cm (0.95in) depth
- Easily installed in any ceiling up to 3.6m (12ft)
- Durable miniature design blends seamlessly into any decor



### Bracket BR-1 Wall Mount Bracket for PIR Detectors

BR-1 is a universal wall mount bracket that accommodates most Visonic PIR detectors.

- Designed for surface mounting.
- Adjustable vertically 0-30°
- Adjustable horizontally 45° left to 45° right



### Bracket BR-2 Corner Mount Bracket for PIR Detectors

BR-2 is a universal corner mount bracket that accommodates most Visonic PIR detectors.

- Adjustable vertically 0-30°
- Adjustable horizontally 45° left to 45° right



### Bracket BR-3 Ceiling Mount Bracket for PIR Detectors

BR-3 is a universal ceiling mount bracket that accommodates most Visonic PIR detectors. It is provided as a kit that includes the BR-1 surface-mount bracket.

- Adjustable vertically 0-30°
- Adjustable horizontally 45° left to 45° right



As a member of Visonic's Installers Club,  
you can scan your purchased kits and  
**earn points.**

Convert the points you accumulate to Visonic products that  
you can sell to your customers – and profit more!

Club members also get special deals, training, updates,  
and more . . .

\* Participation and eligibility are subject to VisoniClub regulations per region.

© 2016 Tyco Security Products. All rights reserved.

Join now Download the app

[www.visoniclub.com](http://www.visoniclub.com)



**Visonic**

From Tyco Security Products




Product name	Page #
<b>Bracket BR-1</b>	<b>19, 35, 54</b>
Bracket BR-2	19, 35, 54
Bracket BR-3	19, 35, 54
<b>CH-1000</b>	<b>46</b>
Chicklets	10
Clip 4N	46
Clip MCW	27
Clip PG2	13
Clip	47
<b>DA-5</b>	<b>53</b>
Disc ET	54
Disc	46
Discovery K9-80	45
Discovery	44
Dual RS-232	41
Duet-AM	52
Duo-240	50
<b>Expander Module</b>	<b>41</b>
<b>FLD-550 PG2 / FLD-551 PG2</b>	<b>17</b>
<b>GB-502 PG2</b>	<b>14</b>
GSD-441 PG2	16
GSD-442 PG2	16
GSM-350	40
<b>Hunter</b>	<b>48</b>
<b>KF-234 PG2</b>	<b>10</b>
KF-235 PG2	10
KP-140/141 PG2	9
KP-160 PG2	9
KP-250 PG2	9
<b>MC-302E PG2</b>	<b>14</b>

Product name	Page #
MC-302 PG2	14
MC-302V PG2	14
MCM-140	26
MCPIR-3000	29
MCR-304	34
MCR-308	34
MCS-720B	33
MCS-740	33
MCT-100	28
MCT-101/102/104	25
MCT-124	31
MCT-201	30
MCT-201WP	30
MCT-211	31
MCT-220	31
MCT-234	25
MCT-237	25
MCT-241	30
MCT-302	28
MCT-320	28
MCT-426	32
MCT-427	32
MCT-442	32
MCT-50	28
MCT-550	32
MCX-610	34
MKP-150	26
MKP-152	27
MKP-160	26
Mobile App	39

Product name	Page #
<b>Next CAM PG2, NEXT CAM K9-85 PG2</b>	<b>12</b>
Next+ Duo AM	50
Next+ Duo	49
Next+ Duo K9-85	49
Next+ Duo K9-85	49
Next+ K9-85	45
Next PG2, NEXT K9-85 PG2	12
Next+	44
Next+ PIR MCW, Next+ K9-85 MCW	27
<b>PB-101 PG2</b>	<b>11</b>
PB-102 PG2	11
PowerLink3	40
PowerManage Platform	38
PowerMaster-10	8
PowerMaster-30	8
PowerMaster-33	8
PowerMaxComplete	24
PowerMaxExpress	24
PowerMaxPro	24
Pro Tags	10
Proximity Tag Reader	25
<b>RP-600 PG2</b>	<b>18</b>
<b>SD-304 PG</b>	<b>13</b>
SMD-426 PG2	16
SMD-427 PG2	16
Speech Box	35
Spy 1	47
Spy 2	47
Spy 4	47, 53
SR-720B PG2	18

Product name	Page #
SR-740 HEX PG2	18
SR-740 PG2	18
SRN-2000	51
<b>TMD-560 PG</b>	<b>17</b>
TOWER-10AM	48
TOWER-12AM	50
TOWER-20AM MCW	29
TOWER-20AM	51
TOWER-20AM PG2	15
TOWER-30AM PG2	13
TOWER-32AM PG2	12
TOWER CAM PG2	15
<b>VGSM-120</b>	<b>40</b>
Vi-Motion	44
Vi-Pet	45
VMX-150D/300D/450D	52
<b>WCDMA-3G</b>	<b>40</b>





*From Tyco Security Products*

Product availability varies by region.  
Please check availability with your local representative.

For more information on Visonic products please email us at  
**sales@visonic.com** or contact your Visonic account representative.

Please visit us at **www.visonic.com**

© 2016 Tyco Security Products. All rights reserved.