

Automotive Data Dictionary


What's new in Version 9.3.R1?

November 20th 2013

ADD Contact

email: hotline@visu-it.com

Internet: <http://www.visu-it.de/add>



© Copyright 2013

Visual Information Technologies GmbH

An der Schergenbreite 1

93059 Regensburg

Contents

1	Purpose and scope	5
2	What's new in Version V9.3.R1?	5
2.1	Highlights	5
2.2	New Features, Major Improvements	5
2.2.1	ADD JAVA-Adapter Compatibility [ADDS-3762]	5
2.3	Minor Improvements / Correction of Bugs	5
2.3.1	Conf. Package Handling [ADDS-3773]	5
2.3.2	Save Conf. Pack Compare [ADDS-3777]	5
2.3.3	Multi-Selection delete of "obsolete" Data Objects [ADDS-3764]	5
2.3.4	ADD Offline Project SC [ADDS-3763]	5
2.3.5	ADD Offline SC Value [ADDS-1156]	5
2.3.6	Clone & Add/Replace Default Values [ADDS-1910]	5
2.4	ADDAdapter	5
2.4.1	ADD Adapter Set Project Status [ADDS-3766]	5
2.5	DDX HighLevel	5
3	What's new in Version V9.3.R0?	6
3.1	Highlights	6
3.2	New Features, Major Improvements	6
3.2.1	Conf. Packages [ADDS-3230]	6
3.2.2	Set Project SC's [ADDS-2337]	6
3.2.3	'CsAdp' CustomTag [ADDS-2889]	6
3.2.4	ADD Structs [ADDS-3256]	6
3.3	Minor Improvements / Correction of Bugs	6
3.3.1	Column Filter [ADDS-3676]	6
3.3.2	Textbox Scrolling [ADDS-3619]	6
3.3.3	ADDAdapter [ADDS-3583]	6
3.3.4	List Order [ADDS-3757]	6
3.3.5	CIL Mapping Array-Index [ADDS-3739]	6
3.3.6	ADD Conversion Sync [ADDS-3715]	6
3.3.7	CIL Migr. Sync [ADDS-3693]	6
3.3.8	"obsolete" Data Objects [ADDS-3687]	6
3.3.9	ADD Struct Search [ADDS-3605]	7
3.4	ADDAdapter	7
3.4.1	ADD Adapter [ADDS-3301]	7
3.4.2	ADD Adapter [ADDS-3685]	7
3.4.3	ADDAdapter [ADDS-3725]	7
3.4.4	ADDAdapter [ADDS-3583]	7
3.5	DDX HighLevel	7
4	What's new in Version V9.2.R3?	8
4.1	Highlights	8
4.2	New Features, Major Improvements	8
4.2.1	Performance Improvement [ADDS-3657]	8
4.2.2	Project CIP Relation [ADDS-3578]	8
4.3	Minor Improvements / Correction of Bugs	8
4.3.1	Input - DataObjects 'AccessMode' [ADDS-3577]	8

4.3.2	Struct DDX-Export [ADDS-3576]	8
4.3.3	Logical Bits 'RecordLayout' [ADDS-3552]	8
4.3.4	STRING Tables [ADDS-3599]	8
4.3.5	DO CIP Affiliation [ADDS-3588]	8
4.4	ADDAdapter	8
4.4.1	ADD JAVA Adapter Exception [ADDS-3606]	8
4.5	DDX HighLevel	8
4.5.1	Support Attribute 'IsMessage' [ADDS-3571]	8
5	What's new in Version V9.2.R2?	9
5.1	Highlights	9
5.2	New Features, Major Improvements	9
5.3	Minor Improvements / Correction of Bugs	9
5.3.1	Project Interface Compare [ADDS-3540]	9
5.3.2	ADD Offline Migrate 'AccessMode' [ADDS-3542]	9
5.3.3	Unit Sync Messages [ADDS-3558]	9
5.4	ADDAdapter	9
5.5	DDX HighLevel	9
6	What's new in Version V9.2.R1?	10
6.1	Highlights	10
6.2	New Features, Major Improvements	10
6.2.1	SW-NET Check Result [ADDS-3471]	10
6.2.2	Search DO Dialog Hint [ADDS-3468]	10
6.3	Minor Improvements / Correction of Bugs	10
6.3.1	Project Interface Comparison [ADDS-3443]	10
6.4	ADDAdapter	10
6.5	DDX HighLevel	10
7	What's new in Version V9.2.R0?	11
7.1	Highlights	11
7.1.1	Project Interface Handling/View (Optional) [ADDS-1389]	11
7.1.2	DO-Structs (Optional) [ADDS-588]	11
7.1.3	CIP Mechanism (Optional) [ADDS-531]	11
7.2	New Features, Major Improvements	11
7.2.1	ADDOffline Batch [ADDS-2544]	11
7.2.2	Enhanced Information [ADDS-2541]	11
7.2.3	ENUM Comparison [ADDS-2539]	11
7.2.4	Project Check [ADDS-2537]	11
7.2.5	Background Color Main Dialog [ADDS-2235]	11
7.2.6	ADD UI [ADDS-2211]	11
7.2.7	SW-DataType Auto-Apply (Optional) [ADDS-2206]	11
7.2.8	Delete DataObjects [ADDS-2027]	11
7.2.9	Project SC-Tab [ADDS-2013]	11
7.2.10	BusAdp Handling [ADDS-1720]	12
7.2.11	Extend Field Length [ADDS-1349]	12
7.3	Minor Improvements / Correction of Bugs	12
7.3.1	CsAdp Container Check [ADDS-3340]	12
7.3.2	ADD MDX-Export [ADDS-3082]	12

7.3.3	ProjectInfoOnly DDX-Export [ADDS-3051]	12
7.3.4	Composition Check Restriction (Optional) [ADDS-2479]	12
7.3.5	CustomTag Change Restriction [ADDS-2478]	12
7.3.6	CustomTag Kind-Change [ADDS-2403]	12
7.3.7	Project DataVariant Update [ADDS-1951]	12
7.3.8	ReferencedBy Export [ADDS-3354]	12
7.3.9	ENUM DataType Information [ADDS-3347]	12
7.3.10	CIL Mapping Differences [ADDS-3271]	12
7.3.11	CIL-Mapping Remark Import [ADDS-3266]	12
7.3.12	ADDUI, ADDAdapter [ADDS-3264]	12
7.3.13	Container Copy [ADDS-3258]	12
7.3.14	ADDUI [ADDS-3255]	13
7.3.15	CIL-Mapping CustomTag [ADDS-3158]	13
7.3.16	VDM [ADDS-3065]	13
7.3.17	Project Copy [ADDS-3052]	13
7.3.18	Duplicated Projects/Container [ADDS-3024]	13
7.3.19	Logical Bit DDX - Export [ADDS-3007]	13
7.3.20	ADD UI [ADDS-2807]	13
7.3.21	Composition Interface [ADDS-2588]	13
7.3.22	ADDOffline Sync [ADDS-2538]	13
7.3.23	Reset "Buggy" Status [ADDS-2322]	13
7.3.24	SW-Net Menu Handling [ADDS-2309]	13
7.3.25	Logical Bit Status [ADDS-2283]	13
7.3.26	Code-Variant Condition [ADDS-2225]	13
7.3.27	ENUM Selection [ADDS-2204]	13
7.3.28	ADD Predefs-File [ADDS-2185]	13
7.3.29	Compare CIL Mappings [ADDS-2068]	14
7.3.30	Variant Criterion Change [ADDS-1980]	14
7.3.31	Name Builder [ADDS-1750]	14
7.3.32	VDM Screenshot [ADDS-1045]	14
7.3.33	ADD Registration [ADDS-2952]	14
7.3.34	ADD MDX - Export [ADDS-1962]	14
7.4	ADDAdapter	14
7.4.1	ADDAdaper [ADDS-2387]	14
7.4.2	ADDAdapter [ADDS-2267]	14
7.4.3	ADDAdapter [ADDS-1807]	14
7.4.4	ADDAdapter [ADDS-2720]	14
7.4.5	ADDAdapter [ADDS-2052]	14
7.4.6	ADDAdapter [ADDS-3366]	14
7.4.7	ADDAdapter [ADDS-3348]	14
7.4.8	ADDAdapter [ADDS-3299]	14
7.4.9	ADDAdapter [ADDS-3285]	15
7.4.10	ADDAdapter [ADDS-3272]	15
7.4.11	ADDAdapter [ADDS-2390]	15
7.4.12	ADDAdapter [ADDS-2366]	15
7.4.13	ADDAdapter [ADDS-2331]	15
7.4.14	ADDAdapter [ADDS-2216]	15
7.5	DDX HighLevel	15
7.5.1	DDXHighLevel CIL-Mapping [ADDS-1981]	15
7.5.2	DDXHighLevel Customer-Element [ADDS-3288]	15
8	No longer supported features	16
9	Questions?	16

1 Purpose and scope

This document describes the improvements and changes of ADD V9.3 compared to V9.2

2 What's new in Version V9.3.R1?

2.1 Highlights

2.2 New Features, Major Improvements

2.2.1 ADD JAVA-Adapter Compatibility [[ADDS-3762](#)]

ADD Adapter is compatible to ADD Adapter JAVA Interface v9.2.

2.3 Minor Improvements / Correction of Bugs

2.3.1 Conf. Package Handling [[ADDS-3773](#)]

- Allow undo in case of conflicts during merge of Conf. Packages (reference Conf. Package in Conf. Package).
- Allow apply of Conf. Package - DataSpace elements during merge of Conf. Packages (reference Conf. Package in Conf. Package).

2.3.2 Save Conf. Pack Compare [[ADDS-3777](#)]

Problems during export of the Compare result fixed when left compare element is a Conf. Packages.

2.3.3 Multi-Selection delete of "obsolete" Data Objects [[ADDS-3764](#)]

Display problem of deleted "obsolete" Data Objects within the "CleanUp Data Objects" dialog fixed.

2.3.4 ADD Offline Project SC [[ADDS-3763](#)]

Display problem of Project SystemConstants in ADD Offline fixed.

2.3.5 ADD Offline SC Value [[ADDS-1156](#)]

Use SIM-Data Type Conversion also for the calculation of the SC Internal-Value. Previously only the SW-Data Type Conversion has been used.

2.3.6 Clone & Add/Replace Default Values [[ADDS-1910](#)]

Default values of DataObjects will not be taken into account when using function "Clone & Add" or "Clone & Replace".

2.4 ADDAdapter

2.4.1 ADD Adapter Set Project Status [[ADDS-3766](#)]

Problem while setting status of a Project to "simfixed"/"fixed" fixed.

2.5 DDX HighLevel

-

3 What's new in Version V9.3.R0?

3.1 Highlights

3.2 New Features, Major Improvements

3.2.1 Conf. Packages [[ADDS-3230](#)]

Several improvements to ease Conf. Package handling.

3.2.2 Set Project SC's [[ADDS-2337](#)]

Apply project specific SystemConstant values via multi-selection.

3.2.3 'CsAdp' CustomTag [[ADDS-2889](#)]

Definitions for attributes "IssueNumber" and "LinkedIssue" added to CustomTags of kind "CsAdp".

3.2.4 ADD Structs [[ADDS-3256](#)]

Support Init- and Invalid-Values for ADD Structure elements.

3.3 Minor Improvements / Correction of Bugs

3.3.1 Column Filter [[ADDS-3676](#)]

Use regular expressions within column filters.

3.3.2 Textbox Scrolling [[ADDS-3619](#)]

Allow scrolling also for textbox controls with insufficient User Rights.

3.3.3 ADDAdapter [[ADDS-3583](#)]

Handle Line/Level settings of SW-Net & SW-Net-Mappings based on the settings for SW-Nets.

3.3.4 List Order [[ADDS-3757](#)]

List order within the search-dialog for Compositions and Configuration Packages must consider Line/Level attribute.

3.3.5 CIL Mapping Array-Index [[ADDS-3739](#)]

Range of the CIL-Mapping Array-Index-Value must be within the Array-Size definition.

3.3.6 ADD Conversion Sync [[ADDS-3715](#)]

Problem during Sync. of Conversions fixed; invalid DB-Conversion - elements will be fixed during Sync.

3.3.7 CIL Migr. Sync [[ADDS-3693](#)]

Problems during Migr. Sync of multiple CIL-Containers fixed.

3.3.8 "obsolete" Data Objects [[ADDS-3687](#)]

List Data Objects with status "obsolete" within "CleanUp" & "Search for DataObject" dialog.

3.3.9 ADD Struct Search [[ADDS-3605](#)]

Allow search for all instances of a Record-Type.

3.4 ADDAdapter

3.4.1 ADD Adapter [[ADDS-3301](#)]

Support "Docu State" attribute for Compositions.

3.4.2 ADD Adapter [[ADDS-3685](#)]

Method 'IADDProject.Add (IADDConfPackage)' fixed.

3.4.3 ADDAdapter [[ADDS-3725](#)]

Problem with getting CIL-Mapping-CodeVariants fixed.

3.4.4 ADDAdapter [[ADDS-3583](#)]

Handle Line/Level settings of SW-Net & SW-Net-Mappings based on the settings for SW-Nets.

3.5 DDX HighLevel

-

4 What's new in Version V9.2.R3?

4.1 Highlights

4.2 New Features, Major Improvements

4.2.1 Performance Improvement [[ADDS-3657](#)]

Performance of Project functions improved.

4.2.2 Project CIP Relation [[ADDS-3578](#)]

Allow CIP settings also for DataObjects with no relationship to the current ADD Project.

4.3 Minor Improvements / Correction of Bugs

4.3.1 Input - DataObjects 'AccessMode' [[ADDS-3577](#)]

Set default value for attribute "AccessMode" for Input DataObjects added via "Search Data Objects" - dialog.

4.3.2 Struct DDX-Export [[ADDS-3576](#)]

Export ADD Composition also when containing Objects of type "structure".

4.3.3 Logical Bits 'RecordLayout' [[ADDS-3552](#)]

Handle attribute "RecordLayout" for newly created Logical Bits within ADD Offline.

4.3.4 STRING Tables [[ADDS-3599](#)]

Allow STRING Table entries with containing apostrophes.

4.3.5 DO CIP Affiliation [[ADDS-3588](#)]

Check CIP-Project affiliation for Data Objects added to special interface Container "CsAdp".

4.4 ADDAdapter

4.4.1 ADD JAVA Adapter Exception [[ADDS-3606](#)]

JAVA Adapter exception related to ADD component "VisuIT.Toolbox.DevTools.dll" fixed.

4.5 DDX HighLevel

4.5.1 Support Attribute 'IsMessage' [[ADDS-3571](#)]

Support "IsMessage"-attribute for Variable elements.

5 What's new in Version V9.2.R2?

5.1 Highlights

5.2 New Features, Major Improvements

5.3 Minor Improvements / Correction of Bugs

5.3.1 Project Interface Compare [\[ADDS-3540\]](#)

Ignore Project Interface Attribute "Modified" during Project Comparison; use valid "Project CT" value during Project Comparison.

5.3.2 ADD Offline Migrate 'AccessMode' [\[ADDS-3542\]](#)

Use ADD default value if DO/CNT Attribute "AccessMode" not set within the ADD Offline Source file (*.ddx) during Offline (Migr.) Sync.

5.3.3 Unit Sync Messages [\[ADDS-3558\]](#)

Emit "no database ID" warning for units during ADD Offline Migration Sync.

5.4 ADDAdapter

-

5.5 DDX HighLevel

-

6 What's new in Version V9.2.R1?

6.1 Highlights

6.2 New Features, Major Improvements

6.2.1 SW-NET Check Result [[ADDS-3471](#)]

Export SW-Net check result as *.csv file.

6.2.2 Search DO Dialog Hint [[ADDS-3468](#)]

Hint text information added in case of a performance related limitation for attribute values.

6.3 Minor Improvements / Correction of Bugs

6.3.1 Project Interface Comparison [[ADDS-3443](#)]

Project Comparison uses legacy Project Interface for comparison.

6.4 ADDAdapter

-

6.5 DDX HighLevel

-

7 What's new in Version V9.2.R0?

7.1 Highlights

7.1.1 Project Interface Handling/View (Optional) [[ADDS-1389](#)]

New Project Interface view; Auto inheritance of Interface settings for DataObjects.

7.1.2 DO-Structs (Optional) [[ADDS-588](#)]

Support of user-defined structures for DataObjects.

7.1.3 CIP Mechanism (Optional) [[ADDS-531](#)]

Supplier exchange mechanism "Customer Interface Project" (CIP) added.

7.2 New Features, Major Improvements

7.2.1 ADDOffline Batch [[ADDS-2544](#)]

Start/Run ADDOffline Sync. Processes via batch file.

7.2.2 Enhanced Information [[ADDS-2541](#)]

List-View information for DataObjects enhanced within Differences-/Search- dialog.

7.2.3 ENUM Comparison [[ADDS-2539](#)]

Compare ENUM definitions within the Differences dialog.

7.2.4 Project Check [[ADDS-2537](#)]

Context-Menu added for several Checks in order to support quick access to functionalities "Differences", "References" and "Open Container".

7.2.5 Background Color Main Dialog [[ADDS-2235](#)]

The background color for ADD main dialog can now be set via ADD configuration file.

7.2.6 ADD UI [[ADDS-2211](#)]

Menu item "Create New..." adjusted for version attributes "Line"/"Level".

7.2.7 SW-DataType Auto-Apply (Optional) [[ADDS-2206](#)]

Disable SW-DataType section and use always SIM-DataType settings; Check SIM/SW - DataType match at ADD Sync. Process.

7.2.8 Delete DataObjects [[ADDS-2027](#)]

Handling for deletion of multiple DataObjects improved; "Yes to all" - functionality added.

7.2.9 Project SC-Tab [[ADDS-2013](#)]

Filter action of Project SystemConstant-List added to "Column Filter" methods.

7.2.10 BusAdp Handling [\[ADDS-1720\]](#)

Allow multi selection; Auto-Collapse "SEND/RECEIVE" - section if empty; Color code for invalid Project Adapter Configuration elements

7.2.11 Extend Field Length [\[ADDS-1349\]](#)

Field length of DataObject Attribute "LONG-NAME" (ShortDescription) extended to 2000 characters.

7.3 Minor Improvements / Correction of Bugs

7.3.1 CsAdp Container Check [\[ADDS-3340\]](#)

Check missing SystemConstant references also for special Container CsAdp.

7.3.2 ADD MDX-Export [\[ADDS-3082\]](#)

Supporting ShortName references for *.mdx - elements for global and local reference usage.

7.3.3 ProjectInfoOnly DDX-Export [\[ADDS-3051\]](#)

Omit export of Composition references.

7.3.4 Composition Check Restriction (Optional) [\[ADDS-2479\]](#)

Composition Check 1 & 2 must not be mandatory in order to switch status.

7.3.5 CustomTag Change Restriction [\[ADDS-2478\]](#)

New ADD Rights added in order to handle access to attribute CustomTag for own and foreign Elements.

7.3.6 CustomTag Kind-Change [\[ADDS-2403\]](#)

Omit kind changes for already referenced CustomTags within the CustomTag management dialog.

7.3.7 Project DataVariant Update [\[ADDS-1951\]](#)

Deleted Data Objects of type "Maps" still exists within the Project DataVariant configuration after updating a referenced Container variant.

7.3.8 ReferencedBy Export [\[ADDS-3354\]](#)

Create valid reference list for Conf. Packs and Compositions.

7.3.9 ENUM DataType Information [\[ADDS-3347\]](#)

Do not export ENUM DataType information to *.ddx when BaseType ENUM is not set any more.

7.3.10 CIL Mapping Differences [\[ADDS-3271\]](#)

Do not compare the CIL Mapping Code Variant database ID during ADD Sync.

7.3.11 CIL-Mapping Remark Import [\[ADDS-3266\]](#)

Import Remark attribute for CIL-Mappings in ADD Offline.

7.3.12 ADDUI, ADDAdapter [\[ADDS-3264\]](#)

Corrected container attributes in sub collections of complete project compare

7.3.13 Container Copy [\[ADDS-3258\]](#)

Disabled ShortName attribute after creating a Container copy fixed.

7.3.14 ADDUI [[ADDS-3255](#)]

Corrected missing versions with level or line configuration of change requests when comparing projects

7.3.15 CIL-Mapping CustomTag [[ADDS-3158](#)]

Omit CustomTag "DO_EXT" for CIL-Mappings.

7.3.16 VDM [[ADDS-3065](#)]

Handle DataObjects without Descriptions.

7.3.17 Project Copy [[ADDS-3052](#)]

Remove assigned CustomTags for the copied Project within the "Unassigned" - folder

7.3.18 Duplicated Projects/Container [[ADDS-3024](#)]

Check Project-/Container- names case insensitive in order to avoid creation of duplicated Projects and Container

7.3.19 Logical Bit DDX - Export [[ADDS-3007](#)]

Export all Logical Bits of an Bit-Carrier to the *.ddx-file.

7.3.20 ADD UI [[ADDS-2807](#)]

Fixed issue for improper sort order within the overview tab of Projects, Container, etc. when using Line/Level - feature.

7.3.21 Composition Interface [[ADDS-2588](#)]

Do not memorize "Local"-setting of in "draft" Compositions after deleting an appropriate DataObject.

7.3.22 ADDOffline Sync [[ADDS-2538](#)]

Omit SysDefConf check during Sync. Process if no cDefines must be synchronized.

7.3.23 Reset "Buggy" Status [[ADDS-2322](#)]

Allow status switch also for Objects with previous status "Buggy".

7.3.24 SW-Net Menu Handling [[ADDS-2309](#)]

Handle menu items for SW-Nets properly.

7.3.25 Logical Bit Status [[ADDS-2283](#)]

Create also new Logical Bit versions if a new Bit Carrier - version has been created based on a "simFixed" / "fixed" - Bit Carrier.

7.3.26 Code-Variant Condition [[ADDS-2225](#)]

Export Code Variants containing negative values within conditions into the *.ddx-file

7.3.27 ENUM Selection [[ADDS-2204](#)]

Preselected FormatString "%s" leads to an error after selecting BaseType ENUM.

7.3.28 ADD Predefs-File [[ADDS-2185](#)]

Create "Predefs.xml" with access attributes for any OS user.

7.3.29 Compare CIL Mappings [[ADDS-2068](#)]

Container compare must reconsider CIL-Mapping Connections.

7.3.30 Variant Criterion Change [[ADDS-1980](#)]

Erroneous change of the Variant Criterion Value when updating Variant Selector to a new version.

7.3.31 Name Builder [[ADDS-1750](#)]

On the second run of the VITNameBuilder/VITNameChecker for an already created Data Object a duplicated name will be displayed and used for the name check

7.3.32 VDM Screenshot [[ADDS-1045](#)]

Handle large overview graphics properly.

7.3.33 ADD Registration [[ADDS-2952](#)]

Omit creation of Windows RegistryKey "VirtualStore" during ADD registration with insufficient rights.

7.3.34 ADD MDX - Export [[ADDS-1962](#)]

Support of DataSpace Objects; Performance improvement.

7.4 ADDAdapter

7.4.1 ADDAdaper [[ADDS-2387](#)]

Read access for IADDOnlingDataObject.getAccessMode()

7.4.2 ADDAdapter [[ADDS-2267](#)]

Write access for IADDProject.setRemark

7.4.3 ADDAdapter [[ADDS-1807](#)]

Write access in order to change project references. Use IADDProject.Add and IADDProject.Remove in order to add or remove container, compositions or configuration packages to/from projects.

7.4.4 ADDAdapter [[ADDS-2720](#)]

Throws 'ADDException.Context not supported' when asking explicit for container values of data objects which have no container values

7.4.5 ADDAdapter [[ADDS-2052](#)]

Write access for set.add or set.remove no longer supported. Use new interface methods at IADDContainer, IADDCodeVariant and IADDProject instead.

7.4.6 ADDAdapter [[ADDS-3366](#)]

Fixed wrong result of confPackage.getContainerIDs() for different line configuration for projects and confPackages in ADDConfig.xml

7.4.7 ADDAdapter [[ADDS-3348](#)]

Support Unicode characters in Java Adapter.

7.4.8 ADDAdapter [[ADDS-3299](#)]

Corrected upper and lower limit of DataObjects which define upper or lower limit with system constants (for different context usage)

7.4.9 ADDAdapter [\[ADDS-3285\]](#)

Corrected context specific values of system constants in projects with configuration packages

7.4.10 ADDAdapter [\[ADDS-3272\]](#)

Corrected result of project compare when comparing more projects in row and using compare options

7.4.11 ADDAdapter [\[ADDS-2390\]](#)

Fixed project-check error in composition interface local check

7.4.12 ADDAdapter [\[ADDS-2366\]](#)

Corrected naming of output file of project check, when using level or line configuration

7.4.13 ADDAdapter [\[ADDS-2331\]](#)

Corrected GetProjectIDs of ADDSoftwareNet when using level or line configuration

7.4.14 ADDAdapter [\[ADDS-2216\]](#)

Rename IADDConfigurationPackage->GetConfigurationPackageInterfaceDataObjects to GetInterfaceDataObjects, uable for configuration packages and projects.

7.5 DDX HighLevel

7.5.1 DDXHighLevel CIL-Mapping [\[ADDS-1981\]](#)

Target-Property not mandatory anymore.

7.5.2 DDXHighLevel Customer-Element [\[ADDS-3288\]](#)

Attach Customer-Element to the current DDXHighLevel instance.


8 No longer supported features

9 Questions?

If you have any questions about this release, please contact the Visu-IT! ADD Hotline:

ADD Hotline

Tel.: +49 (0)941 – 49082-16
email: hotline@visu-it.com



ADD Product page

Internet: <http://www.visu-it.de/add>