



300 W. Factory Road
Addison, IL 60101-5004
T:630-628-9999
F:630-628-9922

Email: sales@wabashtransformer.com
Web Site: www.wabashtransformer.com

**For Immediate Release
(New Product Introduction):**

Monday, December 21, 2015

Contact:

sales@wabashtransformer.com


Wabash Transformer Announces New Input Configurations (380VAC) to Our Class 2 Transformers.

Wabash Transformer is a leading U.S. based manufacturer of Class 2 transformers. Our transformers are designed to deliver a compact footprint that meet or exceed your energy efficiency goals as well as provide you with drop in replacement to major brands.

Wabash Transformer Corporation is pleased to announce an addition of thirty eight (38), Class 2 approved, input configurations to meet your unique requirements. Power ratings range from 5VA to 40VA. Transformers are designed as drop in replacement to major brands to reduce supplier transition costs and deliver per annum savings. Transformers are available with multiple primary and secondary windings, inherently or non-inherently limited (for externally fused applications) for printed circuit board (PCB) mount, solder/quick connect terminals and lead wires.

Applications Include:

- HVAC-R
- Pumps
- Heating Equipment
- Pools/Spas
- Food Warming/Cooking Equipment
- Household Appliances
- Water treatment
- Motor controls
- Commercial and Residential lighting
- Industrial control panels



New Models Include:

Input (VAC)	Output (VAC)	VA Ratings
380	24	10, 20, 30, 40
380	24VCT	10, 20, 30, 40
380/415	24	10, 20, 30, 40
380/415	24VCT	10, 20, 30, 40
380/415/575	24	10, 20, 30, 40
380/415/575	24VCT	10, 20, 30, 40
277/380/415	24	10, 20, 30, 40
277/380/415	24VCT	10, 20, 30, 40
380/460	24	10
380/460	24VCT	10

Benefits of Using Wabash Class 2 Transformers:

- Product protection from fire and electric shock.
- Simple input/output wiring methods.
- Possible elimination of load side protection.
- Compact design for saving space within customer applications.
- Robust design and upgraded insulation system.
- Designed for product and consumer safety.

Features:

- Class F (155° C) insulation system.
- Exceeds industry standard Class B (130° C) insulation system and delivers increased product performance and life-span.
- Flammability Rating – UL 94V0
- High safety isolation. No shielding required.
- Inherently or non-inherently limited.
- 100% hipot tested at 2500V.
- 50/60 Hz standard.
- Touch Safe lead connections (upon request)
- UL (1585-1 & 1585-3), CSA (22.2#66.1 & 22.2#66.3), Class 2 Approved.
- Up to 100VA (Class 2 models)
- Custom designs available upon request.

Benefits of Using Wabash Transformer:

- Over 30 years of experience with Class 2 transformers.
- Leading the industry with cost effective solutions and drop in replacement to competitive brands.
- Competitive pricing.
- Global supply chain provides risk-free and reliable product(s) design and delivery.
- Supply chain programs (e.g. Just in Time, Consignment, KanBan) available.

To request product literature please visit us at www.wabashtransformer.com or call us at 630-628-9999.