

WAGNER

www.wagner-group.com



BEAUTIFY YOUR HOME FASTER!

MAKE PAINTING EASIER WITH WAGNER

 WALL PAINT

 WOOD & METAL

 FINE PLASTERS


 WALL PAPER STEAMERS

Spraying ideas from the market leader

WAGNER supplies innovative products featuring market leading technology to make your work easier and spruce up your home. Fine spray systems, manual spray guns, paint rollers, wallpaper strippers and steamers - we demand the highest standards from our products and work continuously to develop and enhance them.

The WAGNER Group is the European market leader and stands for first class quality and pioneering technology. Using products, accessories and advice from WAGNER you can make your dreams for your house and garden come true easily and cost-effectively. No prior skills are required to produce professional results.

Are you planning to decorate or renovate your home? Do you want to protect your fences and garden furniture from the effects of the weather? Regardless of what you think deserves a new coat of paint, why not do it yourself? On the following pages you will find all the equipment you need to give walls, ceilings, wallpaper, windows, doors and furniture a new coat of paint to make them look lovely and to protect them. With little effort and professional results.



Are you planning a project? We have the perfect solution for you.



	Page	External walls	Internal walls	Ceilings	Corners and edges	Internal/external walls	Ceilings	Corners and edges	Car, motorcycle and bicycle parts	Boats	Window shutters	Garage doors	Summer houses	Fences (wooden)	Fences (metal) Bannisters	Soffits	Radiators	Wooden toys Models	Furniture	Doors	Window and door frames	Plant protection	
WallPerfect FLEXiO 585	12	-	•••	•••	•••	-	-	-	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
WallPerfect FLEXiO 687	14	-	•••	••	•••	-	-	-	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
WallPerfect FLEXiO 867	16	-	•••	••	•••	-	-	-	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
WallPerfect FLEXiO 990	18	-	•••	•••	•••	-	-	-	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Airless Sprayer Plus	20	-	•••	•••	•••	-	-	-	-	•	•••	•••	•••	••	•	••	-	-	•	•••	••	•	
ProjectPro 117	22	-	•••	•••	•••	-	-	-	-	•	••	•••	•••	•••	•	••	-	-	••	•••	••	•	
ProjectPro 119	24	-	•••	•••	•••	-	-	-	-	•	••	•••	•••	•••	•	•••	-	-	••	•••	••	•	
WallPerfect W 665	28	-	•••	••	•••	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WallPerfect HandiRoll 550	30	•	•••	••	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WallPerfect TurboRoll 550	31	••	•••	••	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WallPerfect PowerRoll System	32	••	•••	••	•••	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TexPerfect FLEXiO 525	36	-	-	-	-	•••	••	•••	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W 550	40	-	-	-	-	-	-	-	•	•	•••	••	•	••	•••	••	•••	••	•••	••	•••	••	••
WoodPerfect W 600	41	-	-	-	-	-	-	-	•	•	••	••	•••	•••	•	••	••	••	••	••	••	••	••
W 610	42	-	-	-	-	-	-	-	••	•	•••	••	••	••	•••	••	•••	••	•••	••	•••	••	••
W 670	43	-	-	-	-	-	-	-	••	••	•••	•••	••	•••	•••	••	•••	•••	•••	•••	•••	•••	•••



Water-based emulsion and latex paints for inside use, additional spray attachment for all types of wood and metal paints.

Solvent and water-based emulsion and latex paints for inside use, lacquers, acrylic paints, varnishes, wood preservatives, stains, primers, undercoats, plant protection products, underseal, cavity sealants, disinfectants and oils

Water-based emulsion and latex paints for inside use

Water-based emulsion and latex paints for inside and outside use

Fine plasters, textured paints with a grain size of up to 1 mm and primers

Solvent and water-based primers, lacquers, varnishes, aluminium paints, wood preservatives, disinfectants, plant protection products, polishes, stains, oils, vehicle topcoats and effect coatings.

Bring some colour into your life!

INTRODUCTION

PAGE

Comparison of brushing and spraying 2

Roller Revolution 5

Seal of quality 6



UNIVERSAL

Universal spray systems 10

FLEXiO 585, FLEXiO 687, FLEXiO 867, FLEXiO 990

Airless paint spray system 20

Airless Sprayer Plus, ProjectPro 117, ProjectPro 119



WALL PAINT

Wall paint spray systems 26

WallPerfect W 665

Paint rollers 30

HandiRoll 550, TurboRoll 550, PowerRoll System



FINE PLASTERS & TEXTURED PAINTS

Textured paint spraying system 34

TexPerfect FLEXiO 525



WOOD & METAL

Fine spray systems 38

W 550, W 600, W 610, W 670



WALLPAPER STRIPPERS

Wallpaper strippers 44

W 14, W 15, DTS 5800



ACCESSORIES

For Spray systems, Paint rollers, 50

Wallpaper strippers



Don't waste anymore time.

Fine spray systems from WAGNER enable you to work much quicker than a brush and roller. The surface quality and coverage are visibly better with a noticeable time saving to get the job finished.

1 PRESERVING THE ORIGINAL SURFACE TEXTURE THROUGH INTELLIGENT PAINT APPLICATION

The key advantage of the spray process lies in the fact that it is a non-contact method of paint application. The texture of the original surface is left intact – in complete contrast to the results of manual application using a roller or brush.

When paint is applied to smooth surfaces manually with a brush or roller, the direct contact leaves visible traces due to the tool, such as roller outlines or brush marks on the surface. Spraying preserves the original texture even when working on textured surfaces such as Artex® or woodchip wallpapers.

SMOOTH SURFACE



The coat is uneven. The surface characteristics are lost.



The coat is uniform and even. The surface characteristics are preserved.

2 GOOD COVERAGE

WAGNER paint spray systems guarantee a uniform perfect coverage of paint. Compared to rollers and brushes or even spray systems from other manufacturers, the results with WAGNER equipment are visibly better. At the end of the day you deserve the best possible surface finish.



"Compared to the brush application, spray equipment achieves a sealed homogeneous surface after just one coat."

Confirmed by iLF (research and development company), Magdeburg

3 BETTER SURFACE QUALITY

Fences, furniture and other objects which are exposed to the weather need protection: The sun, wind, rain, snow, high and low temperatures and moisture attack their surfaces. The right coating makes surfaces more resistant so that you can continue to enjoy them for as long as possible.

To establish which coating method offers the best added value for wood and metal, a series of tests using a range of common wood types was carried out in which the wood was coated using a conventional medium





quality brush and the same materials were then coated with a WAGNER fine spray system. They were then left out in the weather. After a short time the coating on the wood which had been coated with the brush had started to break down completely. However the coating which had been applied with the paint spray gun was much more resistant.



Cleanly rolled.

If you definitely want to use a roller, look no further than WAGNER paint rollers. They allow you to work more quickly, cleanly and easily in comparison with conventional rollers. Forget the never-ending chore of dipping the roller in the tray and scraping off excess paint – because with our rollers, the paint is pumped directly into the roller, making drips and splashes a thing of the past.

The process is as follows: The user presses a button or presses a trigger (1) to pump paint into the roller frame where it is fed into the internal roller (2). There the paint is spread evenly into the pile fabric (3) thanks to the holes into the roller sleeve. As most of the paint is therefore not on the outside of the roller, there are no splashes or drips – unlike when using conventional rollers. For a clean and tidy paint experience!


4 WORK FASTER AND EASIER

WAGNER paint spray systems enable you to save time compared to working with a brush and roller. This is particularly noticeable on large surface areas but also when coating objects. On walls and ceilings there is no need to cut in corners and edges with a brush - instead the paint is applied quickly and evenly to achieve good coverage in a single coat. Edges and stripes caused by repainting with a roller are a thing of the past. Corners and areas which are difficult to access with a brush can be coated in record time with a precise adjustable paint jet.

APPROXIMATE TIME REQUIRED* FOR COATING

Object	Spray gun	4 cm brush or roller	Time saving
 Dresser	25 Min.	85 Min.	70%
 Window shutter	10 Min.	70 Min.	85%
 Room measuring 4 x 4 m:	15 Min.	58 Min.	75%

* Average time excluding preparation and cleaning.





Outstanding benefits WAGNER paint systems seal of quality

To provide more guidance the following contains information on our product symbols, seals of quality and technologies. They are repeated throughout the catalogue.

1 CLICK & PAINT SYSTEM – CHANGE EQUIPMENT IN SECONDS

Click & Paint features on all systems where the part that carries the paint can be removed from the turbine with a single click.

- Fast: Change paint and material in a instant
- Versatile: the perfect attachment for every job
- Simple: replace and clean the spray attachments



2 ATOMISATION POWER - THE FINENESS OF PAINT APPLICATION

What does atomisation power say about a system? In contrast to power consumption, atomisation is the effective energy available to atomise the paint. This is an indicator for the performance and possible uses of a spray gun. For example a spray system with lower atomisation power is sufficient for "coarser" work such as painting a fence, whilst "finer" work such as painting a piece of furniture requires a spray gun with higher atomisation power.

3 ADJUSTABLE PAINT JET - SUITABLE FOR ANY OBJECT

The paint jet can be adjusted to two or three different settings to tailor the jet precisely to the object you wish to coat.



vertical



round



horizontal

4 PERFECT SPRAY – THE ART OF SPRAYING

The seal of quality for simple, fast and effective paint application with perfect results by spraying. If a spray system bears the Perfect Spray symbol there is no need for complicated viscosity measurements. Simply thin the material by 10% if necessary and off you go - perfect results by spraying.

Perfect results for
wall paintPerfect results for
wood and metalPerfect results for fine
plasters and
textured paint

5 I-SPRAY TECHNOLOGY - HIGH PERFORMANCE NOZZLE

The innovative slotted nozzle for WallPerfect enables you to achieve:-

- Very fine atomisation for perfect finishes on all internal walls
- Simple distribution of viscous paints due to high viscosity tolerance
- Particularly high working speed





6 SPECIAL FEATURES

The WallPerfect systems have symbols to highlight the product features. So the special characteristics of the product can be easily seen.



Very little masking required - an envelope of air surrounds the paint jet



Apply textured paint with a grain size of up to 1mm



Fantastic results due to uniform paint application - even on difficult surfaces



Fast working speed due to its high paint flow



The high performance turbine will spray all conventional materials even without thinning



Good, uniform coverage in a single coat



Precision paint application in corners and on edges without the need for cutting in with a brush



Fast self-cleaning of the system



Fatigue-free work on walls and ceilings using the spray lance



The FineLiner allows corners and edges to be coated without masking



Battery operated – Paint is pushed through with the press of a button



Internally fed paint roller for non-drip application



Paint roller: suction system to draw paint straight from the container.




Direct suction from the paint container - no more refilling or topping up required






WALL PAINT



WOOD & METAL



FLEXIBLE AND VERSATILE FOR PROJECTS INSIDE AND OUT

Whether you want to go outside and paint or varnish your garden furniture or fences or stay inside and give the living room walls a fresh, new coat of paint: If you're looking for a spray system that covers the widest range of applications then the FLEXiO spray units or Airless Sprayer Plus are ideal for you.

These devices allow you to apply both low- and high-viscosity materials. This makes WAGNER's multipurpose spray units exceptionally versatile.

Whether you want to spray wall & ceiling, wood & metal or specialist paints – if you want a single tool to allow you to do a lot of different jobs then WAGNER's multipurpose FLEXiO spray systems or the Airless Sprayer Plus are the perfect choice.

THE PERFECT PRODUCT FOR EVERY PROJECT

The following section lists all the devices that you can use for wall paints, gloss, enamels, varnishes and wood preservatives.

For each product, there is a table giving you an overview which will help you identify the specific spray system that is best suited for your project. The associated project sizes, product performance and special equipment available for the devices are also clearly shown.





Project size	small - large ●●●●○
Performance	15 m ² in 5 min
Special equipment	- practical case - wood & metal spray attachment - variable air volume adjustment
Paint volume	fully adjustable, 0–500 ml/min
Atomisation power	200 W
Power consumption	630 W
Max. viscosity	Can handle all conventional materials without thinning on smooth surfaces and for particularly high viscosity, thick materials thin by 10%
Reservoir capacity	1300 ml for wall paint 800 ml for wood & metal
Part number:	2331 426
Seal of quality	 Description on pages 6 - 9



reddot award 2014
winner



Universal spray system WallPerfect FLEXiO 585

FLEXIBLE MANUAL SPRAY SYSTEMS FOR INSIDE AND OUT

If you are planning a slightly larger project and want to spray both internal walls and other surfaces, you need the FLEXiO 585 spray system. It's two spray attachments (for low and high viscosity materials) enable you to apply wall as well as wood and metal paints.

The powerful X-Boost turbine will handle all conventional materials without thinning using the innovative I-Spray nozzle. Even when you are spraying you can remain in control at all times: You can fully adjust the volume of air and paint. The spray jet can also be adjusted horizontally and vertically depending on the direction in which you wish to work, including a thin jet for wood and metal paints - for fast, perfect coverage. WallPerfect FLEXiO 585 is supplied in a handy carry case.





Universal spray system WallPerfect FLEXiO 687

THE UNIVERSAL PAINT SYSTEM FOR INTERIORS AND EXTERIORS

WallPerfect FLEXiO 687 gives you two paint spray systems for the price of one. The two spray attachments makes the system suitable for both interior and exterior use. Whether you want to spray internal walls or wood and metal paints - you will get fantastic results every time due to its uniform application even on difficult surfaces.

The innovative I-Spray attachment atomises paints perfectly and produces uniform, excellent coverage. The spray jet can be adjusted horizontally or vertically and the air volume adjustment is completely variable to suit your needs. The spray attachment for wood and metal even enables you to use a round jet - to ensure fast, perfect and precise application.



Project size	small - medium ●●●●○
Performance	15 m ² in 6 min
Special equipment	- Stainless steel spray attachment for wood & metal - variable air volume adjustment

Paint volume	fully adjustable, 0–400 ml/min
Atomisation power	200 W
Power consumption	630 W
Max. viscosity	Can handle all materials without thinning on smooth surfaces and for particularly high viscosity thick material thin by 10%

Reservoir capacity	1800 ml for wall paint 800 ml for wood & metal
--------------------	---

Air hose length	3.5 m
-----------------	-------

Part number:	2313 865
--------------	----------

Seal of quality

Description on pages 6 - 9





Universal spray system WallPerfect FLEXiO 867

THE POWERFUL SPRAY ALL-ROUNDER FOR INSIDE AND OUT

The powerful WallPerfect FLEXiO 867 is suitable for both inside and outside use. This is because the FLEXiO 867 includes two spray attachments: One specially for internal wall paints and a second for the application of wood and metal paints.

Working with the WallPerfect FLEXiO 867 is very straightforward. All the system functions can be controlled on the actual gun using the multi-function handle - even regulating the air volume. The innovative I-Spray spray attachment and the multi-adjustable spray jet ensure a fast, uniform coating and perfect coverage. Paint and lacquer are atomised perfectly and you work uniformly in every respect.

WallPerfect FLEXiO 867 is supplied in a handy carry case to keep the spray attachments and air hose tidy at all times.

Project size	small - large ●●●●○
Performance	15 m ² in 6 min
Special equipment	- practical case - wood & metal spray attachment - multi-function handle - variable air volume adjustment

Paint volume	fully adjustable, 0 – 400 ml/min
Atomisation power	200 W
Power consumption	630 W
Max. viscosity	Can handle all conventional materials without thinning on smooth surfaces and for particularly high viscosity, thick materials thin by 10%
Reservoir capacity	1300 ml for wall paint 600 ml for wood & metal
Air hose length	3.5 m
Part number:	2308 004

Seal of quality

Description on pages 6 - 9





Universal spray system WallPerfect FLEXiO 990

THE HANDY, CONVENIENT SPRAY SYSTEM FOR LARGE PROJECTS

The FLEXiO 990 can handle all water-based emulsions and latex paints thanks to its direct intake from the paint pot. Using the included spray attachment, it is also possible to work with water-based and solvent-based enamels, varnishes, wood preservatives and many other materials. Do you want to give your interior walls, doors, furniture or wooden decking a new coat of paint? Then the FLEXiO 990 is the perfect unit for you.

Thanks to the direct intake system, there is no need for any time-consuming decanting or refilling and the 7m-long material hose gives you ample working range to paint even large rooms without difficulty.

Thanks to the self-cleaning function, the pump unit and hose clean themselves in just a few minutes - so it's not just painting that is quick and easy, so is the cleaning up afterwards.




Project size	medium - very large ●●●●●
Performance	15 m ² in 5 min
Special equipment	- wood & metal spray attachment - direct feed - self-cleaning function - paint pot mount - variable air volume adjustment

Paint volume	stage 1-12, 0 – 525 ml/min
Atomisation power	200 W
Power consumption	680 W
Max. viscosity	Can handle all conventional materials without thinning on smooth surfaces and for particularly high viscosity, thick materials thin by 10%
Reservoir capacity	800 ml for wood & metal
Hose length	7 m
Part number:	2350 317

Seal of quality

Description on pages 6 - 9





Airless spray system Airless Sprayer Plus

THE ALL-ROUND DEVICE FOR DIY-ERS WITH VISION

Interior wall and latex paints or water-based and solvent-based materials such as enamels, varnishes, wood preservatives, cavity sealants, undercoats and stains – but not exterior paints – can all be sprayed without difficulty. Quickly, reliably and of course perfectly evenly.

The carrying handle allows you to easily change working location. Thanks to the Airless Sprayer Plus's 10-metre long hose, this airless device is able to reach high walls and ceilings as well as large structures such as garden sheds and carports without difficulty. As a result, the Airless Sprayer Plus is not just a powerful, versatile companion but also guarantees you an excellent surface finish and a large working range.

Project size	medium - very large ●●●●●
Special equipment	- 2 reversible nozzles (M for high-viscosity, XS for low-viscosity materials) - 2x M filters, 1x XS-S filter

Delivery rate	0,8 l/Min
Spray pressure	190 bar
Power consumption	625 W
Reservoir capacity	7,5 l
Gun	light-weight Airless professional quality gun
Max. nozzle size	M/0,015"
Hose length	10 m
Part number	2350 292



Airless spray system ProjectPro 117

THE COMPACT MULTI-TALENTED SOLUTION FOR WALL, WOOD & METAL PAINTS

The ProjectPro 117 high-performance piston pump is the ideal companion for medium-sized through to very large-scale projects. Thanks to the wide range of materials and convenient suction system, you can perform a whole range of tasks comfortably and reliably. Any nozzle blockages can be eliminated quickly and easily thanks to the high-quality metal gun and reversible nozzle. This solution ensures trouble-free operation.

With its practical carrying handle and light weight, the ProjectPro 117 can be transported effortlessly and stored easily and conveniently.

Project size	medium - very large ●●●●●
Special equipment	- lightweight metal gun - adjustable pressure control - 7.5 m paint hose

Delivery rate 0,95 l/min

Spray pressure 200 bar

Power consumption 670 Watt

Max. nozzle size L/0,017"

Gun PP-05

Hose length 10 m

Part number 0418 031



Airless spray system ProjectPro 119

THE MOBILE ALL-ROUND DEVICE FOR INTERIOR AND EXTERIOR USE

Thanks to the versatile ProjectPro 119 paint spray system, you are fully equipped for your large-scale projects. With its airless technology, the unit can spray all commercially available wood & metal paints, as well as emulsions and latex paints. It is, of course, efficient, reliable and robust, just like all other WAGNER products.

The top-quality metal gun with reversible nozzle for flawless finishes and the sturdy, wheeled-stand for ease of transportation between sites. The 15-metre delivery hose means that even high gables are easily reached.


ProjectPro 119 is therefore not only very powerful but also mobile and suitable for a wide range of uses.



Project size	medium - very large ●●●●●
Special equipment	- lightweight metal gun - adjustable pressure control - 15 m paint hose - folding stand
Delivery rate	0,95 l/min
Spray pressure	200 bar
Power consumption	720 Watt
Max. nozzle size	XL/0,019"
Gun	PP-05
Hose length	15 m
Part number	0418 041



WALL PAINT



GET IT ON THE WALL! SPRAY ONCE RATHER THAN BRUSHING X TIMES

Regardless of whether you are just moving in or it's simply time for a new coat of paint - ideally you want the job to be completed quickly, be enjoyable and above all produce perfect results.

With WAGNER you can do all three. Our innovative paint systems for emulsion and internal wall paint applied either by sprayer or roller with integrated reservoir. No more brush hairs in the paint, no drips or mess, no bending or stretching and above all - excellent results.

In just one coat you can achieve uniform coverage with our wall paint spray systems to save you having to complete a second or even a third coat including waiting for the drying time.

It enables you to make your dreams come true. Have fun with it - and get that paint onto the wall.

THE PERFECT PRODUCT FOR EVERY PROJECT

All the products listed in this section have been specially developed for applying wall paint.

Each product has a chart to enable you to decide which wall paint system would be best for your project. The project size may be small or large, the capacity and special equipment for the system are clearly shown.





Wall paint spray system WallPerfect W 665

THE CLASSIC PAINT SPRAY SYSTEM FOR INTERNAL WALLS

Brilliant white, stunning colours or interesting focal points? Make your renovation and decorating ideas a reality with the incredibly easy to use classic W 665 wall paint spray system. The innovative I-Spray attachment atomises paints perfectly and produces excellent coverage very quickly.

The paint volume is fully adjustable. The spray jet can also be adjusted horizontally or vertically depending on which direction you prefer to work. It is very simple to handle, you just hold the spray attachment in your hand whilst the turbine stays on the floor or over your shoulder (strap supplied).

Project size	small - medium ●●●○○
Performance	15 m ² in 7 min
Special equipment	–

Paint volume	fully adjustable, 0–375 ml/min
Atomisation power	120 W
Power consumption	370 W
Max. viscosity	will handle most internal wall paint max. 10% thinned
Reservoir capacity	1800 ml
Air hose length	3.5 m
Part number:	2301 732

Seal of quality

Description on pages 6 - 9





Paint Roller WallPerfect HandiRoll 550

THE SIMPLE SOLUTION FOR MANUAL PAINT APPLICATION

The simplest way of rolling, you prepare the paint, connect the intake system to the paint tin, suck up the paint into the reservoir and then pump the paint manually into the roller using the Power-Trigger. You can decide how quickly you want to work. No more drips and mess! Much easier to use and cleaner than a conventional roller.

Project size	small - medium ●●○○○
Performance	15 m ² in 19 min
Special equipment	- reservoir capacity for an area of approx. 5 m ²
Roller width	23 cm
Pile height	12 mm
Reservoir capacity	550 ml
Part number:	0407 002
Seal of quality	  
Description on pages 6 - 9	



Paint Roller WallPerfect TurboRoll 550

THE HANDY SOLUTION FOR EASY PAINT APPLICATION

You have never rolled as quickly, easily and cleanly as with the flexible TurboRoll. The powerful battery-powered motor pumps paint from the tin into the integral paint reservoir at the touch of a button - and from there into the roller. No more bending and rolling paint in a tray to load the roller - and of course no mess.

Project size	small - medium ●●●○○
Performance	15 m ² in 16 min
Special equipment	- batteries included - battery-powered motor - reservoir capacity for an area of approx. 5 m ²
Roller width	23 cm
Pile height	20 mm
Reservoir capacity	550 ml
Battery charge	lasts for approx. 40 l of paint
Part number:	2301 737
Seal of quality	   
Description on pages 6 - 9	



For
inside
and out

Paint roller WallPerfect PowerRoll System

A VERSATILE SOLUTION FOR LARGE AND SMALL AREAS

Are you planning a big project and would prefer to use a roller rather than spraying? You don't have to miss out on comfort, convenience and innovative technology. At the touch of a button, the powerful electric PowerRoll system pumps the paint directly from the paint tin into the roller. Allowing you to set your own working pace for walls, ceilings, corners and edges. No more drips and mess! The high delivery rate and long hose help you to roller paint even on large surfaces and exterior walls both quickly and professionally.

The PowerRoll system is supplied with a range of practical accessories: a second paint roller and an adapter for standard extension pieces to comfortably increase your working height for ceilings. The edge plate on the FineLiner attachment, also supplied, allows you to paint edges precisely - with absolutely no masking! Cleaning the system also takes care of itself at the touch of a button.

Project size	small - large ●●●●○
Performance	15 m ² in 12 min
Special equipment	- FineLiner attachment with edge plate - 2x Paint rollers - adapter for standard extension pieces

Delivery rate	750 ml/min
Roller width	23 cm / 7,5 cm (FineLiner)
Pile height	12 mm / 20 mm
Power consumption	50 W
Hose length	5 m
Part number:	2340 862


Seal of quality

Description on pages 6 - 9





FINE PLASTERS & TEXTURED PAINTS



GET THAT PLASTER ON! SPRAY ON TEXTURE AS WELL AS COLOUR.


Walls that are silky-smooth to the touch or vibrant textures - it's a matter of taste. Whatever you choose, the visual effect has to be right. This determines whether you truly feel at home within your own four walls.

However achieving a top-quality finish with today's modern decorative plasters using a brush and roller is no easy task. If you want to ensure successful results right from the start, choose the newly developed *TexPerfect FLEXiO 525* spraying system developed specially for decorative plasters and textured paints, or a high-performance WAGNER paint spraying system combined with the *TexPerfect* spraying attachment accessory. With *TexPerfect*, you spray the material directly onto the wall to create a consistent even finish on edges and in corners. A great result that you can be proud of.

Spray like a professional - professional results thanks to *TexPerfect*.

UNIFORM APPEARANCE

Sprayed fine plasters and textured paints provide a much more uniform finish than can be achieved using a roller. The use of spray equipment eliminates the formation of clumps on wall surfaces. It also prevents the appearance of different surface textures at corners and edges.



APPLYING PLASTER USING A
BRUSH



APPLYING PLASTER USING A
WAGNER SPRAYING SYSTEM





Textured paint spraying system *TexPerfect FLEXiO 525*

A HIGH-PERFORMANCE MANUAL SPRAYING UNIT FOR DECORATIVE PLASTERS AND TEXTURED PAINTS

Would you like to coat your walls with evenly applied and streak-free textured paint? Then the *TexPerfect FLEXiO 525* is just what you're looking for. Its specially developed nozzle allows you to apply decorative plasters and textured paints with a grain size of up to 1 mm.

The powerful turbine and adjustable paint jet ensure precise and comfortable working, even on corners, edges and ceilings. Save material as well as time - *TexPerfect FLEXiO 525* ensures efficient coverage of internal and external walls.



Project size	small - medium ●●●○○
Performance	15 m ² in 15 min
Special equipment	- variable air volume adjustment

Paint volume	fully adjustable, 0–500 ml/min
Atomisation power	200 W
Power consumption	630 W
Reservoir capacity	1300 ml
Part number:	2345 550


Seal of quality

Description on pages 6 - 9





WOOD & METAL



GET THAT COATING ON! SIMPLE AND PERMANENT PROTECTIVE COATINGS

Many objects outside the house must be regularly protected from the weather as well as wood and metal inside your home. So whether it is a garden fence, a bannister, window shutters, furniture, doors or radiators - recoating is a lot of work and it's hardly a pleasure with a brush. Fortunately there are WAGNER's spray systems.

Fine spray systems and manual spray guns win hands down over brushes when it comes to the application of wood and metal paints. They enable you to work much quicker and can also reach difficult to access areas such as corners and edges. You can achieve smooth, homogeneous surfaces in a single coat. The excellent coverage means that spraying your items provides them with much better protection against the weather.

That means you can make your home gleam like new in no time and you will enjoy every minute of it.

THE PERFECT PRODUCT FOR EVERY PROJECT

In this section we show you all the systems we can supply for the perfect application of gloss, lacquers, varnishes, wood preservatives and oils.

Each product has a table to enable you to decide which spray system would be best for your project. The project size may be large or small, the capacity and special equipment for the system are shown in a clear concise format.





Fine spray system W 550

THE HANDY SOLUTION FOR SMALL AND MEDIUM PROJECTS

The time-tested W 550 fine spray system is ideal for windows, fences, furniture etc. The atomisation power provides good coverage and precision regardless of the material used, whether it is lacquer, varnish or wood preservative. You therefore achieve a fast, perfect finish in any position and in any working direction, even when spraying objects beneath you or working above your head.

Project size	small - medium ●●○○○
Performance	5 m ² in 12 min
Special equipment	–

Paint volume	fully adjustable, 0–110 ml/min
Atomisation power	65 W
Power consumption	280 W
Max. viscosity	90 DIN-sec
Reservoir capacity	800 ml
Part number:	0417 007
Seal of quality	

Description on pages 6 - 9



Fine spray system W 600

THE PERFECT SOLUTION PARTICULARLY FOR WOODEN SURFACES

WoodPerfect W 600 is the perfect way of coating wooden objects with enamels, varnishes, oil-based products or wood preservatives. Whether you are coating a wooden fence, timber decking or your garden shed: The fully adjustable paint volume ensures that you always achieve perfect, uniform coverage. The spray jet can be adjusted to be horizontal or vertical or can be round to guarantee the perfect result, whatever the project.

Project size	small - medium ●●○○○
Performance	5 m ² in 9 min
Special equipment	–

Paint volume	fully adjustable, 0–120 ml min
Atomisation power	65 W
Power consumption	280 W
Max. viscosity	90 DIN-sec
Reservoir capacity	1400 ml
Hose length	2 m
Part number:	2321 950
Seal of quality	

Description on pages 6 - 9



Fine spray system W 610

THE COMPACT SOLUTION FOR WOOD AND METAL

Unlike hand-held fine spray systems, when you use the W 610 you only hold the spray attachment in your hand. The turbine is separate and can be carried over your shoulder if required. The spray jet can be adjusted horizontally, vertically or to a round jet to suit every situation and working direction.

Project size	small - medium ●●○○○
Performance	5 m ² in 9 min
Special equipment	—

Paint volume	fully adjustable, 0 – 120 ml/min
Atomisation power	130 W
Power consumption	460 W
Max. viscosity	170 DIN-sec
Reservoir capacity	800 ml
Hose length	1.8 m
Part number:	2307 648

Seal of quality

Description on pages 6 - 9



Fine spray system W 670

MORE POWER FOR ALL JOBS

The W 670 fine spray system provides plenty of spraying power combined with the precision to keep the area clean. Its high atomisation power enables you to produce excellent result with a range of materials - including solvent-based paint, wood stains and varnishes. The two-setting switch for low and high viscosity materials ensures perfect results for every application, both inside and out. The system also includes a practical air nozzle for cleaning and inflating mattresses etc.

Project size	medium - large ●●●○○
Performance	5 m ² in 6 min
Special equipment	- switch with 2 settings - air nozzle for cleaning and inflating - 2-setting air volume adjustment

Paint volume	fully adjustable, 0-125 ml/min
Atomisation power	105 W
Power consumption	350 W
Max. viscosity	130 DIN-sec
Reservoir capacity	800 ml
Hose length	1.8 m
Part number:	2307 652

Seal of quality

Description on pages 6 - 9





WALLPAPER STRIPPERS



OFF WITH THAT OLD PAPER! REMOVE WALLPAPER EASILY AND WITHOUT HARMING THE ENVIRONMENT

You may be looking forward to a change of wallpaper - but before you can hang your new design you have to get rid of the old paper. That can be a real nuisance if you have not yet come across our wallpaper strippers which prevent you from having to wet the walls and scrap off all the old paper.

WAGNER wallpaper strippers not only save you time but also protect your health and the environment - all our systems use steam with no chemicals at all. The lightweight steam plates make your work on the wall very simple and the standard Power Steam Control automatic cut-out prevents overheating - keeping you safe. Allowing you to replace your tired old wallpaper with a fresh new look in a flash.

THE PERFECT PRODUCT FOR EVERY PROJECT

Each product has a table to enable you to decide which wallpaper stripper would be best for your project. The project size may be large or small, the capacity and special features of the products are clearly shown.





Wallpaper stripper W 14

THE RELIABLE MODEL FOR FIRST TIME DIY'ERS

The WAGNER model for occasional use - for removing wallpaper quickly and easily.

Project size	medium - large ●●●○○
Performance	Steaming time 70 min
Special equipment	–
Steam power	50 g/min
Reservoir capacity	3.5 l
Power consumption	2000 W
Hose length	3.5 m
Steam plate size	19 x 27 cm
Part number	0339 005



Wallpaper stripper W 15

THE VERSATILE ALL-ROUND MODEL

Wide and narrow strips of wallpaper can be removed using the adjustable bar with three width settings.

Project size	small - large ●●●●○
Performance	Steaming time 70 min
Special equipment	- steaming bar width can be adjusted to three settings
Steam power	50 g/min
Reservoir capacity	4 l
Power consumption	2000 W
Hose length	3.5 m
Steam plate size	max. 58 x 8 cm
Part number	0339 016



Wallpaper stripper DTS 5800

THE PROFESSIONAL PREMIUM MODEL

The DTS 5800 is the turbo among wallpaper strippers. Its 2-chamber system means that the system is ready to go in just 3 minutes - despite its particularly large reservoir capacity. This makes it ideal for use in large rooms but this system can do even more. The special accessories set makes the DTS 5800 into a high quality steam cleaner. A great way to clean your freshly wallpapered home.



Project size	small - large ●●●●●
Performance	Steaming time 120 min
Special equipment	- On and Off switch - 2-chamber system

Steam power	50 g/min
Reservoir capacity	5.8 l
Power consumption	2000 W
Hose length	3.5 m
Steam plate size	20 x 27 cm
Part number:	0419 007

ACCESSORIES



You will also find all the accessories you need to tackle all your DIY projects at WAGNER. To make your work even more pleasant, efficient and more fun!



Accessories fine spray systems

Click & Paint enables you to change the spray attachments for our fine spray systems in seconds. This means that if you have the appropriate spray attachment you can spray all materials with complete ease. The handle extension drastically increases your range for working with all Click & Paint systems.

The following spray attachments and accessories are suitable for all WAGNER spraying systems, unless otherwise stated.

Spray attachment "Brilliant"



Specially developed spray attachment for smooth objects. The enhanced nozzle and air system ensure high quality, brilliant finishes.

Reservoir capacity: 600 ml, Part number: 0417 932

Compatible with: ● 585 ● 687 ● 867 ● 990 ● 665 ● 525 ● 550 ● 600 ○ 610 ● 670



Low flow spray attachment



For spraying small items. Also suitable for completing detail work cleanly and precisely.

Reservoir capacity: 250 ml, Part number: 0417 918

Compatible with: ● 585 ● 687 ● 867 ● 990 ● 665 ● 525 ● 550 ● 600 ○ 610 ● 670



Radiator detail spray attachment



Perfect for hard to reach areas such as radiators and cabinet corners. The paint jet is diverted through 25° at the end of the attachment so that it really can spray right into the corner.

Reservoir capacity: 600 ml, Part number: 0417 915

Compatible with: ● 585 ● 687 ● 867 ● 990 ● 665 ● 525 ● 550 ● 600 ○ 610 ● 670





Spray attachment "Perfect Spray 800"

The classic - suitable for a wide range of uses and ideal for producing a uniform, perfect coating on small to medium objects. The enhanced nozzle makes the application even faster.

Reservoir capacity: 800 ml, Part number: 0417 914

Compatible with: ● 585 ● 687 ● 867 ● 990 ● 665 ● 525 ● 550 ● ○ 600 ● ● 610 ● ● 670



Spray attachment "Perfect Spray 1400"

A great solution for coating large objects such as garage doors and summer houses quickly. This accessory enables you to continue spraying for a long time without having to stop.

Reservoir capacity: 1400 ml, Part number: 0417 917

Compatible with: ● 585 ● 687 ● 867 ● 990 ● 665 ● 525 ● 550 ● ○ 600 ● ● 610 ● ● 670



Spray attachment "WallPerfect"

For the easy application of interior emulsion and latex paints.

Reservoir capacity: 1300 ml, Part number: 2321 896

Reservoir capacity: 1800 ml, Part number: 2326 477

Compatible with: ● 585 ● 687 ● 867 ● 990 ● 665 ● 525 ● 550 ● ○ 600 ● ○ 610 ● ● 670



Spray attachment "TexPerfect"

Spray attachment designed especially for decorative plasters and textured paints with a grain size of up to 1 mm and primers. High-quality and streak-free finishes, thanks to even application of textured paints.

Reservoir capacity: 1300 ml, Part number: 2340 846

Compatible with: ● 585 ● 687 ● 867 ● 990 ● 665 ● 525 ● 550 ● ○ 600 ● ○ 610 ● ○ 670

Paint pot with lid

To store left-over paint (wall paints).

Reservoir capacity: 250 ml, Part number: 0417 922

Reservoir capacity: 600 ml, Part number: 0414 906

Reservoir capacity: 800 ml, Part number: 0413 909

Reservoir capacity: 1400 ml, Part number: 0417 921

Compatible with: ● 585 ● 687 ● 867 ● 990 ● 665 ● 525 ● 550 ● ● 600 ● ● 610 ● ● 670



Paint pot with lid

To store left-over wood & metal paints.

Reservoir capacity: 1300 ml, Part number: 2305 155

Reservoir capacity: 1800 ml, Part number: 2304 025

Compatible with: ● 585 ● 687 ● 867 ● ○ 990 ● ● 665 ● ● 525 ● ○ 550 ● ○ 600 ● ○ 610 ● ○ 670




Handle extension

Walls and ceilings can be sprayed very easily with this thanks to its greater range and is also ideal for the application of lacquers, stains and varnishes on floors and decking.

Total length: approx. 60cm, Part number: 2307 678

Compatible with: ● 585 ● 687 ● 867 ● ○ 990 ● ● 665 ● ● 525 ● 550 ● ○ 600 ● ● 610 ● ● 670



Accessories Airless spray system

Whether you are using enamel, varnish or wall paint, here you will find the right accessory for your airless spray system to make sure you achieve the best possible surface finish – whatever the project.



Nozzles and filters, XS - S

For water-based and solvent-based enamels, varnishes and lacquers, oil-based products, mould release agents, synthetic resin-based paints, PVC enamels

Nozzle XS = 0,009", Part number: 0418 705

Nozzle S = 0,011", Part number: 0418 706

Filter XS - S, Part number: 0418 711



Nozzles and filters, M

For enamels, undercoats, primers, fillers, latex and emulsion paints for indoor use.

Nozzle M = 0,015", Part number: 0418 707

Filter M, Part number: 0418 712



Nozzles and filters, L - XXL

For enamels, undercoats, primers, fillers, corrosion-proofing, latex and emulsion paints for interior use.

Nozzle L = 0,017", Part number: 0418 708

Nozzle XL = 0,019", Part number: 0418 709

Filter L - XXL, Part number: 0418 713



Nozzle extension, 30 cm

With the 30 cm nozzle extension, you can spray difficult-to-reach areas without difficulty. As a result, ceilings, high walls or wooden decking can be coated easily without any stretching or bending.

Part number: 2306 478

Accessories Paint Rollers

Do you want to repaint your exterior walls? Then choose a deep pile roller from the range of accessories. You will also find matching replacement rollers for future projects here.

The following replacement rollers are suitable for all WAGNER paint rollers, unless otherwise stated.

Paint roller 12 mm

For smooth and slightly textured surfaces, width 230 mm

Part number: 0998 230



Paint roller 20 mm

For slightly textured and rough surfaces, width 230 mm

Part number: 0245 717



Universal paint roller, padded

Top quality, for textured and rough surfaces, pile depth 20 mm

Part number: 0220 306



FineLiner paint roller, set of 3

Width 75 mm

Part number: 2327 281



Compatible with:

- HandiRoll 150
- TurboRoll 150
- PowerRoll System





Accessories Wallpaper strippers

Transform your wallpaper strippers into a versatile steam cleaner. The steam cleaning set will fit all WAGNER wallpaper strippers.



10-piece steam cleaning set



Consisting of various nozzles, extensions, etc. Floor cloth and window wiper. For cleaning hard flooring, upholstery and hard to reach areas. Will even remove stubborn dirt.

Part number: 0339 700



D/A

J. WAGNER GmbH
Otto-Lilienthal-Str. 18
D-88677 Markdorf
T. +49 (0) 75 44 - 50 50
F. +49 (0) 75 44 - 50 52 00
vertrieb_consumer@wagner-group.com
hotline@wagner-group.com

F

J. WAGNER France
12 Avenue des Tropiques
Z.A. de Courtaboeuf
91978 LES ULIS Cedex
T. +33 (0) 08 25 01 11 11
F. +33 (0) 1 - 69 19 46 77
division.grandpublic@wagner-france.fr

NL

Wagner Spraytech Benelux B. V.
De Heldinnenlaan 200, 3543 MB Utrecht
T. +31 (0) 30 - 2 41 41 55
F. +31 (0) 30 - 2 41 17 87
info@wagner-group.nl

CH

J. WAGNER AG
Industriestrasse 22
9450 Altstätten
T. +41 (0) 71 - 7 57 22 11
F. +41 (0) 71 - 7 57 23 23
wagner@wagner-group.ch

GB

Wagner Spraytech UK Ltd
Opus Park
Moorfield Road
Guildford
Surrey
GU1 1SZ
Tel: +44 (0) 1483 454666
Fax: + 44 (0)1483 454548
enquiries@wagner-group.com

B

WAGNER Spraytech Belgie
Veilinglaan 58
1861 Meise-Wolvertem
T. +32 (0) 2 - 2 69 46 75
F. +32 (0) 2 - 2 69 78 45
info@wagner-group.be

Visit our website with hints, instructions and assistance for producing the perfect finish at www.wagner-group.com

