


Tape-on-Reel: Samples

120-M-221-SMD

Pitch of 5 mm

Pin strip for SMD


Image	No. of poles	Part numbers	Tape width	Tape height	PU
	2	40.806.352.M00	32 mm	17,4 mm	75
	3	40.806.353.M00	32 mm	17,4 mm	75
	4	40.806.354.M00	56 mm	17,4 mm	75
	6	40.806.356.M00	56 mm	17,4 mm	75



120-M-221-THR

Pitch of 5 mm

Pin strip for THR


Image	No. of poles	Part numbers	Tape width	Tape height	PU
	2	20.806.352.M00	32 mm	17,4 mm	75
	3	20.806.353.M00	32 mm	17,4 mm	75
	4	20.806.354.M00	56 mm	17,4 mm	75
	6	20.806.356.M00	56 mm	17,4 mm	75



140-A-126-SMD

Pitch of 5 mm

PCB connector for SMD


Image	No. of poles	Part numbers	Tape width	Tape height	PU
	2	20.801.632.M00	32 mm	13 mm	75
	3	20.801.633.M00	56 mm	13 mm	75
	4	20.801.634.M00	56 mm	13 mm	75



210-A-SMD

Pitch of 3,5 mm

PCB connector for SMD


Image	No. of poles	Part numbers	Tape width	Tape height	PU
	2	10.804.202.M00	44 mm	14,6 mm	75
	4	10.804.204.M00	44 mm	14,6 mm	75



210-A-126-SMD

Pitch of 3,5 mm

PCB connector for SMD

Image	No. of poles	Part numbers	Tape width	Tape height	PU
	2	10.804.232.M00	32 mm	12,0 mm	75
	4	10.804.234.M00	44 mm	14,6 mm	75




Tape-on-Reel: Samples

830-A-121-SMD

Pitch of 3,5 mm

PCB connector for SMD


Image	No. of poles	Part numbers	Tape width	Tape height	PU
	2	10.813.032.M00	24 mm	14,4 mm	75



930-D-SMD

Pitch of 3,5 mm

PCB connector for SMD


Image	No. of poles	Part numbers (without -DS)	Part numbers (with -DS)	Tape width	Tape height	PU
	3		20.870.603.M00	24 mm	11,3 mm	75
	4		20.870.604.M00	24 mm	11,3 mm	75
	5		20.870.605.M00	32 mm	11,3 mm	75



950-D-SMD-DS

Pitch of 5 mm

PCB connector for SMD

Image	No. of poles	Part numbers	Tape width	Tape height	PU
	2	20.879.502.M00	32 mm	12,3 mm	75



971-SLR-1,1 (Plug-in area 11,7 mm; soldering area 3,5 mm)

Pitch of 5 mm

Pin strip for SMD

Image	No. of poles	Part numbers	Tape width	Tape height	PU
	8	61.893.802.M00	72 mm	18,3 mm	100



971-SLR-1,3 (Plug-in area 7,1 mm; soldering area 2,2 mm)

Pitch of 5 mm

Pin strip for SMD


Image	No. of poles	Part numbers	Tape width	Tape height	PU
	2	85.893.805.M00	32 mm	15,9 mm	100
	4	89.893.805.M00	56 mm	15,9 mm	100



Tape-on-Reel: Samples

971-SLR-SMD-1,1


Pitch of 5 mm Pin strip for SMD

Image	No. of poles	Part numbers	Tape width	Tape height	PU
	3	13.893.822.M00	32 mm	15,9 mm	100
	5	15.893.822.M00	56 mm	15,9 mm	100
	6	16.893.822.M00	56 mm	15,9 mm	100
	7	17.893.822.M00	56 mm	15,9 mm	100
	8	18.893.822.M00	72 mm	14,9 mm	100



971-SLR-THR


Pitch of 5 mm Pin strip for THR

Image	No. of poles	Part numbers	Tape width	Tape height	PU
	3	13.893.801.M00	32 mm	15,9 mm	100



971-SLR-THR-1,1


Pitch of 5 mm Pin strip for THR

Image	No. of poles	Part numbers	Tape width	Tape height	PU
	6	16.893.802.M00	56 mm	15,9 mm	100



971-SLR-THR-1,3


Pitch of 5 mm Pin strip for THR

Image	No. of poles	Part numbers	Tape width	Tape height	PU
	4	14.893.805.M00	56 mm	15,9 mm	100
	14	24.893.805.M00	88 mm	15,8 mm	100



974-D-SMD-DS

Pitch of 5 mm PCB connector for SMD

Image	No. of poles	Part numbers	Tape width	Tape height	PU
	2	20.874.402.M00	56 mm	14,7 mm	75
	3	20.874.403.M00	56 mm	14,7 mm	75
	4	20.874.404.M00	56 mm	14,7 mm	75
	6	20.874.406.M00	56 mm	14,7 mm	75

