

# **AUTOMOTIVE LIST PRICE**

EFFECTIVE: December 21, 2016 VOID: June 29, 2017

↓ **T** - Special Order, Non-Returnable, Non-Cancelable.

MODEL **DESCRIPTION** LIST

O- /Off C	itch and Scan-Lock™ Flash Pattern Switch. (For Green, Contact Factory for Price, Availability a	
Requirements).		and Minimum Order
AVC11*	Single, Red, Blue, Amber or White	204.
AVC21**	Dual, Red, Blue, Amber and/or White	356.
	DLO™ Combination Linear/TIR Super-LED® Series with 2-Wire Pigtail, Includes Scan-Lock	
	cket with Suction Cups, and Hood. (For Green, Contact Factory for Price, Availability and Minin	
AVW11*	Single, Red, Blue, Amber or White	204.
AVW21**	Dual, Red, Blue, Amber and/or White	356.0
Avenger® II DI	JO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction	Cups, Hood, and C
Plug with On/O	ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located	on the Avenger® II)
AVC12#	Single, Red/Blue, Amber/White, Blue/White, Red/White or Blue/Amber Only	228.
AVC22DD	Dual, Each Lighthead Red/White	387.0
AVC22DE	Dual, One Lighthead Red/White and One Blue/White	387.0
AVC22EE	Dual, Each Lighthead Blue/White	387.
AVC22FF	Dual, Each Lighthead Amber/White	387.
AVC22JJ	Dual, Each Lighthead Red/Blue	387.
AVC22MM	Dual, Each Lighthead Blue/Amber	387.
	JO™ Combination Linear/TIR Super-LED® Series with 3-Wire Pigtail, Includes Swivel/Bail	
	d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av	
AVW12#	Single, Red/Blue, Amber/White, Blue/White, Red/White or Blue/Amber Only	228.
AVW22DD	Dual, Each Lighthead Red/White	387.
AVW22DE	Dual, One Lighthead Red/White and One Blue/White	387.
AVW22EE	Dual, Each Lighthead Blue/White	387.
AVW22FF	Dual, Each Lighthead Amber/White	387.
AVW22JJ	Dual, Each Lighthead Red/Blue	387.
	Duai, Each Lighthead Red/Blue	
AVW22MM	Dual, Each Lighthead Blue/Amber	387.
		387.
Avenger® II TF	Dual, Each Lighthead Blue/Amber	387. n Cups, Hood, and 0
Avenger® II TF	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction	387. n Cups, Hood, and ( on the Avenger® II)
Avenger® II TF Plug with On/O	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction  ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located	387. n Cups, Hood, and ( on the Avenger® II) 244.
Avenger® II TF Plug with On/O AVC13RBC	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction  ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located  Single, Red/Blue/White, with White Steady Override	387. n Cups, Hood, and 0 on the Avenger® II) 244. 244.
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction  ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override	387. n Cups, Hood, and Con the Avenger® II) 244. 244. 244. 244.
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RAC	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction  ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Amber/White, with White Steady Override	387. n Cups, Hood, and Con the Avenger® II) 244. 244. 244. 244.
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC13BAC	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction  ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Amber/White, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override	387. n Cups, Hood, and Con the Avenger® II) 244. 244. 244. 244. 469.
Avenger® II TI Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC13BAC AVC23RBC	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction  ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Amber/White, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override	387. n Cups, Hood, and Con the Avenger® II) 244. 244. 244. 244. 469.
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC13BAC AVC23RBC AVC23RBA AVC23RAC AVC23BAC	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction  ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Amber/White, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with White Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  Dual, Each Lighthead Blue/Amber/White, with White Steady Override	387. n Cups, Hood, and 0 on the Avenger® II) 244. 244. 244. 244. 469. 469. 469.
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC13BAC AVC23RBC AVC23RBA AVC23RAC AVC23BAC AVC23BAC Avenger® II TF	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located Single, Red/Blue/White, with White Steady Override Single, Red/Blue/Amber, with Amber Steady Override Single, Red/Amber/White, with White Steady Override Single, Blue/Amber/White, with White Steady Override Dual, Each Lighthead Red/Blue/Amber, with White Steady Override Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override Dual, Each Lighthead Red/Amber/White, with White Steady Override Dual, Each Lighthead Red/Amber/White, with White Steady Override Dual, Each Lighthead Blue/Amber/White, with White Steady Override Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail	387. n Cups, Hood, and 0 on the Avenger® II) 244. 244. 244. 244. 469. 469. 469. Bracket with Suctio
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC13BAC AVC23RBC AVC23RBA AVC23RAC AVC23BAC AVC23BAC Avenger® II TF	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction  ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Amber/White, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with White Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  RIO™ Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail  d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av	387. n Cups, Hood, and 0 on the Avenger® II) 244. 244. 244. 244. 469. 469. 469. Bracket with Suctio
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC23RBC AVC23RBA AVC23RAC AVC23BAC AVC23BAC AVC23BAC AVENGER® II TF Cups, and Hoo AVW13RBC	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located Single, Red/Blue/White, with White Steady Override Single, Red/Blue/Amber, with Amber Steady Override Single, Red/Amber/White, with White Steady Override Single, Blue/Amber/White, with White Steady Override Dual, Each Lighthead Red/Blue/White, with White Steady Override Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override Dual, Each Lighthead Red/Amber/White, with White Steady Override Dual, Each Lighthead Red/Amber/White, with White Steady Override RIO™ Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av Single, Red/Blue/White, with White Steady Override	387. n Cups, Hood, and Con the Avenger® II). 244. 244. 244. 244. 469. 469. 469. 469. Bracket with Suction renger® II).
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC23RBC AVC23RBA AVC23RAC AVC23BAC AVC23BAC AVC23BAC AVENGER® II TF Cups, and Hoo AVW13RBC AVW13RBA	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located Single, Red/Blue/White, with White Steady Override Single, Red/Blue/Amber, with Amber Steady Override Single, Red/Amber/White, with White Steady Override Single, Blue/Amber/White, with White Steady Override Single, Blue/Amber/White, with White Steady Override Dual, Each Lighthead Red/Blue/White, with White Steady Override Dual, Each Lighthead Red/Amber/White, with White Steady Override Dual, Each Lighthead Red/Amber/White, with White Steady Override RIO™ Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av Single, Red/Blue/White, with White Steady Override Single, Red/Blue/White, with White Steady Override	387. n Cups, Hood, and Con the Avenger® II). 244. 244. 244. 244. 469. 469. 469. 469. Bracket with Suction renger® II).
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC23RBC AVC23RBA AVC23RAC AVC23BAC AVC23BAC AVC23BAC AVENGER® II TF Cups, and Hoo AVW13RBC AVW13RBA AVW13RBA	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located Single, Red/Blue/White, with White Steady Override Single, Red/Blue/Amber, with Amber Steady Override Single, Red/Amber/White, with White Steady Override Single, Blue/Amber/White, with White Steady Override Dual, Each Lighthead Red/Blue/White, with White Steady Override Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override Dual, Each Lighthead Red/Amber/White, with White Steady Override Dual, Each Lighthead Red/Amber/White, with White Steady Override Dual, Each Lighthead Blue/Amber/White, with White Steady Override RIO™ Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av Single, Red/Blue/White, with White Steady Override Single, Red/Blue/Amber, with Amber Steady Override Single, Red/Blue/Amber, with White Steady Override	387. n Cups, Hood, and Con the Avenger® II)  244. 244. 244. 244. 469. 469. 469. 469. Bracket with Suctio renger® II).  244. 244.
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC23RBC AVC23RBA AVC23RAC AVC23BAC AVC23BAC AVC23BAC AVE3BAC AVE3BAC AVE3BAC AVW13RBC AVW13RBA AVW13RBA	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located Single, Red/Blue/White, with White Steady Override Single, Red/Blue/Amber, with Amber Steady Override Single, Red/Amber/White, with White Steady Override Single, Blue/Amber/White, with White Steady Override Dual, Each Lighthead Red/Blue/White, with White Steady Override Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override Dual, Each Lighthead Red/Amber/White, with White Steady Override Dual, Each Lighthead Bule/Amber/White, with White Steady Override RIO™ Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av Single, Red/Blue/White, with White Steady Override Single, Red/Blue/Amber, with Amber Steady Override Single, Red/Amber/White, with White Steady Override Single, Red/Amber/White, with White Steady Override Single, Blue/Amber/White, with White Steady Override	387. n Cups, Hood, and Con the Avenger® II)  244. 244. 244. 244. 469. 469. 469. 469. Bracket with Suctio renger® II).  244. 244. 244. 244.
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC23RBC AVC23RBA AVC23RAC AVC23BAC AVC23BAC AVC23BAC AVENGER® II TF Cups, and Hoo AVW13RBC AVW13RBA AVW13RBA	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located Single, Red/Blue/White, with White Steady Override Single, Red/Blue/Amber, with Amber Steady Override Single, Red/Amber/White, with White Steady Override Single, Blue/Amber/White, with White Steady Override Dual, Each Lighthead Red/Blue/White, with White Steady Override Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override Dual, Each Lighthead Red/Amber/White, with White Steady Override Dual, Each Lighthead Red/Amber/White, with White Steady Override Dual, Each Lighthead Blue/Amber/White, with White Steady Override RIO™ Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av Single, Red/Blue/White, with White Steady Override Single, Red/Blue/Amber, with Amber Steady Override Single, Red/Blue/Amber, with White Steady Override	387. n Cups, Hood, and Con the Avenger® II)  244. 244. 244. 244. 469. 469. 469. 469. Bracket with Suctio renger® II).  244. 244. 244. 244.
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC23RBC AVC23RBA AVC23RAC AVC23BAC AVC23BAC AVC23BAC AVE3BAC AVE3BAC AVE3BAC AVW13RBC AVW13RBA AVW13RBA	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located Single, Red/Blue/White, with White Steady Override Single, Red/Blue/Amber, with Amber Steady Override Single, Red/Amber/White, with White Steady Override Single, Blue/Amber/White, with White Steady Override Dual, Each Lighthead Red/Blue/White, with Mhite Steady Override Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override Dual, Each Lighthead Red/Blue/Amber, with White Steady Override Dual, Each Lighthead Blue/Amber/White, with White Steady Override RIO™ Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av Single, Red/Blue/Amber, with White Steady Override Single, Red/Blue/Amber, with Amber Steady Override Single, Red/Amber/White, with White Steady Override Single, Blue/Amber/White, with White Steady Override Single, Blue/Amber/White, with White Steady Override Dual, Each Lighthead Red/Blue/White, with White Steady Override Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override	387.4 n Cups, Hood, and Con the Avenger® II) 244. 244. 244. 244. 469. 469. Bracket with Suctio renger® II). 244. 244. 244. 469. 469. 469. 469. 469. 469.
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC23RBC AVC23RBA AVC23RBA AVC23BAC AVC23BAC AVE3BAC AVE3BAC AVE3BAC AVW13RBC AVW13RBA AVW13RBA AVW13RBC AVW13BAC AVW23RBC	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located Single, Red/Blue/White, with White Steady Override Single, Red/Blue/Amber, with Amber Steady Override Single, Red/Amber/White, with White Steady Override Single, Blue/Amber/White, with White Steady Override Dual, Each Lighthead Red/Blue/White, with White Steady Override Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override Dual, Each Lighthead Red/Amber/White, with White Steady Override Dual, Each Lighthead Blue/Amber/White, with White Steady Override Dual, Each Lighthead Blue/Amber/White, with White Steady Override RIO™ Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av Single, Red/Blue/White, with White Steady Override Single, Red/Blue/Amber, with Amber Steady Override Single, Red/Amber/White, with White Steady Override Single, Blue/Amber/White, with White Steady Override Single, Blue/Amber/White, with White Steady Override Dual, Each Lighthead Red/Blue/White, with White Steady Override	387.4 n Cups, Hood, and Con the Avenger® II) 244. 244. 244. 244. 469. 469. 469. 469. Bracket with Suctio renger® II). 244. 244. 244. 469.
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC13BAC AVC23RBA AVC23RBA AVC23RBA AVC23BAC AVC23BAC AVE13BAC AVE13BAC AVE13BAC AVW13RBC AVW13RBA AVW13RBA AVW13RBA AVW13RBC AVW13BAC AVW13BAC AVW23RBA AVW23RBA AVW23RBA AVW23RBA AVW23RBA	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction  ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Amber/White, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with White Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  Dual, Each Lighthead Blue/Amber/White, with White Steady Override  RIO™ Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail  d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av  Single, Red/Blue/Amber, with White Steady Override  Single, Red/Blue/Amber, with White Steady Override  Single, Red/Amber/White, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with White Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override	387. n Cups, Hood, and Con the Avenger® II)  244. 244. 244. 469. 469. 469. Bracket with Suctio renger® II).  244. 244. 469. 469. 469. 469. 469.
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC13BAC AVC23RBC AVC23RBA AVC23RBA AVC23BAC AVC23BAC AVE13BAC AVE13BAC AVE13BAC AVW13RBC AVW13RBA AVW13RBA AVW13RBC AVW13BAC AVW13BAC AVW23RBA AVW23RBA AVW23RBA AVW23RBA AVW23RBA AVW23RBA AVW23RBA AVW23RBA AVW23RAC AVW23BAC AVW23BAC AVW23BAC AVW23BAC AVW23BAC	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction  ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Amber/White, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  Dual, Each Lighthead Blue/Amber/White, with White Steady Override  RIO™ Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail  d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av  Single, Red/Blue/Amber, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Blue/Amber, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override	387. n Cups, Hood, and Con the Avenger® II)  244. 244. 244. 469. 469. Bracket with Suctio renger® II).  244. 244. 244. 244. 244. 244. 246. 469. 469.
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC13BAC AVC23RBA AVC23RBA AVC23RBA AVC23BAC AVC23BAC AVE13BAC AVE13BAC AVE13BAC AVW13RBC AVW13RBA AVW13RBA AVW13RBA AVW13RBC AVW13BAC AVW13BAC AVW23RBA AVW23RBA AVW23RBA AVW23RBA AVW23RBA	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction  ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Amber/White, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  Dual, Each Lighthead Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Blue/Amber/White, with White Steady Override  RIO™ Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail  d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Blue/Amber, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with White Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber/White, with White Steady Override	387. n Cups, Hood, and Con the Avenger® II)  244. 244. 244. 469. 469. Bracket with Suctio renger® II).  244. 244. 244. 244. 244. 244. 246. 469. 469.
Avenger® II TI Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC13BAC AVC23RBC AVC23RBA AVC23RBA AVC23RAC AVC23BAC AVC13BAC AVC13BAC AVC13BAC AVC13BAC AVC13BAC AVC13RBA AVW13RBC AVW13RBA AVW13RAC AVW13BAC AVW23RBC AVW23RBA	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction  ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Amber/White, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  Dual, Each Lighthead Blue/Amber/White, with White Steady Override  RIO™ Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail  d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av  Single, Red/Blue/Amber, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Blue/Amber, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override	387.4 n Cups, Hood, and Con the Avenger® II) 244. 244. 244. 469. 469. Bracket with Suctio renger® II). 244. 244. 469. 469. 469. 469. 469. 469. 469. 4
Avenger® II TF Plug with On/O AVC13RBC AVC13RBA AVC13RBC AVC13BAC AVC23RBC AVC23RBA AVC23RBA AVC23BAC AVC23BAC AVE13BAC AVE13BAC AVE13BAC AVW13RBC AVW13RBC AVW13RBC AVW13RBC AVW13RBC AVW13RBC AVW23RBC	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction  ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Amber/White, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  Dual, Each Lighthead Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Blue/Amber/White, with White Steady Override  RIO™ Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail  d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Blue/Amber, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with White Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber/White, with White Steady Override	387.4 n Cups, Hood, and Con the Avenger® II)  244. 244. 244. 244. 469. 469. Bracket with Suctio renger® II).  244. 244. 244. 244. 244. 244. 244. 2
Avenger® II TI Plug with On/O AVC13RBC AVC13RBA AVC13RAC AVC13BAC AVC23RBC AVC23RBA AVC23RBA AVC23RAC AVC23BAC AVC13BAC AVC13BAC AVC13BAC AVC13BAC AVC13BAC AVC13RBA AVW13RBC AVW13RBA AVW13RAC AVW13BAC AVW23RBC AVW23RBA	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction  ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Amber/White, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Amber/White, with White Steady Override  Dual, Each Lighthead Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Blue/Amber/White, with White Steady Override  RIO™ Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail  d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Blue/Amber, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber/White, with White Steady Override	387.4 n Cups, Hood, and Con the Avenger® II) 244. 244. 244. 469. 469. Bracket with Suctio renger® II). 244. 244. 469. 469. 469. 469. 469. 469. 469. 4
Avenger® II TI Plug with On/O AVC13RBC AVC13RBA AVC13RBC AVC13BAC AVC23RBC AVC23RBA AVC23RBA AVC23RBA II TI Cups, and Hoo AVW13RBC AVW13RBA AVW13RBA AVW13RBC AVW23RBA AVW23RBC	Dual, Each Lighthead Blue/Amber  RIO™ Combination Linear/TIR Super-LED® Series, Includes Swivel/Bail Bracket with Suction  ff Switches. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Amber/White, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Ishee/Amber, with White Steady Override  Dual, Each Lighthead Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Blue/Amber/White, with White Steady Override  RIO™ Combination Linear/TIR Super-LED® Series with 4-Wire Pigtail, Includes Swivel/Bail  d. (Mode Button for Color Choice and Scan-Lock™ Flash Pattern Button are Located on the Av  Single, Red/Blue/White, with White Steady Override  Single, Red/Blue/Amber, with Amber Steady Override  Single, Red/Blue/Amber, with White Steady Override  Single, Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber, with Amber Steady Override  Dual, Each Lighthead Red/Blue/Amber, with White Steady Override  Dual, Each Lighthead Red/Blue/Amber/White, with White Steady Override  Dual, Each Lighthead Red/Blue	387. n Cups, Hood, and Con the Avenger® II) 244. 244. 244. 469. 469. Bracket with Suctio renger® II). 244. 244. 244. 244. 244. 244. 244. 3469. 469. 469. 469.

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

\* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired. A – Area, G – Green Heart Nine, R – Red, G – Green Heart Nine, R – R

22.50

SLPBKT1 Bail Mounting Bracket for Rear Deck or Headliner Mounting

# Lightheads, Super-LED®, LED, Halogen & Combination

Note: In the Model Number the 3rd and 4th Digit are for the LED or Super-LED® Color. The 7th Digit is for the Lens Color.

M9 Series Linear Super-LED® Surface Mount, Color Outer Lens, Unless Specified. Optional Mounting Flanges Available. 10-3/8"

Long x 6-1/2 High	Long x 6-1/2 High, Protrudes 1-3/8.	
M9WLENX	Replace Clear Lens with a Smoked Lens, For M9 Warning Models Only	10.50
Pioneer Plus™ Surface Mount Single and Dual Flood/Spot Combination		
PCPSM1AC	Single Panel, Combination Flood/Spot, 115 VAC, UL® Listed, Chrome Flange	977.00
PCPSM1AB	Single Panel, Combination Flood/Spot, 115 VAC, UL® Listed, Black Flange	977.00

#### Siren Amplifiers, Amplifiers & Airhorns

Howler™ Low Frequency Tone Siren, Includes Siren Amplifier and Speaker(s), Works in Conjunction with Existing Siren Systems Purchased Separately.

HWLRB24 Howler Mounting Bracket for 2017 Chevy Silverado 1500

CenCom Carbide™, Remote Siren & Control Center and Options. Includes Built-in Traffic Advisor and Input Expansion Modules, Standard, 5 Year Warranty on Amplifier.

Standard, 5 Year	warranty on Ampilier.	
CCSRNT5F	Same as CCSRNT4F, Except with CANnect™ CAN BUS Interface Module for 2016-2017 Ford Interceptor Utility, 2016 Ford Interceptor Sedan and F-150, 2016 Dodge Charger, and 2016 Chevy Tahoe.	2049.00
CCSRNT5G	Same as CCSRNT4G, Except with CANnect™ CAN BUS Interface Module for 2016-2017 Ford Interceptor Utility, 2016 Ford Interceptor Sedan and F-150, 2016 Dodge Charger, and 2016 Chevy Tahoe.	2049.00
CANEM16	16 Output Expansion Module, for Carbide Only	232.00

#### Siren Speakers, SA315 & SA314 Projector™ Series

100 Watt Bumper/Concealed/Flange Mounted Speakers. Due to surcharges from our supplier on the rare earth materials used in the neodymium magnets found in speaker drivers, we reserve the right to adjust the pricing and/or add surcharges on all models that utilize this rare material, without notice.

Optional Mounting Brackets for SA315 Series

SAK62D	Chevy Silverado 1500, 2017, Driver Side	41.00
SAK62P	Chevy Silverado 1500, 2017, Passenger Side	41.00
SAK61D	Ford F-250/F-350, 2017, Driver Side, Not for Use with Factory Fog Lights	41.00
SAK61P	Ford F-250/F-350, 2017, Passenger Side, Not for Use with Factory Fog Lights	41.00

#### Traffic Advisor™ Series & Accessories

All Models include Control Head for Light Array (Unless Specified), Programmable Flash Patterns Standard on TACTL5, allows for Remote Activation of the "Flash Pattern" and End Lamp Enable/Disable Feature.

Traffic Advisor™, Straight Style Super-LED®

TA45B72	700 Series, Eight Lamp, Includes TACTL5, 72"	1999.00
Traffic Advisor™	Substitute Cables, Replaces Standard Length Cables, Not for use in Sequence to Solid or Sequence	On/Off Flash
Dattorne		

Patterns		
STA155	TA166AL5 - Substitute 55' Cable for Standard 51' Cable - ADD	85.00
STA235	TAL65/TAM65 - Substitute 35' Cable for Standard 15' Cable - ADD	109.00
STA245	TAL65/TAM65 - Substitute 45' Cable for Standard 15' Cable - ADD	159.00
STA255	TAL65/TAM65 - Substitute 55' Cable for Standard 15' Cable - ADD	209.00
STA335	TAL85/TAM85 - Substitute 35' Cable for Standard 15' Cable - ADD	109.00
STA345	TAL85/TAM85 - Substitute 45' Cable for Standard 15' Cable - ADD	159.00
STA355	TAL85/TAM85 - Substitute 55' Cable for Standard 15' Cable - ADD	209.00
STA445	TA45B72 - Substitute 45' Cable for Standard 35' Cable - ADD	59.00
STA455	TA45B72 - Substitute 55' Cable for Standard 35' Cable - ADD	109.00
STA535	TAM63/TAM83/TAZ66/TAZ86 - Substitute 35' Cable for Standard 15' Cable - ADD	119.00
STA545	TAM63/TAM83/TAZ66/TAZ86 - Substitute 45' Cable for Standard 15' Cable - ADD	179.00
STA555	TAM63/TAM83/TAZ66/TAZ86 - Substitute 55' Cable for Standard 15' Cable - ADD	239.00
STA635	TAD6/TAD8/TADP6/TADP8 - Substitute 35' Cable for Standard 15' Cable - ADD	69.00
STA735	TADF6/TADF8 - Substitute 35' Cable for Standard 15' Cable - ADD	129.00
STA745	TADF6/TADF8 - Substitute 45' Cable for Standard 15' Cable - ADD	189.00
STA755	TADF6/TADF8 - Substitute 55' Cable for Standard 15' Cable - ADD	259.00
STA835	TACF85/TANF65/TANF85 - Substitute 35' Cable for Standard 15' Cable - ADD	109.00
STA845	TACF85/TANF65/TANF85 - Substitute 45' Cable for Standard 15' Cable - ADD	159.00
STA855	TACF85/TANF65/TANF85 - Substitute 55' Cable for Standard 15' Cable - ADD	209.00
STA935	TACF85**/TANF85** - Substitute 35' Cable for Standard 15' Cable - ADD	109.00
STA945	TACF85**/TANF85** - Substitute 45' Cable for Standard 15' Cable - ADD	159.00
STA955	TACF85**/TANF85** - Substitute 55' Cable for Standard 15' Cable - ADD	209.00

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

<sup>\*</sup> Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green

<sup>#</sup> Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear; H = Green/Clear

<sup>† (</sup>to be discontinued, check availability) **[iii** (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber ! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot **\$** Indicates Lower Price



# **AUTOMOTIVE LIST PRICE**

EFFECTIVE: December 21, 2016 VOID: June 29, 2017

↓ **T** - Special Order, Non-Returnable, Non-Cancelable.

MODEL **DESCRIPTION** LIST

Tracer™ Serie	es	
Options for Tr	racer™ Series, All SUVs and Pick Up Trucks must have Factory Running Boards.	
TCRB47	2015-2017 Ford F-150 SuperCrew and 2017 Ford F-250/F-350 Crew Cab Running Board Mounting Kit, for 6 Lamp Tracer™, Each	85.00
	Mounting Kit, for 6 Lamp Tracer™, Each	

TCRB47	2015-2017 Ford F-150 SuperCrew and 2017 Ford F-250/F-350 Crew Cab Running Board Mounting Kit, for 6 Lamp Tracer™, Each	85.00
Outer Edge® S	eries Lightbars	
Outer Edge® R	ear Facing Upper Exterior Mount, ION™ Super-LED® Low Current, Standard with Traffic Advisor™	Patterns.
OELS45	Six Lamp Warning, Two Piece, For Chevy Tahoe 2015-2017, Requires Six <b>SOLO™</b> OEION* Lightheads	1069.00
OELS34	Six Lamp Warning, Two Piece, For Ford Police Interceptor Utility 2013-2017, Requires Six SOLO™ OEION* Lightheads	1069.00
OEION*	SOLO™ Lighthead, Six Required, No Charge when Ordered with Outer Edge®	
OEION*X	SOLO™ Lighthead, with Smoked Lens, Six Required, When Ordered with Outer Edge®, Add Each	10.50
	ear Facing Upper Exterior Mount, ION™ Super-LED® WeCan® Capable, Allows Individual Control o . Requires Remote Flasher, CenCom Carbide™, CanTrol® or REMOTE16 Module, Purchased Separate	
OEWS45	Six Lamp, Two Piece, For Chevy Tahoe 2015-2017, Requires Six <b>SOLO™</b> OEION* Lightheads	1019.00
OEWS34	Six Lamp, Two Piece, For Ford Police Interceptor Utility 2013-2017, Requires Six <b>SOLO™</b> OEION* Lightheads	1019.00
OEION*	SOLO™ Lighthead, for OEWS Series Only, Six Required, No Charge when Ordered with Outer Edge®	
OEION*X	SOLO™ Lighthead, with Smoked Lens, for OEWS Series only, Six Required, When Ordered with Outer Edge®, Add Each	10.50
OEWD45	Six Lamp, Two Piece, For Chevy Tahoe 2015-2017, Requires Six <b>DUO™</b> OEI2 Lightheads	1429.00
OEWD34	Six Lamp, Two Piece, For Ford Police Interceptor Utility 2013-2017, Requires Six <b>DUO™</b> OEI2 Lightheads	1429.00
OEI2#	DUO™ Lighthead for OEWD Series Only, Six Required, No Charge when Ordered with Outer Edge®	
OEI2#X	DUO™ Lighthead, with Smoked Lens, for OEWD Series only, Six Required, When Ordered with Outer Edge®, Add Each	10.50
OEWT45	Six Lamp, Two Piece, For Chevy Tahoe 2015-2017, Requires Six TRIO™ OEI3 Lightheads	1649.00
OEWT34	Six Lamp, Two Piece, For Ford Police Interceptor Utility 2013-2017, Requires Six <b>TRIO™</b> OEI3 Lightheads	1649.00
OEI3RBA	TRIO™ Lighthead, Red/Blue/Amber, for OEWT Series Only, Six Required, No Charge when Ordered with Outer Edge®	
OEI3RCA	TRIO™ Lighthead, Red/White/Amber, for OEWT Series Only, Six Required, No Charge when Ordered with Outer Edge®	
OEI3BCA	TRIO™ Lighthead, Blue/White/Amber, for OEWT Series Only, Six Required, No Charge when Ordered with Outer Edge®	
OEI3RBC	TRIO™ Lighthead, Red/Blue/White, for OEWT Series Only, Six Required, No Charge when Ordered with Outer Edge®	
OEI3RBAX	TRIO™ Lighthead, with Smoked Lens, Red/Blue/Amber, for OEWT Series Only, Six Required, When Ordered with Outer Edge®, Add Each	10.50
OEI3RCAX	TRIO™ Lighthead, with Smoked Lens, Red/White/Amber, for OEWT Series Only, Six Required, When Ordered with Outer Edge®, Add Each	10.50
OEI3BCAX	TRIO™ Lighthead, with Smoked Lens, Blue/White/Amber, for OEWT Series Only, Six Required, When Ordered with Outer Edge®, Add Each	10.50
OEI3RBCX	TRIO™ Lighthead, with Smoked Lens, Red/Blue/White, for OEWT Series Only, Six Required, When Ordered with Outer Edge®, Add Each	10.50
Outer Edge® R	ear Pillar Exterior Mount, ION™ Super-LED® Low Current	
RPLS34	Six Lamp, Two Piece, For Ford Police Interceptor Utility 2013-2017, Requires Six <b>SOLO™</b> OEION* Lightheads	1209.00
OEION*	SOLO™ Lighthead, Six Required, No Charge when Ordered with Outer Edge®	
OEION*X	SOLO™ Lighthead, with Smoked Lens, Six Required, When Ordered with Outer Edge®, Add Each	10.50

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

\* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green

# Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear or White; E = Blue/Clear or White; F = Amber/Clear or White; H = Green/Clear or White, J = Red/Blue; K = Red/Amber; L = Red/Green;

White, J = Red/Blue; K = Red/Amber; L = Red/Green;

Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot

Indicates Lower Price

Outer Edge® Rear Pillar Exterior Mount, ION™ Super-LED® WeCan® Capable, Allows Individual Control of Each Lighthead Color. Requires Remote Flasher, CenCom Carbide™ CanTrol® or REMOTE16 Module, Purchased Separately

RPWS34	te Flasher, CenCom Carbide ™, CanTrol® or REMOTE16 Module, Purchased Separately.  Six Lamp, Two Piece, For Ford Police Interceptor Utility 2013-2017, Requires Six <b>SOLO</b> ™	1060.00
	OEION* Lightheads	
OEION*	SOLO™ Lighthead, for RPWS Series Only, Six Required, No Charge when Ordered with Outer Edge®	
OEION*X	SOLO™ Lighthead, with Smoked Lens, for RPWS Series only, Six Required, When Ordered with Outer Edge®, Add Each	10.50
RPWD34	Six Lamp, Two Piece, For Ford Police Interceptor Utility 2013-2017, Requires Six <b>DUO™</b> OEI2 Lightheads	1439.00
OEI2#	DUO™ Lighthead for RPWD Series Only, Six Required, No Charge when Ordered with Outer Edge®	
OEI2#X	DUO™ Lighthead, with Smoked Lens, for RPWD Series Only, Six Required, When Ordered with Outer Edge®, Add Each	10.50
RPWT34	Six Lamp, Two Piece, For Ford Police Interceptor Utility 2013-2017, Requires Six <b>TRIO™</b> OEI3 Lightheads	1629.00
OEI3RBA	TRIO™ Lighthead, Red/Blue/Amber, for RPWT Series Only, Six Required, No Charge when Ordered with Outer Edge®	
OEI3RCA	TRIO™ Lighthead, Red/White/Amber, for RPWT Series Only, Six Required, No Charge when Ordered with Outer Edge®	
OEI3BCA	TRIO™ Lighthead, Blue/White/Amber, for RPWT Series Only, Six Required, No Charge when Ordered with Outer Edge®	
OEI3RBC	TRIO™ Lighthead, Red/Blue/White, for RPWT Series Only, Six Required, No Charge when Ordered with Outer Edge®	
OEI3RBAX	TRIO™ Lighthead, with Smoked Lens, Red/Blue/Amber, for RPWT Series Only, Six Required, When Ordered with Outer Edge®, Add Each	10.50
OEI3RCAX	TRIO™ Lighthead, with Smoked Lens, Red/White/Amber, for RPWT Series Only, Six Required, When Ordered with Outer Edge®, Add Each	10.50
OEI3BCAX	TRIO™ Lighthead, with Smoked Lens, Blue/White/Amber, for RPWT Series Only, Six Required, When Ordered with Outer Edge®, Add Each	10.50
OEI3RBCX	TRIO™ Lighthead, with Smoked Lens, Red/Blue/White, for RPWT Series Only, Six Required, When Ordered with Outer Edge®, Add Each	10.50

### **Options, Mounting Kits**

For Legacy®, Freedom® IV, Justice® & Liberty™ II Model/Year/Length, Available at Time of Lightbar Purchase ONLY. (For Mounting Kit Options and Replacement Strap & Mounting Kits, See Replacement Parts, Mounting Kits & Strap Kits).

Chevrolet, with Lightbar Purchase Only.

	enerviole, war Lightbar i dronado omy.		
	MKEZ95	Colorado / 2015 / Legacy®, Liberty™ II and Freedom® IV 48"-50" or Justice 55"	79.00
Ford, with Lightbar Purchase Only.			
	MKEZ94	F-150 / 2015-2017 / Liberty™ II 59", Freedom® IV 60", Justice® 62"	79.00
	MKAJ94	F-150 / 2015-2017 / Liberty™ II 54" , Legacy® 54", Freedom® IV 55" and Justice® 62"	89.00
	MKEZ94	F-250/F-350/F-450/F-550 Super Duty / 2017 / Liberty™ II 59", Freedom® IV 60", Justice® 62"	79.00
	MKAJ94	F-250/F-350/F-450/F-550 Super Duty / 2017 / Liberty™ II 54", Legacy® 54", Freedom® IV 55", Justice® 62"	89.00

## 24 VDC Products

Refer to Series Section for Options. For other 24 VDC Models that are Not Listed Below, Contact Factory for Pricing and Availability.

Lightheads, 24 VDC

†† 3SU00FCR	3" Round Super-LED®, Flashing, White with Clear Lens	75.00
†† 3SS00FAR	3" Round Super-LED®, Flashing, Amber with Amber Lens	75.00
†† 3SW00FRR	3" Round Super-LED®, Flashing, Red with Red Lens	75.00