

CABLE TIE MOUNTS


HellermannTyton offers a wide variety of mounting bases suited for many applications. Mounting bases are used in conjunction with cable ties to stabilize and secure wiring bundles, both indoors and outdoors. These mounting bases can be secured to a surface using rubber based adhesive, acrylic adhesive, or also can be screw mounted.

Cable Tie Mounting Bases


HellermannTyton's 4-way mounting bases are available in four sizes to accommodate T18 through T150 series cable ties. Insertion of ties can be made from all four sides. Each mount may be secured with two screws, with adhesive backing, or both, for ease of application and stability. Standard color: white.

For applications where higher temperatures, certain chemicals, or UV radiation are a concern and an adhesive is the preferred method for securing, the acrylic adhesive 4-way mounting bases are recommended.

The 2-way mounting bases may be secured with one screw, with adhesive backing, or both, and allow ties to be inserted from two sides. Standard color: white.



4-Way Mounting Bases





Cable Tie Mounting Bases				Dimensions - In. (mm.)			Pkg. Qty.
HellermannTyton Part No.	Cable Tie Series	Mounting	A	B	C		
4-Way Screw Mount and Rubber-Based Adhesive							
MB2.510C2 MB2.510M4	T18	#3 screw	.625" (15.88)	.625" (15.88)	.130" (3.30)	100 1000	
MB2.5A10C2 MB2.5A10M4	T18	Adhesive	.625" (15.88)	.625" (15.88)	.130" (3.30)	100 1000	
MB310C2 MB310M4	T18, T30	#4 screw	.750" (19.05)	.750" (19.05)	.150" (3.81)	100 1000	
MB3A10C2 MB3A10M4	T18, T30	Adhesive	.750" (19.05)	.750" (19.05)	.150" (3.81)	100 1000	
MB410C2 MB410H4	T18 thru T50	#8 screw	1.125" (28.58)	1.125" (28.58)	.190" (4.83)	100 500	
MB4A10C2 MB4A10H4	T18 thru T50	Adhesive	1.125" (28.58)	1.125" (28.58)	.190" (4.83)	100 500	
MB510C2 MB510F4	T18 thru T150	#8 screw	1.500" (38.10)	1.500" (38.10)	.250" (6.35)	100 250	
MB5A10C2 MB5A10F4	T18 thru T150	Adhesive	1.500" (38.10)	1.500" (38.10)	.250" (6.35)	100 250	
4-Way Acrylic Adhesive							
MB3A10A2C2 MB3A10A2H4	T18, T30	Adhesive	.750" (19.05)	.750" (19.05)	.150" (3.81)	100 500	
MB4A10A2C2 MB4A10A2H4	T18 thru T50	Adhesive	1.125" (28.58)	1.125" (28.58)	.190" (4.83)	100 500	
MB5A10A2C2 MB5A10A2F4	T18 thru T150	Adhesive	1.500" (38.10)	1.500" (38.10)	.250" (6.35)	100 250	
2-Way Screw Mount and Rubber-Based Adhesive							
MB4SH10C2 MB4SH10H4	T18 thru T50	#6 screw	1.125" (28.58)	1.125" (28.58)	.210" (5.33)	100 500	
MB3SHA10C2 MB4SHA10H4	T18 thru T50	Adhesive	1.125" (28.58)	1.125" (28.58)	.210" (5.33)	100 500	

All mounts listed above are white. Black mounts are also available. Insert "0" instead of "10" in the part number. Example: MB30C2 is a black screw mount.

Cable Tie Mounts

The CTM series is designed to provide stability to wire bundles. These mounts can accommodate miniature, intermediate, or standard cross-section cable ties. Each mount is secured with a single screw. Standard color: white.




Cable Tie Mounts

Hellermann Tyton Part No.	Cable Tie Series	Mounting	Dimensions - In. (mm.)			Pkg. Qty.
			A	B	C	
CTM010C2 CTM010M4	T18 thru T50	#6 screw	.380" (9.65)	.600" (15.24)	.265" (6.73)	100
CTM110C2 CTM110M4	T18 thru T50	#8 screw	.380" (9.65)	.600" (15.24)	.265" (6.73)	100
CTM210C2 CTM210M4	T18 thru T120	#8 screw	.620" (15.75)	.875" (22.23)	.375" (9.53)	100
CTM310C2 CTM310M4	T18 thru T120	#10 screw	.620" (15.75)	.875" (22.23)	.375" (9.53)	100
CTM410C2 CTM410M4	T18 thru T120	.250" screw	.620" (15.75)	.875" (22.23)	.375" (9.53)	100

Masonry Mounts

Masonry mounts provide a permanent method of attaching wire and cable to masonry surfaces. HellermannTyton's masonry mounts simply tap into predrilled holes and can be used for indoor and outdoor applications. Standard color: black.





Masonry Mounts

Hellermann Tyton Part No.	Cable Tie Series	Mounting Hole In. (mm.)	Min. Depth In. (mm.)	Dimensions In. (mm.)				Pkg. Qty.
				A	B	C	D	
MMB00C2 MMB00M4	T18 thru T50	.188" (4.78)	.935" (23.75)	1.185" (30.01)	.218" (5.54)	.236" (5.99)	.390" (9.91)	100
MMB.50C2 MMB.50M4	T18 thru T50	.250" (6.35)	1.00" (25.4)	1.244" (31.60)	.220" (5.59)	.308" (7.82)	.384" (9.75)	100
MMB10C2 MMB10H4	T18 thru T150	.312" (7.92)	1.5" (38.10)	1.715" (43.56)	.373" (9.47)	.362" (9.19)	.500" (12.7)	100

Cable Tie Anchor Mounts

Cable ties may be inserted from any of the four sides of the CTAM. This feature allows the mount to be placed either parallel or perpendicular to the wires. Standard color: white.




Cable Tie Anchor Mounts

Hellermann Tyton Part No.	Cable Tie Series	Mounting	Dimensions In. (mm.)			Pkg. Qty.
			A	B	C	
CTAM110C2 CTAM110M4	T18 thru T50	#8 screw	.400" (10.16)	.800" (20.32)	.200" (5.08)	100 1000
CTAM210C2 CTAM210M4	T18 thru T50	#10 screw	.400" (10.16)	.800" (20.32)	.200" (5.08)	100 1000



Cable Tie Anchor Plates

These plates have slotted mounting holes to provide for easier alignment of mount and bundles. Once aligned, they are fastened securely by tightening the applied screw. The CTAP2 allows an additional screw for maximum stability. Both plates are used perpendicularly to the wire bundle. Standard color: white.



Cable Tie Anchor Plates

Hellermann Tyton Part No.	Cable Tie Series	Mounting	Dimensions In. (mm.)			Pkg. Qty.
			A	B	C	
CTAP110C2 CTAP110M4	T18 thru T50	#10 screw	.500" (13.97)	1.34" (34.04)	.150" (3.81)	100 1000
CTAM210C2 CTAP210H4	T18 thru T50	#10 screw	.500" (13.97)	2.13" (54.10)	.150" (3.81)	100 500

