



Precision Single Supply Instrumentation Amplifier

AMP04*

FEATURES

Single Supply Operation
Low Supply Current: 700 μA max
Wide Gain Range: 1 to 1000
Low Offset Voltage: 150 μV max
Zero-In/Zero-Out
Single-Resistor Gain Set
8-Pin Mini-DIP and SO packages

APPLICATIONS

Strain Gages
Thermocouples
RTDs
Battery Powered Equipment
Medical Instrumentation
Data Acquisition Systems
PC Based Instruments
Portable Instrumentation

GENERAL DESCRIPTION

The AMP04 is a single-supply instrumentation amplifier designed to work over a +5 volt to ± 15 volt supply range. It offers an excellent combination of accuracy, low power consumption, wide input voltage range, and excellent gain performance.


Gain is set by a single external resistor and can be from 1 to 1000. Input common-mode voltage range allows the AMP04 to handle signals with full accuracy from ground to within 1 volt of the positive supply. And the output can swing to within 1 volt of the positive supply. Gain bandwidth is over 700 kHz. In addition to being easy to use, the AMP04 draws only 700 μA of supply current.

For high resolution data acquisition systems, laser trimming of low drift thin-film resistors limits the input offset voltage to under 150 μV , and allows the AMP04 to offer gain nonlinearity of 0.005% and a gain tempco of 30 ppm/ $^{\circ}\text{C}$.

A proprietary input structure limits input offset currents to less than 5 nA with drift of only 8 pA/ $^{\circ}\text{C}$, allowing direct connection of the AMP04 to high impedance transducers and other signal sources.

*Protected by U.S. Patent No. 5,075,633.


FUNCTIONAL BLOCK DIAGRAM



The AMP04 is specified over the extended industrial (-40°C to $+85^{\circ}\text{C}$) temperature range. AMP04s are available in plastic and ceramic DIP plus SO-8 surface mount packages.

Contact your local sales office for MIL-STD-883 data sheet and availability.

PIN CONNECTIONS



REV. A

Information furnished by Analog Devices is believed to be accurate and reliable. However, no responsibility is assumed by Analog Devices for its use, nor for any infringements of patents or other rights of third parties which may result from its use. No license is granted by implication or otherwise under any patent or patent rights of Analog Devices.

One Technology Way, P.O. Box 9106, Norwood, MA 02062-9106, U.S.A.
Tel: 617/329-4700 Fax: 617/326-8703

AMP04—SPECIFICATIONS

ELECTRICAL CHARACTERISTICS

($V_S = +5\text{ V}$, $V_{CM} = +2.5\text{ V}$, $T_A = +25^\circ\text{C}$ unless otherwise noted)

Parameter	Symbol	Conditions	AMP04E			AMP04F			Units	
			Min	Typ	Max	Min	Typ	Max		
OFFSET VOLTAGE										
Input Offset Voltage	V _{IOS}	−40°C ≤ T _A ≤ +85°C		30	150			300	μV	
Input Offset Voltage Drift	TCV _{IOS}				300			600	μV	
Output Offset Voltage	V _{OOS}			0.5	1.5			3	μV/°C	
Output Offset Voltage Drift	TCV _{OOS}	−40°C ≤ T _A ≤ +85°C			3			6	mV	
					30			50	mV	
INPUT CURRENT										
Input Bias Current	I _B	−40°C ≤ T _A ≤ +85°C		22	30			40	nA	
Input Bias Current Drift	TCI _B				50			60	nA	
Input Offset Current	I _{OS}			65			65		pA/°C	
Input Offset Current Drift	TCI _{OS}	−40°C ≤ T _A ≤ +85°C		1	5			10	nA	
					10			15	nA	
INPUT										
Common-Mode Input Resistance	V _{IN}	0 V ≤ V _{CM} ≤ 3.0 V		4			4		GΩ	
Differential Input Resistance				4			4		GΩ	
Input Voltage Range			0		3.0	0		3.0	V	
Common-Mode Rejection			CMR	G = 1	60	80		55		dB
				G = 10	80	100		75		dB
	G = 100	90		105		80		dB		
	G = 1000	90		105		80		dB		
Common-Mode Rejection	CMR	0 V ≤ V _{CM} ≤ 2.5 V								
		−40°C ≤ T _A ≤ +85°C								
		G = 1	55			50		dB		
		G = 10	75			70		dB		
Power Supply Rejection	PSRR	G = 100	85			75		dB		
		G = 1000	85			75		dB		
		4.0 V ≤ V _S ≤ 12 V								
		−40°C ≤ T _A ≤ +85°C								
		G = 1	95			85		dB		
		G = 10	105			95		dB		
G = 100	105			95		dB				
G = 1000	105			95		dB				
GAIN (G = 100 K/R _{GAIN})										
Gain Equation Accuracy	G	G = 1 to 100		0.2	0.5			0.75	%	
Gain Range		G = 1 to 100						1.0	%	
		−40°C ≤ T _A ≤ +85°C			0.8				%	
		G = 1000		0.4			0.75		%	
			1		1000	1		1000	V/V	
Nonlinearity	G = 1, R _L = 5 kΩ		0.005					%		
Gain Temperature Coefficient	ΔG/ΔT	G = 10, R _L = 5 kΩ		0.015					%	
		G = 100, R _L = 5 kΩ		0.025					%	
			30			50		ppm/°C		
OUTPUT										
Output Voltage Swing High	V _{OH}	R _L = 2 kΩ	4.0	4.2		4.0			V	
Output Voltage Swing Low	V _{OL}	R _L = 2 kΩ								
		−40°C ≤ T _A ≤ +85°C	3.8			3.8			V	
		R _L = 2 kΩ								
Output Current Limit		−40°C ≤ T _A ≤ +85°C			2.0			2.5	mV	
		Sink		30		30		mA		
		Source		15		15		mA		

Parameter	Symbol	Conditions	AMP04E			AMP04F			Units
			Min	Typ	Max	Min	Typ	Max	
NOISE									
Noise Voltage Density, RTI	e _N	f = 1 kHz, G = 1		270			270		nV/√Hz
		f = 1 kHz, G = 10		45			45		nV/√Hz
		f = 100 Hz, G = 100		30			30		nV/√Hz
		f = 100 Hz, G = 1000		25			25		nV/√Hz
Noise Current Density, RTI	i _N	f = 100 Hz, G = 100		4			4		pA/√Hz
Input Noise Voltage	e _N p-p	0.1 to 10 Hz, G = 1		7			7		μV p-p
		0.1 to 10 Hz, G = 10		1.5			1.5		μV p-p
		0.1 to 10 Hz, G = 100		0.7			0.7		μV p-p
DYNAMIC RESPONSE									
Small Signal Bandwidth	BW	G = 1, −3 dB		300			300		kHz
POWER SUPPLY									
Supply Current	I _{SY}	−40°C ≤ T _A ≤ +85°C		550	700			700	μA
						850			850

Specifications subject to change without notice.

ELECTRICAL CHARACTERISTICS ($V_S = \pm 5 \text{ V}$, $V_{CM} = 0 \text{ V}$, $T_A = +25^\circ\text{C}$ unless otherwise noted)

Parameter	Symbol	Conditions	AMP04E			AMP04F			Units	
			Min	Typ	Max	Min	Typ	Max		
OFFSET VOLTAGE										
Input Offset Voltage	V _{IOS}	−40°C ≤ T _A ≤ +85°C		80	400			600	μV	
Input Offset Voltage Drift	TCV _{IOS}							900	μV	
Output Offset Voltage	V _{OOS}			1	3			6	μV/°C	
Output Offset Voltage Drift	TCV _{OOS}	−40°C ≤ T _A ≤ +85°C						6	mV	
								9	mV	
					30			50	μV/°C	
INPUT CURRENT										
Input Bias Current	I _B	−40°C ≤ T _A ≤ +85°C		17	30			40	nA	
Input Bias Current Drift	TCI _B							60	nA	
Input Offset Current	I _{OS}			65			65		pA/°C	
Input Offset Current Drift	TCI _{OS}	−40°C ≤ T _A ≤ +85°C		2	5			10	nA	
					15			20	nA	
				28			28	pA/°C		
INPUT										
Common-Mode Input Resistance	V _{IN} CMR	−12 V ≤ V _{CM} ≤ +12 V G = 1		4			4		GΩ	
Differential Input Resistance				4			4		GΩ	
Input Voltage Range			−12		+12	−12		+12	V	
Common-Mode Rejection										
Common-Mode Rejection	CMR	−11 V ≤ V _{CM} ≤ +11 V −40°C ≤ T _A ≤ +85°C G = 1								
Common-Mode Rejection	CMR	−11 V ≤ V _{CM} ≤ +11 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								
Power Supply Rejection	PSRR	±2.5 V ≤ V _S ≤ ±18 V −40°C ≤ T _A ≤ +85°C G = 1								

AMP04

Parameter	Symbol	Conditions	AMP04E			AMP04F			Units
			Min	Typ	Max	Min	Typ	Max	
GAIN ($G = 100 \text{ K/R}_{\text{GAIN}}$)									
Gain Equation Accuracy		$G = 1 \text{ to } 100$		0.2	0.5			0.75	%
		$G = 1000$		0.4			0.75		%
Gain Range	G	$G = 1 \text{ to } 100$			0.8			1.0	%
Nonlinearity		$-40^{\circ}\text{C} \leq T_A \leq +85^{\circ}\text{C}$	1		1000	1		1000	V/V
		$G = 1, R_L = 5 \text{ k}\Omega$		0.005			0.005		%
		$G = 10, R_L = 5 \text{ k}\Omega$		0.015			0.015		%
		$G = 100, R_L = 5 \text{ k}\Omega$		0.025			0.025		%
Gain Temperature Coefficient	$\Delta G/\Delta T$			30			50		ppm/ $^{\circ}\text{C}$
OUTPUT									
Output Voltage Swing High	V_{OH}	$R_L = 2 \text{ k}\Omega$	+13	+13.4		+13			V
		$R_L = 2 \text{ k}\Omega$							
Output Voltage Swing Low	V_{OL}	$-40^{\circ}\text{C} \leq T_A \leq +85^{\circ}\text{C}$	+12.5			+12.5			V
		$R_L = 2 \text{ k}\Omega$			-14.5			-14.5	V
Output Current Limit		$-40^{\circ}\text{C} \leq T_A \leq +85^{\circ}\text{C}$							V
		Sink	30			30			mA
		Source	15			15			mA
NOISE									
Noise Voltage Density, RTI	e_N	$f = 1 \text{ kHz}, G = 1$		270			270		$\text{nV}/\sqrt{\text{Hz}}$
		$f = 1 \text{ kHz}, G = 10$		45			45		$\text{nV}/\sqrt{\text{Hz}}$
		$f = 100 \text{ Hz}, G = 100$		30			30		$\text{nV}/\sqrt{\text{Hz}}$
		$f = 100 \text{ Hz}, G = 1000$		25			25		$\text{nV}/\sqrt{\text{Hz}}$
Noise Current Density, RTI	i_N	$f = 100 \text{ Hz}, G = 100$		4			4		$\text{pA}/\sqrt{\text{Hz}}$
Input Noise Voltage	$e_N \text{ p-p}$	$0.1 \text{ to } 10 \text{ Hz}, G = 1$		5			5		$\mu\text{V p-p}$
		$0.1 \text{ to } 10 \text{ Hz}, G = 10$		1			1		$\mu\text{V p-p}$
		$0.1 \text{ to } 10 \text{ Hz}, G = 100$		0.5			0.5		$\mu\text{V p-p}$
DYNAMIC RESPONSE									
Small Signal Bandwidth	BW	$G = 1, -3 \text{ dB}$		700			700		kHz
POWER SUPPLY									
Supply Current	I_{SY}	$-40^{\circ}\text{C} \leq T_A \leq +85^{\circ}\text{C}$		750	900			900	μA
					1100			1100	μA

Specifications subject to change without notice.

WAFER TEST LIMITS ($V_S = +5 \text{ V}$, $V_{\text{CM}} = +2.5 \text{ V}$, $T_A = +25^{\circ}\text{C}$ unless otherwise noted)

Parameter	Symbol	Conditions	Limit	Units
OFFSET VOLTAGE				
Input Offset Voltage	V_{IOS}		300	$\mu\text{V max}$
Output Offset Voltage	V_{OOS}		3	mV max
INPUT CURRENT				
Input Bias Current	I_B		40	nA max
Input Offset Current	I_{OS}		10	nA max
INPUT				
Common-Mode Rejection	CMR	$0 \text{ V} \leq V_{\text{CM}} \leq 3.0 \text{ V}$		
		$G = 1$	55	dB min
		$G = 10$	75	dB min
		$G = 100$	80	dB min
		$G = 1000$	80	dB min
Common-Mode Rejection	CMR	$V_S = \pm 15 \text{ V}, -12 \text{ V} \leq V_{\text{CM}} \leq +12 \text{ V}$		
		$G = 1$	55	dB min
		$G = 10$	75	dB min
		$G = 100$	80	dB min

Parameter	Symbol	Conditions	Limit	Units
Power Supply Rejection	PSRR	$G = 1000$	80	dB min
		$4.0\text{ V} \leq V_S \leq 12\text{ V}$		
		$G = 1$	85	dB min
		$G = 10$	95	dB min
		$G = 100$	95	dB min
		$G = 1000$	95	dB min
GAIN ($G = 100\text{ K}/R_{\text{GAIN}}$) Gain Equation Accuracy		$G = 1$ to 100	0.75	% max
OUTPUT				
Output Voltage Swing High	V_{OH}	$R_L = 2\text{ k}\Omega$	4.0	V min
Output Voltage Swing Low	V_{OL}	$R_L = 2\text{ k}\Omega$	2.5	mV max
POWER SUPPLY				
Supply Current	I_{SY}	$V_S = \pm 15$	900	μA max
			700	μA max

NOTE

Electrical tests and wafer probe to the limits shown. Due to variations in assembly methods and normal yield loss, yield after packaging is not guaranteed for standard product dice. Consult factory to negotiate specifications based on dice lot qualifications through sample lot assembly and testing.

ABSOLUTE MAXIMUM RATINGS¹

Supply Voltage $\pm 18\text{ V}$
Common-Mode Input Voltage² $\pm 18\text{ V}$
Differential Input Voltage 36 V
Output Short-Circuit Duration to GND Indefinite
Storage Temperature Range
Z Package -65°C to $+175^\circ\text{C}$
P, S Package -65°C to $+150^\circ\text{C}$
Operating Temperature Range
AMP04A -55°C to $+125^\circ\text{C}$
AMP04E, F -40°C to $+85^\circ\text{C}$
Junction Temperature Range
Z Package -65°C to $+175^\circ\text{C}$
P, S Package -65°C to $+150^\circ\text{C}$
Lead Temperature Range (Soldering, 60 sec) $+300^\circ\text{C}$

Package Type	θ_{JA} ³	θ_{JC}	Units
8-Pin Cerdip (Z)	148	16	$^\circ\text{C}/\text{W}$
8-Pin Plastic DIP (P)	103	43	$^\circ\text{C}/\text{W}$
8-Pin SOIC (S)	158	43	$^\circ\text{C}/\text{W}$


NOTES

¹Absolute maximum ratings apply to both DICE and packaged parts, unless otherwise noted.

²For supply voltages less than $\pm 18\text{ V}$, the absolute maximum input voltage is equal to the supply voltage.

³ θ_{JA} is specified for the worst case conditions, i.e., θ_{JA} is specified for device in socket for cerdip, P-DIP, and LCC packages; θ_{JA} is specified for device soldered in circuit board for SOIC package.

DICE CHARACTERISTICS



AMP04 Die Size 0.075×0.99 inch, 7,425 sq. mils.
Substrate (Die Backside) Is Connected to V_+ .
Transistor Count, 81.

ORDERING GUIDE

Model	Temperature Range	V_{OS} @ $+5\text{ V}$ $T_A = +25^\circ\text{C}$	Package Description	Package Option
AMP04EP	XIND	150 μV	Plastic DIP	N-8
AMP04ES	XIND	150 μV	SOIC	SO-8
AMP04FP	XIND	300 μV	Plastic DIP	N-8
AMP04FS	XIND	300 μV	SOIC	SO-8
AMP04FS-REEL	XIND	150 μV	SOIC	SO-8
AMP04FS-REEL7	XIND	150 μV	SOIC	SO-8
AMP04GBC	$+25^\circ\text{C}$	300 μV		

AMP04

APPLICATIONS

Common-Mode Rejection

The purpose of the instrumentation amplifier is to amplify the difference between the two input signals while ignoring offset and noise voltages common to both inputs. One way of judging the device's ability to reject this offset is the common-mode gain, which is the ratio between a change in the common-mode voltage and the resulting output voltage change. Instrumentation amplifiers are often judged by the common-mode rejection ratio, which is equal to $20 \times \log_{10}$ of the ratio of the user-selected differential signal gain to the common-mode gain, commonly called the CMRR. The AMP04 offers excellent CMRR, guaranteed to be greater than 90 dB at gains of 100 or greater. Input offsets attain very low temperature drift by proprietary laser-trimmed thin-film resistors and high gain amplifiers.

Input Common-Mode Range Includes Ground

The AMP04 employs a patented topology (Figure 1) that uniquely allows the common-mode input voltage to truly extend to zero volts where other instrumentation amplifiers fail. To illustrate, take for example the single supply, gain of 100 instrumentation amplifier as in Figure 2. As the inputs approach zero volts, in order for the output to go positive, amplifier A's output (V_{OA}) must be allowed to go below ground, to -0.094 volts. Clearly this is not possible in a single supply environment. Consequently this instrumentation amplifier configuration's input common-mode voltage cannot go below about 0.4 volts. In comparison, the AMP04 has no such restriction. Its inputs will function with a zero-volt common-mode voltage.




Figure 1. Functional Block Diagram




Figure 2. Gain = 100 Instrumentation Amplifier

Input Common-Mode Voltage Below Ground

Although not tested and guaranteed, the AMP04 inputs are biased in a way that they can amplify signals linearly with common-mode voltage as low as -0.25 volts below ground. This holds true over the industrial temperature range from -40°C to $+85^{\circ}\text{C}$.

Extended Positive Common-Mode Range

On the high side, other instrumentation amplifier configurations, such as the three op amp instrumentation amplifier, can have severe positive common-mode range limitations. Figure 3 shows an example of a gain of 1001 amplifier, with an input common-mode voltage of 10 volts. For this circuit to function, V_{OB} must swing to 15.01 volts in order for the output to go to 10.01 volts. Clearly no op amp can handle this swing range (given a $+15$ V supply) as the output will saturate long before it reaches the supply rails. Again the AMP04's topology does not have this limitation. Figure 4 illustrates the AMP04 operating at the same common-mode conditions as in Figure 3. None of the internal nodes has a signal high enough to cause amplifier saturation. As a result, the AMP04 can accommodate much wider common-mode range than most instrumentation amplifiers.




Figure 3. Gain = 1001, Three Op Amp Instrumentation Amplifier




Figure 4. Gain = 1000, AMP04

The gain of the AMP04 is programmed by the user by selecting a single external resistor— R_{GAIN} :

The output voltage is then defined as the differential input voltage times the gain.

In single supply systems, offsetting the ground is often desired for several reasons. Ground may be offset from zero to provide a quieter signal reference point, or to offset “zero” to allow a unipolar signal range to represent both positive and negative values.

Often, real world signals such as temperature or pressure may generate voltages that are represented by changes in polarity. In a single supply system the signal input cannot be allowed to go below ground, and therefore the signal must be offset to accommodate this change in polarity. On the AMP04, a reference input pin is provided to allow offsetting of the input range.

$$V_{OUT} = (V_{IN+} - V_{IN-}) \times Gain + V_{REF}$$


The most common problems encountered in high performance analog instrumentation and data acquisition system designs are found in the management of offset errors and ground noise. Primarily, the designer must consider temperature differentials and thermocouple effects due to dissimilar metals, IR voltage drops, and the effects of stray capacitance. The problem is greatly compounded when high speed digital circuitry, such as that accompanying data conversion components, is brought into the proximity of the analog section. Considerable noise and error contributions such as fast-moving logic signals that easily propagate into sensitive analog lines, and the unavoidable noise common to digital supply lines must all be dealt with if the accuracy of the carefully designed analog section is to be preserved.

Besides the temperature drift errors encountered in the amplifier, thermal errors due to the supporting discrete components should be evaluated. The use of high quality, low-TC components where appropriate is encouraged. What is more important, large thermal gradients can create not only unexpected changes in component values, but also generate significant thermoelectric voltages due to the interface between dissimilar metals such as lead solder, copper wire, gold socket contacts, Kovar lead frames, etc. Thermocouple voltages developed at these junctions commonly exceed the TCV_{OS} contribution of the AMP04. Component layout that takes into account the power dissipation at critical locations in the circuit and minimizes gradient effects and differential common-mode voltages by taking advantage of input symmetry will minimize many of these errors.

High accuracy circuitry can experience considerable error contributions due to the coupling of stray voltages into sensitive areas, including high impedance amplifier inputs which benefit from such techniques as ground planes, guard rings, and shields. Careful circuit layout, including good grounding and

As mentioned above, the high speed transition noise found in logic circuitry is the sworn enemy of the analog circuit designer. Great care must be taken to maintain separation between them to minimize coupling. A major path for these error voltages will be found in the power supply lines. Low impedance, load related variations and noise levels that are completely acceptable in the high thresholds of the digital domain make the digital supply unusable in nearly all high performance analog applications. The user is encouraged to maintain separate power and ground between the analog and digital systems wherever possible, joining only at the supply itself if necessary, and to observe careful grounding layout and bypass capacitor scheduling in sensitive areas.

High impedance sources and long cable runs from remote transducers in noisy industrial environments commonly experience significant amounts of noise coupled to the inputs. Both stray capacitance errors and noise coupling from external sources can be minimized by running the input signal through shielded cable. The cable shield is often grounded at the analog input common, however improved dynamic noise rejection and a reduction in effective cable capacitance is achieved by driving the shield with a buffer amplifier at a potential equal to the voltage seen at the input. Driven shields are easily realized with the AMP04. Examination of the simplified schematic shows that the potentials at the gain set resistor pins of the AMP04 follow the inputs precisely. As shown in Figure 5, shield drivers are easily realized by buffering the potential at these pins by a dual, single supply op amp such as the OP213. Alternatively, applications with single-ended sources or that use twisted-pair cable could drive a single shield. To minimize error contributions due to this additional circuitry, all components and wiring should remain in proximity to the AMP04 and careful grounding and bypassing techniques should be observed.



REV. A

AMP04

Compensating for Input and Output Errors

To achieve optimal performance, the user needs to take into account a number of error sources found in instrumentation amplifiers. These consist primarily of input and output offset voltages and leakage currents.

The input and output offset voltages are independent from one another, and must be considered separately. The input offset component will of course be directly multiplied by the gain of the amplifier, in contrast to the output offset voltage that is independent of gain. Therefore, the output error is the dominant factor at low gains, and the input error grows to become the greater problem as gain is increased. The overall equation for offset voltage error referred to the output (RTO) is:

$$V_{OS} (RTO) = (V_{IOS} \times G) + V_{OOS}$$

where V_{IOS} is the input offset voltage and V_{OOS} the output offset voltage, and G is the programmed amplifier gain.

The change in these error voltages with temperature must also be taken into account. The specification TCV_{OS} , referred to the output, is a combination of the input and output drift specifications. Again, the gain influences the input error but not the output, and the equation is:

$$TCV_{OS} (RTO) = (TCV_{IOS} \times G) + TCV_{OOS}$$

In some applications the user may wish to define the error contribution as referred to the input, and treat it as an input error. The relationship is:

$$TCV_{OS} (RTI) = TCV_{IOS} + (TCV_{OOS} / G)$$

The bias and offset currents of the input transistors also have an impact on the overall accuracy of the input signal. The input leakage, or bias currents of both inputs will generate an additional offset voltage when flowing through the signal source resistance. Changes in this error component due to variations with signal voltage and temperature can be minimized if both input source resistances are equal, reducing the error to a common-mode voltage which can be rejected. The difference in bias current between the inputs, the offset current, generates a differential error voltage across the source resistance that should be taken into account in the user's design.

In applications utilizing floating sources such as thermocouples, transformers, and some photo detectors, the user must take care to provide some current path between the high impedance inputs and analog ground. The input bias currents of the AMP04, although extremely low, will charge the stray capacitance found in nearby circuit traces, cables, etc., and cause the input to drift erratically or to saturate unless given a bleed path to the analog common. Again, the use of equal resistance values will create a common input error voltage that is rejected by the amplifier.

Reference Input

The V_{REF} input is used to set the system ground. For dual supply operation it can be connected to ground to give zero volts out with zero volts differential input. In single supply systems it could be connected either to the negative supply or to a pseudo-ground between the supplies. In any case, the REF input must be driven with low impedance.

Noise Filtering

Unlike most previous instrumentation amplifiers, the output stage's inverting input (Pin 8) is accessible. By placing a capacitor across the AMP04's feedback path (Figure 6, Pins 6 and 8)




Figure 6. Noise Band Limiting

a single-pole low-pass filter is produced. The cutoff frequency (f_{LP}) follows the relationship:

$$f_{LP} = \frac{1}{2\pi (100 \text{ k}\Omega) C_{EXT}}$$

Filtering can be applied to reduce wide band noise. Figure 7a shows a 10 Hz low-pass filter, gain of 1000 for the AMP04. Figures 7b and 7c illustrate the effect of filtering on noise. The photo in Figure 7b shows the output noise before filtering. By adding a 0.15 μF capacitor, the noise is reduced by about a factor of 4 as shown in Figure 7c.




Figure 7a. 10 Hz Low-Pass Filter




Figure 7b. Unfiltered AMP04 Output




Figure 7c. 10 Hz Low-Pass Filtered Output

Power Supply Considerations

In dual supply applications (for example ± 15 V) if the input is connected to a low resistance source less than $100\ \Omega$, a large current may flow in the input leads if the positive supply is applied before the negative supply during power-up. A similar condition may also result upon a loss of the negative supply. If these conditions could be present in your system, it is recommended that a series resistor up to $1\ \text{k}\Omega$ be added to the input leads to limit the input current.

This condition can not occur in a single supply environment as losing the negative supply effectively removes any current return path.

Offset Nulling in Dual Supply

Offset may be nulled by feeding a correcting voltage at the V_{REF} pin (Pin 5). However, it is important that the pin be driven with a low impedance source. Any measurable resistance will degrade the amplifier's common-mode rejection performance as well as its gain accuracy. An op amp may be used to buffer the offset null circuit as in Figure 8.




Figure 8. Offset Adjust for Dual Supply Applications

Offset Nulling in Single Supply

Nulling the offset in single supply systems is difficult because the adjustment is made to try to attain zero volts. At zero volts out, the output is in saturation (to the negative rail) and the output voltage is indistinguishable from the normal offset error. Consequently the offset nulling circuit in Figure 9 must be used with caution.

First, the potentiometer should be adjusted to cause the output to swing in the positive direction; then adjust it in the reverse direction, causing the output to swing toward ground, until the output just stops changing. At that point the output is at the saturation limit.




Figure 9. Offset Adjust for Single Supply Applications

Alternative Nulling Method

An alternative null correction technique is to inject an offset current into the summing node of the output amplifier as in Figure 10. This method does not require an external op amp. However the drawback is that the amplifier will move off its null as the input common-mode voltage changes. It is a less desirable nulling circuit than the previous method.




Figure 10. Current Injection Offsetting Is Not Recommended

AMP04

APPLICATION CIRCUITS

Low Power Precision Single Supply RTD Amplifier

Figure 11 shows a linearized RTD amplifier that is powered off a single +5 volt supply. However, the circuit will work up to 36 volts without modification. The RTD is excited by a 100 μ A constant current that is regulated by amplifier A (OP295). The 0.202 volts reference voltage used to generate the constant current is divided down from the 2.500 volt reference. The AMP04 amplifies the bridge output to a 10 mV/ $^{\circ}$ C output coefficient.




Figure 11. Precision Single Supply RTD Thermometer Amplifier

The RTD is linearized by feeding a portion of the signal back to the reference circuit, increasing the reference voltage as the temperature increases. When calibrated properly, the RTD's non-linearity error will be canceled.

To calibrate, either immerse the RTD into a zero-degree ice bath or substitute an exact 100 Ω resistor in place of the RTD. Then adjust bridge BALANCE potentiometer R3 for a 0 volt output. Note that a 0 volt output is also the negative output swing limit of the AMP04 powered with a single supply. Therefore, be sure to adjust R3 to first cause the output to swing positive and then back off until the output just stop swinging negatively.

Next, set the LINEARITY ADJ. potentiometer to the mid-range. Substitute an exact 247.04 Ω resistor (equivalent to 400 $^{\circ}$ C temperature) in place of the RTD. Adjust the FULL-SCALE potentiometer for a 4.000 volts output.

Finally substitute a 175.84 Ω resistor (equivalent to 200 $^{\circ}$ C temperature), and adjust the LINEARITY ADJ potentiometer for a 2.000 volts at the output. Repeat the full-scale and the half-scale adjustments as needed.

When properly calibrated, the circuit achieves better than $\pm 0.5^{\circ}$ C accuracy within a temperature measurement range from 0 $^{\circ}$ C to 400 $^{\circ}$ C.

Precision 4-20 mA Loop Transmitter With Noninteractive Trim

Figure 12 shows a full bridge strain gage transducer amplifier circuit that is powered off the 4-20 mA current loop. The AMP04 amplifies the bridge signal differentially and is converted to a current by the output amplifier. The total quiescent current drawn by the circuit, which includes the bridge, the amplifiers, and the resistor biasing, is only a fraction of the 4 mA null current that flows through the current-sense resistor R_{SENSE} . The voltage across R_{SENSE} feeds back to the OP90's input, whose common-mode is fixed at the current summing reference voltage, thus regulating the output current.

With no bridge signal, the 4 mA null is simply set up by the 50 k Ω NULL potentiometer plus the 976 k Ω resistors that inject an offset that forces an 80 mV drop across R_{SENSE} . At a 50 mV full-scale bridge voltage, the AMP04 amplifies the voltage-to-current converter for a full-scale of 20 mA at the output. Since the OP90's input operates at a constant 0 volt common-mode voltage, the null and the span adjustments do




Figure 12. Precision 4-20 mA Loop Transmitter Features Noninteractive Trims

not interact with one another. Calibration is simple and easy with the NULL adjusted first, followed by SPAN adjust. The entire circuit can be remotely placed, and powered from the 4-20 mA 2-wire loop.

4-20 mA Loop Receiver

At the receiving end of a 4-20 mA loop, the AMP04 makes a convenient differential receiver to convert the current back to a usable voltage (Figure 13). The 4-20 mA signal current passes through a 100 Ω sense resistor. The voltage drop is differentially amplified by the AMP04. The 4 mA offset is removed by the offset correction circuit.




Figure 13. 4-to-20 mA Line Receiver

Low Power, Pulsed Load-Cell Amplifier

Figure 14 shows a 350 Ω load cell that is pulsed with a low duty cycle to conserve power. The OP295's rail-to-rail output capability allows a maximum voltage of 10 volts to be applied to the bridge. The bridge voltage is selectively pulsed on when a measurement is made. A negative-going pulse lasting 200 ms should be applied to the MEASURE input. The long pulse width is necessary to allow ample settling time for the long time constant of the low-pass filter around the AMP04. A much faster settling time can be achieved by omitting the filter capacitor.




Figure 14. Pulsed Load Cell Bridge Amplifier

Single Supply Programmable Gain Instrumentation Amplifier

Combining with the single supply ADG221 quad analog switch, the AMP04 makes a useful programmable gain amplifier that can handle input and output signals at zero volts. Figure 15 shows the implementation. A logic low input to any of the gain control ports will cause the gain to change by shorting a gain-set resistor across AMP04's Pins 1 and 8. Trimming is required at higher gains to improve accuracy because the switch ON-resistance becomes a more significant part of the gain-set resistance. The gain of 500 setting has two switches connected in parallel to reduce the switch resistance.




Figure 15. Single Supply Programmable Gain Instrumentation Amplifier

The switch ON resistance is lower if the supply voltage is 12 volts or higher. Additionally the overall amplifier's temperature coefficient also improves with higher supply voltage.

AMP04




Figure 16. Input Offset (V_{los}) Distribution @ +5 V




Figure 17. Input Offset (V_{los}) Distribution @ ± 15 V




Figure 18. Input Offset Drift (TCV_{los}) Distribution @ +5 V




Figure 19. Input Offset Drift (TCV_{los}) Distribution @ ± 15 V




Figure 20. Output Offset (V_{oots}) Distribution @ +5 V




Figure 21. Output Offset (V_{oots}) Distribution @ ± 15 V




Figure 22. Output Offset Drift (TCV_{OOS}) Distribution @ +5 V




Figure 23. Output Offset Drift (TCV_{OOS}) Distribution @ ± 15 V




Figure 24. Output Voltage Swing vs. Temperature @ +5 V




Figure 25. Output Voltage Swing vs. Temperature @ ± 15 V




Figure 26. Input Bias Current vs. Temperature




Figure 27. Input Offset Current vs. Temperature

AMP04




Figure 28. Closed-Loop Voltage Gain vs. Frequency




Figure 29. Closed-Loop Output Impedance vs. Frequency




Figure 30. Common-Mode Rejection vs. Frequency




Figure 31. Common-Mode Rejection vs. Voltage Gain




Figure 32. Positive Power Supply Rejection vs. Frequency




Figure 33. Negative Power Supply Rejection vs. Frequency




Figure 34. Voltage Noise Density vs. Gain



Figure 35. Voltage Noise Density vs. Gain, $f = 1 \text{ kHz}$ 

Figure 36. Voltage Noise Density vs. Frequency




Figure 37. Input Noise Voltage




Figure 38. Supply Current vs. Temperature





Figure 39. Maximum Output Voltage vs. Load Resistance


OUTLINE DIMENSIONS

Dimensions shown in inches and (mm).

8-Lead Plastic DIP (N-8)



8-Lead Cerdip (Q-8)



8-Lead Narrow-Body SO (S0-8)

