



Magnet Specification

AS501x


Axial Magnet MA2H-1

1 General

This specification defines the dimensional and magnetic properties of an axial magnet for use with the AS5013 two-dimensional magnetic position sensor.

Material: NdFeB sintered magnet, Ni-coated

2 Dimensional Specification (mm)



3 Magnet Specification

Parameter	Note
Article Nr	603221
Br (T)	1.17 / 1.21
Rev. Temp (ca. %K)	-0.11
HcB (kA/m)	836 / 891
HcJ (kA/m)	> 1353
BH max (kJ/m ³)	263 / 279
Max temperature (°C)	120
Density (g/cm ³)	7.5



Copyrights

Copyright © 2010, ams AG, Schloss Premstaetten, 8141 Unterpremstaetten, Austria-Europe.

Trademarks Registered ®. All rights reserved. The material herein may not be reproduced, adapted, merged, translated, stored, or used without the prior written consent of the copyright owner.

All products and companies mentioned are trademarks or registered trademarks of their respective companies.

Disclaimer

Devices sold by ams AG are covered by the warranty and patent indemnification provisions appearing in its Term of Sale. ams AG makes no warranty, express, statutory, implied, or by description regarding the information set forth herein or regarding the freedom of the described devices from patent infringement. ams AG reserves the right to change specifications and prices at any time and without notice. Therefore, prior to designing this product into a system, it is necessary to check with ams AG for current information. This product is intended for use in normal commercial applications. Applications requiring extended temperature range, unusual environmental requirements, or high reliability applications, such as military, medical life-support or life-sustaining equipment are specifically not recommended without additional processing by ams AG for each application.

The information furnished here by ams AG is believed to be correct and accurate. However, ams AG shall not be liable to recipient or any third party for any damages, including but not limited to personal injury, property damage, loss of profits, loss of use, interruption of business or indirect, special, incidental or consequential damages, of any kind, in connection with or arising out of the furnishing, performance or use of the technical data herein. No obligation or liability to recipient or any third party shall arise or flow out of ams AG rendering of technical or other services.

Contact Information

Headquarters

ams AG

A-8141 Schloss Premstaetten, Austria

Tel: +43 3136 500 32110

Email: info@ams.com

Magnet Supplier Information

Bomatec AG

Hofstrasse 1

CH-8181 Höri

<http://www.bomatec.ch>

For Sales Offices, Distributors and Representatives, please visit:

<http://www.ams.com/contact>