




PROD		LOC	DIST	REVISIONS				
CODE	DF	F0	P	F	ZONE	LTR	DATE	APPD
5368							0	REL PER 0600-3181-94 TA
							11-30-94	DM



- 1 7137327-18, AMP, DATE CODE AND PART NUMBER MARKED THIS AREA.
- 2 CAVITY IDENTIFICATION AS SHOWN, .093 HIGH ROW 'A' THIS SIDE, ROW 'C' OPPOSITE SIDE.
- 3 HOUSING: LIQUID CYRSTAL POLYMER PER MIL-M-24519, GLCP-30F, COLOR: BLACK
- 4 CONTACT MAT'L: PHOSPHORUS BRONZE PER QQ-B-750.
- 5 CONTACT FINISH: .000050 MIN GOLD OVER .000030 MIN NICKEL IN CONTACT AREA, SOLDER TAILS PRE-TINNED TO MEET REQUIREMENTS OF MIL-STD-202 METHOD 208.



SECT A-A
 SCALE 4:1
 ROTATED 90° CCW



SECT B-B
 SCALE 4:1
 ROTATED 90° CCW

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN INCHES [mm] TOLERANCES ON: 2 PLC DEC ± .010 [25] 3 PLC DEC ± .005 [13] ANGLES ± -		DR 11-29-94 T. ALEXANDER		AMP Incorporated Harrisburg, PA 17105-3608	
MATERIAL 		CHK 11-30-94 D. MILLER			
FINISH 		APPD 11-30-94 B. FOLEY		NAME 216 POSN, RIGHT ANGLE, PIN HEADER	
APPD 11-30-94 T. ALEXANDER		PRODUCT SPEC -		SIZE D	
APPLICATION SPEC -		WEIGHT -		CAGE CODE 00779	
SCALE 2:1		DRAWING NO C-443105		SHEET 1 OF 1	