



LOC	DIST	REVISIONS				
CE	16	P	LTR	DESCRIPTION	DATE	APVD
			A	RELEASED PER NPR	27 JAN 06	CSV JD

1. DIMENSIONS IN [ ] ARE IN INCHES.
2. 0.4 dB MAX INSERTION LOSS.
3. 55 dB MIN RETURN LOSS.
4. PRODUCT AND PROCESSING MUST MEET REQUIREMENTS OF TYCO ELECTRONICS STANDARD 230-702



15±0.15	[591±6]	1-5492081-5
10±0.15	[394±6]	1-5492081-0
9±0.15	[354±6]	5492081-9
8±0.15	[315±6]	5492081-8
7±0.08	[276±3]	5492081-7
6±0.08	[236±3]	5492081-6
5±0.08	[197±3]	5492081-5
4±0.08	[157±3]	5492081-4
3±0.05	[118±2]	5492081-3
2±0.05	[79±2]	5492081-2
1±0.05	[39±2]	5492081-1
L		PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.S. VASU	27 JAN 06	<div><div>tyco</div><div>Electronics</div></div> <div>Tyco Electronics Corporation Harrisburg, Pa 17105-3608</div>				
DIMENSIONS: mm	<div>TOLERANCES UNLESS OTHERWISE SPECIFIED:</div> <div>0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -</div>	CHK J.DUNCAN	27 JAN 06	NAME PIGTAIL, FIBER OPTIC, SINGLEMODE LDS, AMP SC (NG), OPTIMATE				
		APVD J.DUNCAN	27 JAN 06					
		PRODUCT SPEC —						
		APPLICATION SPEC —						
MATERIAL —		FINISH —						
		WEIGHT —	SIZE A3		CAGE CODE 00779	DRAWING NO C-5492081	RESTRICTED TO —	
CUSTOMER DRAWING						SCALE 1:1	SHEET 1 OF 1	REV A