

# MC 1,5/ 2-G-3,5 BK

Order No.: 1920943

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1920943>

Commercial data	
EAN	4017918222246
Pack	50 pcs.
Customs tariff	85366990
Weight/Piece	0.000738 KG

### Product notes

WEEE/RoHS-compliant since:  
01/01/2003



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Certificates / Approvals



Certification CB, CSA, CUL, UL, VDE-PZI

### CSA

Nominal voltage $U_N$	300 V
Nominal current $I_N$	8 A

### CUL


Nominal voltage $U_N$	300 V
Nominal current $I_N$	8 A

**UL**

Nominal voltage $U_N$	300 V
Nominal current $I_N$	8 A

**Diagrams/Drawings**

Diagram



**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;