


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	P	F	REVISIONS			DATE	APPD
ZONE	LTR	DESCRIPTION						
AA	22			B		REV; EC 0502-0253-97	28APR97	05 EL

- ① DIMENSIONS ARE MAXIMUM UNLESS OTHERWISE SPECIFIED.
- ② MATERIAL: HOUSING- POLYCARBONATE BLUE
 TERMINAL- PHOSPHER BRONZE PLATED WITH 1.27µm [.000050] MINIMUM THICK GOLD IN LOCALIZED GOLD PLATE AREA, GOLD FLASH ON THE REMAINDER, OVER 2.54µm [.000100] MINIMUM THICK NICKEL UNDERPLATE.
- 3. PLUG WILL ACCEPT 26 OR 28 AWG STRANDED WIRE, 0.74-0.86 [.029-.034] DIAMETER, WITH AN OVAL CABLE JACKET OF 2.29 X 4.83 [.090 X .190] MAXIMUM.
- ④ TERMINATED DIMENSION 6.15 [.242] MAXIMUM.
- ⑤ PACKAGE 1000 ASSEMBLIES PER BOX.
- ⑥ PACKAGE 100 ASSEMBLIES PER BOX, 10 BOXES PER CARTON.



⑥	5-557967-3
⑤	5-557967-2
PACKAGED	PART NO

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN mm [INCHES] TOLERANCES ON : 2 PLC DEC ± - 3 PLC DEC ± - ANGLES ± -	DR 6-4-93 B. SIMPSON	AMP Incorporated Harrisburg, PA 17105-3608
MATERIAL	CHK 6-17-93 C. WHITT	
FINISH	APPD 6-21-93 M. HAWKINS	NAME MODULAR PLUG ASSEMBLY, 4 POSITION, LINE, SMALL CONDUCTOR, STRANDED WIRE
	APPD 6-21-93 H. MCGRATH	SIZE C 00779
	PRODUCT SPEC 108-1163	DRAWING NO G-557967
	APPLICATION SPEC 114-6016	SCALE 4:1
	WEIGHT -	SHEET 1 OF 1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.