


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			DS	EL	
		P	LTR	DESCRIPTION	DATE	DWN	APVD
HM	00		C	OBS:5/2:EC 0502-0824-97	19MAY98	DS	EL
			D	REV ECD-08-007212	31MAR08	LH	BM

- ① DIMENSIONS ARE MAXIMUM UNLESS OTHERWISE SPECIFIED.
- ② MATERIAL: HOUSING- POLYCARBONATE BLUE. TERMINAL- PHOSPHOR BRONZE, PLATED WITH 1.27μm [.000050] MINIMUM THICK GOLD IN LOCALIZED GOLD PLATE AREA, GOLD FLASH ON THE REMAINDER, OVER 2.54μm [.000100] MINIMUM THICK NICKEL UNDERPLATE.
- 3. PLUG WILL ACCEPT 26 OR 28 AWG STRANDED WIRE, 0.74-0.86 [.029-.034] DIAMETER, WITH AN OVAL CABLE JACKET OF 2.29 X 6.61 [.090 X .260] MAXIMUM.
- ④ TERMINATED DIMENSION 6.15 [.242] MAXIMUM.
- ⑥ 100 ASSEMBLIES PER PACKAGE.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. SIMPSON 6-8-93	⑥ PACKAGED		5-557971-3 PART NO.	
DIMENSIONS: MM [INCHES]		CHK C. WHITT 6-21-93	Tyco Electronics Tyco Electronics Corporation Harrisburg, PA 17105-3608			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	NAME MODULAR PLUG ASSEMBLY, 6 POSITION, LINE, SMALL CONDUCTOR, STRANDED WIRE			
0 PLC ± -		PRODUCT SPEC 108-1163	SIZE A2	CAGE CODE 00779	DRAWING NO C=557971	RESTRICTED TO -
1 PLC ± -		APPLICATION SPEC 114-6016	SCALE 4:1		SHEET 1 of 1	REV D
2 PLC ± -		MATERIAL ②	CUSTOMER DRAWING			
3 PLC ± -		FINISH ②				
4 PLC ± -						
ANGLES ± -						