
REV.	CHANGE	DATE	APPD.
В	MAKE OUTLINE DWG -ECO 8099		
С	RTE SHT REV PER ECO 10979	3.28.97	



LEADWIRES (2)

24 AWG, 7x32 STRANDED, TIN PLATED COPPER, WHITE PVC INSULATION

CONNECTOR

GOLD PLATED PIN CONNECTOR, ARIES PART No. 2-0513-11

RESISTANCE (OHMS)

 TEMP °C
 MINIMUM
 NOMINAL
 MAXIMUM
 REF TOL

 25
 800
 1000
 1200
 ±20%

TOLERANCES		DRAWN	DATE						
UNLESS OTHERWISE ARE IN INCHES. AN	E NOTED, ALL DIMENSIONS ND TOLERANCES ARE AS	HS	10APR)5	FENWAL ELECTRONICS				
SHOWN HERE.		CHECKED	DATE		450 Fortune Boulevard, Milford, MA 01757—1745				
	$DNS = \pm 1/64$	MFP	4/10/9	5	(508) 478-6000 / FAX (508) 473-6035				
DECIMALS									
.XX = .01 APPROVED .XXX = .005		APPROVED	DATE	TITLI	TITLE PROBE ASSEMBLY				
ANGLES = 0'30'			4/10/9	5	OUTLINE				
USED ON			This information is the property of FENWAL ELECTRONICS.						
			It is submitted in confidence, and is not to be disclosed						
			or utilized without written permission.						
SHEET OF	DO NOT	SCALE	SCAI	E SIZE	DRAWING NUMBER	REV.			
1 1 DRAWING			_	- B	511-49BJ01-102	C			