

Description: 2.4-2.5 / 5.15-5.925GHz Stick Antenna

Series: External Antenna

PART NUMBER: W5028X



Features:

- WiFi Dual-Band
- DSRC
- Multi banded 2.4/5GHz
- IP65
- P/N W5028:
 - R/A RP SMA 128.05mm
- P/N: W5028RPG:
 - RP SMA 130mm

Applications:

- Zigbee, BLE/BT, WLAN (2.4GHz, 5GHz)
- DSRC V2x communication
- Rugged Outdoor Systems
- Marine, Mining, Utility, Oil/Gas Environments
- Industrial Applications
- Metering, Security, IoT Applications
- Outdoor Networking
- Data Transmission, Access Points



Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: 2.4-2.5 / 5.15-5.925GHz Stick Antenna

Series: External Antenna

PART NUMBER: W5028X

ELECTRICAL SPECIFICATIONS

Frequency		2.4-2.5GHz/5.15-5.925GHz
Nominal Impedance		50Ω
Return Loss		
	2.4-2.5GHz	<-10dB
	5.15-5.85GHz	<-4dB
	5.55GHz	<-10dB
Peak Gain		
	2.4-2.5GHz	1.9dBi +/-1 dB
	5.15-5.85GHz	3.8dBi +/-1dB
Radiation Pattern		Omni in Horizontal plane
Polarization:		Vertical
Power withstanding		1W
Connector type		
W5028		Right Angle RP SMA male
W5028RPG		Straight RP SMA male

2

Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



Description: 2.4-2.5 / 5.15-5.925GHz Stick Antenna

Series: External Antenna

PART NUMBER: W5028X

MECHANICAL SPECIFICATIONS				
Plastic radome			TPEE	
Color			Black	
IP Rate			IP65	
Weight				
W50	028	16.65	g	
W50	028RPG	12.6	g	
Overall Length				
W50	028	128.05	mm	
W50	028RPG	130	mm	
ENVIRONMENTAL SPECIFICATIONS				
Operating temperature			-35/+80° C	
Storage Temperature			-40/+85° C	

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION




3



Description: 2.4-2.5 / 5.15-5.925GHz Stick Antenna

Series: External Antenna

PART NUMBER: W5028X



Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



4



Description: 2.4-2.5 / 5.15-5.925GHz Stick Antenna


Series: External Antenna

PART NUMBER: W5028X

CHARTS

Return Loss





Return Loss 🛛 🗕

Spec

Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

RoHS

5




Description: 2.4-2.5 / 5.15-5.925GHz Stick Antenna

Series: External Antenna

PART NUMBER: W5028X

CHARTS

Efficiency(%)



Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



6




Description: 2.4-2.5 / 5.15-5.925GHz Stick Antenna

Series: External Antenna

PART NUMBER: W5028X

CHARTS

Peak Gain (dBi)



Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



7




Description: 2.4-2.5 / 5.15-5.925GHz Stick Antenna

Series: External Antenna

PART NUMBER: W5028X

CHARTS

Free Space Radiation Pattern



Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: 2.4-2.5 / 5.15-5.925GHz Stick Antenna

Series: External Antenna

PART NUMBER: W5028X

CHARTS

Free Space Radiation Pattern



Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





Description: 2.4-2.5 / 5.15-5.925GHz Stick Antenna

Series: External Antenna

PART NUMBER: W5028X

PACKAGING

20PCS/Bullet PE bag 30 Bullet PE bag/ Carton box Total 600PCS antenna/ Carton box

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

