




LOC HB	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			C2	REVISED PER ECO-11-005140	29MAR11	RK	HMR






"C"

CIRCUIT DIAGRAM(BOTTOM VIEW)



VIEW C

DRILLING DIAGRAM (BOTTOM VIEW)



DIMS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWG BY.FENG				
		0 PLC ±	1 PLC ±0.1	CHK BH.YU				
MATERIAL SEE MATERIAL TABLE		2 PLC ±	3 PLC ±	APVD SN.ZHANG	PCFN CUSTOMER DRAWING			
		4 PLC ±		PRODUCT SPEC	SIZE A3	GAGE CODE 00779	DRAWING NO. C- 1721929	RESTRIC TO
				APPLICATION SPEC	CUSTOMER DRAWING			SCALE 3:1
				WEIGHT	SHEET 1 OF 2			REV C2

(B)

1721929-2	PCFN-124H2MG	24V	PCFN-124H2MG	(C1)
1721929-1	PCFN-112H2MG	12V	PCFN-112H2MG	
PART NO	TYPE NAME	PART B	PART A	



NOTE  
 1. LOT NO. SYSTEM AS FOLLOWSING:  
 0 6 1 9  
 WEEK  
 YEAR

2.GENERAL TOLERANCE:

Diagram dimension	Tolerance
0.99mm max.	±0.1mm
1 - 2.99mm	±0.2mm
3mm min.	±0.3mm

(C1) 3.TERMINAL DIMENSION IS NOT INCLUDING SOLDER TIP.

		EPOXY RESIN	SEAL	17
CLASS 155 F		MW79	MAGNETIC WIRE	16
UL 94V-0		PBT	CASE	14
UL 94V-0		PBT	BASE	13
UL 94V-0		PBT	BOBBIN	12
	SOLDER DIP	Cu ALLOY	COIL TERMINAL R	11
	SOLDER DIP	Cu ALLOY	COIL TERMINAL L	10
		STAINLESS	HINGE SPRING	9
		Ag ALLOY	STATIONARY CONTACT	8
		Ag ALLOY	MOVABLE CONTACT	7
	SOLDER DIP	Cu ALLOY	MOVABLE SPRING	6
	SOLDER DIP	Cu ALLOY	STATIONARY TERMINAL	5
	SOLDER DIP	Cu ALLOY	MOVABLE TERMINAL	4
	Ni PLATED	STEEL	CORE	3
	Ni PLATED	STEEL	ARMATURE	2
	Ni PLATED	STEEL	YOKE	1
INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM

DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ±	DWN	BY.FENG	
		CHK	BH.YU	
MATERIAL	FINISH	APVD	SN.ZHANG	
SEE MATERIAL TABLE		PRODUCT SPEC		
		APPLICATION SPEC		
		WEIGHT		
CUSTOMER DRAWING			SIZE	A3
			GAGE CODE	00779
			DRAWING NO	1721929
			RESTRICT TO	
			SCALE	3:1
			SHEET	2 OF 2
			REV	C2