



1. THE CONTACT SURFACES OF THE TERMINALS ARE COATED WITH LUBRICANT.
2. MATERIAL: HOUSING & COVER - THERMOPLASTIC, BLACK. TERMINALS - PHOS BRONZE PLATED WITH EITHER .000030 MINIMUM GOLD PLATE OR GOLD FLASH OVER PALLADIUM NICKEL PLATE, .000030 MIN TOTAL ON MATING SURFACE. GOLD FLASH PLATED ON TERMINATING SIDE. .000050 MINIMUM NICKEL UNDERPLATE OVER ENTIRE TERMINAL.
3. COVER SHOWN LOOSE BUT SHIPPED ASSEMBLED.
4. WIRE RANGE: 26 AWG SOLID THRU 30 AWG SOLID AND 28 AWG STRANDED RIBBON CABLE.
5. ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY UNLESS OTHERWISE SPECIFIED.
6. FLAT CABLE SHALL BE FURNISHED BY CUSTOMER.
7. MATING FACE CONSISTS OF TWO ROWS OF TERMINALS ON .085 CENTERS, TERMINATING SIDE CONSISTS OF TERMINALS ON .100 CENTERS FOR AN EFFECTIVE .050 TERMINATION.
8. FOR MORE INFORMATION REFER TO AMP PRODUCT SPECIFICATION 108-8076 & APPLICATION SPEC 114-6030.

REVISED FOR PRODUCTION		REVISIONS	
GP	00	F	DATE
H		17 APR 83	BM1 W/M

THIS DRAWING IS A CONTROLLED DOCUMENT

DATE	15/04/83	BY	Z. REVA
DATE	15/04/87	BY	W. MILLIENES
DATE	15/04/97	BY	Y. YEO

Y. YEO
 Y. YEO Electronics
 1705-4985
 HENNINGTON PA 17105-4985

DESCRIPTION: RECEPTACLE ASSEMBLY, 38 POSITION
 SCREEN LOCK, LOW PROFILE,
 SCREEN CHANGE LATCH

APPLICATION SPEC: A2100779
 PART NUMBER: 553601

CUSTOMER DRAWING: 553601

SCALE: 2:1

SHEET 1 OF 1