

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
HM	00		K	REV PER ECO-14-004548	26MAR2014	GG	JG

1 MATERIAL: HOUSING — POLYCARBONATE, CLEAR.
TERMINAL — .36 [.014] THICK PHOSPHOR BRONZE PLATED
WITH .178 μ m[.000007] THICK GOLD IN LOCALIZED
PLATE AREA, OVER .762 μ m[.000030] THICK PALLADIUM
NICKEL IN LOCALIZED PLATE AREA OVER
2.54 μ m[.000100] THICK NICKEL ON ENTIRE CONTACT.

2. ALL DIMENSIONS SHOWN ARE MAXIMUM UNLESS OTHERWISE
SPECIFIED.


3. PLUG WILL ACCEPT 0.74–0.99[.029–.039] DIAMETER
STRANDED WIRE, 26 OR 28 AWG, WITH A .180 DIAMETER
MAXIMUM JACKET.

4 TERMINATED DIMENSION: 6.15[.242] MAXIMUM.





5 LATCH SHALL BE IN POSITION SHOWN IN DETAIL "A"
AFTER CRIMPING.

7 500 ASSEMBLIES PER PACKAGE.

8 100 ASSEMBLIES PER PACKAGE.



5 DETAIL A
LATCH POSITION AFTER CRIMPING
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN VIC SLACK 11 MAR 87		 TE Connectivity			
		CHK BOB FOX 16 MAR 87					
DIMENSIONS: mm [INCHES]		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		APVD GENE REED 31 MAR 87		NAME	
		0 PLC ± -		PRODUCT SPEC		MODULAR PLUG ASSEMBLY, 6 POSITION, LONG BODY, SHIELDED, ROUND CABLE, STRANDED WIRE	
		1 PLC ± -		—			
		2 PLC ± 0.13[.005]		APPLICATION SPEC			
		3 PLC ± -		—			
		4 PLC ± -				SIZE	
		ANGLES ± -				CAGE CODE	
MATERIAL		FINISH		WEIGHT -		DRAWING NO	
 -		 -		A2 00779		C=555175	
CUSTOMER DRAWING				SCALE 4:1		SHEET 1 of 1	
						REV K	