




- ① HOUSING: LIQUID CRYSTAL POLYMER, COLOR BLACK. CONTACTS: HIGH RELIABILITY COPPER ALLOY. GROUND BUSES: PHOSPHOR BRONZE ALLOY, UNS C51100.
- ② CONTACTS & GROUND BUSES: NICKEL UNDERPLATE ALL OVER, MATING SURFACE PLATED TO MEET LEVEL 2 PERFORMANCE REQUIREMENTS OF TE CONNECTIVITY PRODUCT SPECIFICATION 108-1422, SOLDER TAILS PLATED MATTE TIN.
- ③ DATE CODE MARKED IN AREA INDICATED ON SIDE OPPOSITE POSITION #1.
- ④ ONE GROUND BUS WITH 5 TAILS PER EACH MODULE.
- ⑤ TOLERANCE NON-ACCUMULATIVE.
- ⑥ OBSOLETE



⑥	.062 [1.57]	EXTENDED	3.000 [76.2]	6	3.450 [87.63]	3.900 [99.06]	4.000 [101.6]	266	5767044-7
⑥	.062 [1.57]	EXTENDED	2.500 [63.5]	5	2.950 [74.93]	3.400 [86.36]	3.500 [88.9]	228	5767044-6
⑥	.062 [1.57]	EXTENDED	2.000 [50.8]	4	2.450 [62.23]	2.900 [73.66]	3.000 [76.2]	190	5767044-5
⑥	.062 [1.57]	EXTENDED	1.500 [38.1]	3	1.950 [49.53]	2.400 [60.96]	2.500 [63.5]	152	5767044-4
⑥	.062 [1.57]	EXTENDED	1.000 [25.4]	2	1.450 [36.83]	1.900 [48.26]	2.000 [50.8]	114	5767044-3
⑥	.062 [1.57]	EXTENDED	.500 [12.7]	1	.950 [24.13]	1.400 [35.56]	1.500 [38.1]	76	5767044-2
⑥	.062 [1.57]	EXTENDED	.000 [0]	0	.450 [11.43]	.900 [22.86]	1.000 [25.4]	38	5767044-1
	PC BOARD THICKNESS	BUS LEADS TYPE	E	D	C	B	A	NO OF POS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN G. ATTADIA 25 OCT 04	 TE Connectivity
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK D. DIXON 25 OCT 04	
0 PLC ± -	1 PLC ± -	APVD D. DIXON 25 OCT 04	NAME
2 PLC ± -	3 PLC ± .005(0.13)	PRODUCT SPEC	RECEPTACLE ASSEMBLY, RIGHT ANGLE, .025[0.64] CENTER LINE, .062[1.57] PCB, MICTOR
4 PLC ± -	ANGLES ± -	APPLICATION SPEC	SIZE
		114-13088	114-13088
		WEIGHT	A1 00779 C=5767044
		CUSTOMER DRAWING	SCALE 1:1 SHEET 1 OF 1 REV B1

RECOMMENDED PC BOARD LAYOUT (MIRROR IMAGE ON OPPOSITE SIDE)