

MODEL NUMBER
TRM-2444-MO-SMA-02


NOTES:

1.0 ELECTRICAL SPECIFICATIONS:

- 1.1 FREQUENCY RANGE: DC to 18.0 GHz
- 1.2 MAXIMUM INPUT POWER: 0.5 WATTS @ +25°C
DERATED LINEARLY TO 0 WATTS @ +125°C
- 1.3 OPERATING TEMP. RANGE: -55°C to +125°C
- 1.4 IMPEDANCE: 50 OHMS
- 1.5 VSWR: 1.05 +0.008f(GHz)

2.0 MARKING: MARK UNIT AS SHOWN
(REF.: INK-09035-27-07)

3.0 DIMENSIONS IN PARENTHESIS ARE IN
MILLIMETERS.



DWG NO. WAS: 02359-01-00

REV.	DESCRIPTION	DATE
-	RELEASED	3/21/79
A	ECR 1062	1/13/81
B	ECR 6545	6/29/89
B1	REDRAW ON CAD	8/30/91
C	ECN 13432	3/9/94
C1	ADDED TITLEBLOCK	11/15/05

NOTICE: The information contained in this drawing is proprietary and must not be used without the permission of Emerson Network Power.		CAGE CODE 34078		MIDWEST MICROWAVE	
UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 3 PLACE DECIMALS ±.005 2 PLACE DECIMALS ±.02 FRACTIONS ±1/64 PARALLELITY: T.I.R. _____ FLATNESS: T.I.R. _____ CONCENTRICITY: T.I.R. _____ ANGLES AND PERPENDICULARITY: ±1°		 EMERSON Network Power Connectivity Solutions		TITLE TERMINATION OUTLINE DRAWING	
DRAWN/DATE A.BEATTY 8/30/91		ENG./DATE G.KOZAK 9/3/91		DRAWING NUMBER TRM-2444-MO-SMA-02-01	
CHECKED/DATE C.RICKARD 9/3/91		APPROVED/DATE		REV. C1	
SCALE: 5=1		SHEET 1 of 1			