



STEVAL-IAC001V1

Modular alarm system solution

Data Brief

Features

- Expandable 11 inputs/ 7 outputs
- 16 configurable partitions
- Autobalance of inputs
- Encrypted communication bus
- External activation/set-up device
- PC GUI for easy set-up
- Bus-based system


General description

The Central Unit for Alarm System (CUAS) Evaluation Board is a complete reference system addressing the low/middle end security segment.

It is a complete hardware and software alarm platform based on BUS network. The whole system consists of four boards: CU board, CM (Control Module) board, PS (Power Supply) board and PC interface board. There is also a PC GUI software which could be easily used in order to set up all the CU parameters and execute certain system tests.

It is possible to expand the system using I/O Expansion boards (Inputs and Outputs expansion), a GSM board, which the connector is already in the CU Board (for the CU management through a GSM telephone) and other modules such as RF-ID, smart-card or Keyboard connected through the BUS.

The Central Unit which can manage a certain number of inputs (where are typically connected the sensors and the detectors, called zones) some outputs (where are connected devices like sirens, indicators, etc) and some devices



connected to the communication bus for the system management and configuration (i.e. RFID Keys, Smart Cards, Expansion Modules, GSM, Keyboards, RF module ...)

Each zone of an alarm system can be configured, logically regrouped, separately processed and associated to a group of outputs in a different way. The outputs are also configurable in terms of timing, working mode and normal status (High or Low).

This CU consists of 8 zones by 8 zones directly hardwired on the CU board, but it is possible to expand the number of zones by connecting one or more I/O Expansion module through the BUS; There are seven hard-wired outputs:

four separately driven by a solid state relay (SSR - VN340SP) which can deliver up to 1A for each output, normally used for the sirens connection and for external devices (auxiliary outputs), two outputs are transistorized and typically used to indicate the system status (alarm condition, CU status, etc.), one output is a micro relay for a general purpose use (i.e. for the connection of a videotape, external GSM, etc.).

Other special inputs are also available on the CU board, such as the TAMPER line used to indicate

any system tampering; this line is normally connected in series with all the TAMPER input of each sensor or device connected to the CU. A fire/smoke line is also present on the CU board and is used to continuously monitor any fire or smoke sensor immediately signaling any leak depending on line configuration, but independently of the CU status.

The system operates using a 4-wire communication bus (2 wires for power, 2 for communication) using the RS-485 standard that guarantees good noise immunity.

ST components

- ST72321BJ9 8-bit microcontroller
- VN340SP-E smart power solid state relay
- M41ST95W Serial RTC
- SMP100LC Trisil
- ST2378E Level translator

1 Revision history

Table 1. Revision history

Date	Revision	Changes
09-Oct-2006	1	First issue

Please Read Carefully:

Information in this document is provided solely in connection with ST products. STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and services described herein at any time, without notice.

All ST products are sold pursuant to ST's terms and conditions of sale.

Purchasers are solely responsible for the choice, selection and use of the ST products and services described herein, and ST assumes no liability whatsoever relating to the choice, selection or use of the ST products and services described herein.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted under this document. If any part of this document refers to any third party products or services it shall not be deemed a license grant by ST for the use of such third party products or services, or any intellectual property contained therein or considered as a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein.

UNLESS OTHERWISE SET FORTH IN ST'S TERMS AND CONDITIONS OF SALE ST DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY WITH RESPECT TO THE USE AND/OR SALE OF ST PRODUCTS INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE (AND THEIR EQUIVALENTS UNDER THE LAWS OF ANY JURISDICTION), OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.

UNLESS EXPRESSLY APPROVED IN WRITING BY AN AUTHORIZED ST REPRESENTATIVE, ST PRODUCTS ARE NOT RECOMMENDED, AUTHORIZED OR WARRANTED FOR USE IN MILITARY, AIR CRAFT, SPACE, LIFE SAVING, OR LIFE SUSTAINING APPLICATIONS, NOR IN PRODUCTS OR SYSTEMS WHERE FAILURE OR MALFUNCTION MAY RESULT IN PERSONAL INJURY, DEATH, OR SEVERE PROPERTY OR ENVIRONMENTAL DAMAGE. ST PRODUCTS WHICH ARE NOT SPECIFIED AS "AUTOMOTIVE GRADE" MAY ONLY BE USED IN AUTOMOTIVE APPLICATIONS AT USER'S OWN RISK.

Resale of ST products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by ST for the ST product or service described herein and shall not create or extend in any manner whatsoever, any liability of ST.

ST and the ST logo are trademarks or registered trademarks of ST in various countries.

Information in this document supersedes and replaces all information previously supplied.

The ST logo is a registered trademark of STMicroelectronics. All other names are the property of their respective owners.

© 2006 STMicroelectronics - All rights reserved

STMicroelectronics group of companies

Australia - Belgium - Brazil - Canada - China - Czech Republic - Finland - France - Germany - Hong Kong - India - Israel - Italy - Japan - Malaysia - Malta - Morocco - Singapore - Spain - Sweden - Switzerland - United Kingdom - United States of America

www.st.com