



RECOMMENDED PC BOARD LAYOUT

REV	DATE	APPD	DESCRIPTION
1	08/05/92		REV 8 REDRAWN PER ECN 806505

- △ 3.81µm [L.000150] MIN TIN-LEAD OVER 0.76µm [L.000030] MIN NICKEL.
- △ 0.76µm [L.000030] MIN GOLD FOR A LENGTH OF 5.08 [L.200] MIN FROM MATING END, 3.81µm [L.000150] MIN TIN-LEAD FOR A LENGTH OF 5.23 [L.206] MIN FROM OPPOSITE END, BOTH OVER 1.27µm [L.000050] MIN NICKEL.

DO NOT SCALE PRINT. UNLESS SPECIFIED (DIMENSIONS IN mm (INCHES)) DIMENSIONS IN mm (INCHES) TOLERANCES ON: 1 PLG DEC ± 0.25 [L.010] 2 PLG DEC ± 0.25 [L.010] 3 PLG DEC ± 0.25 [L.010] ANGLES ±		DR 08/05/92 L.SIPE	NAME AMP AMP Incorporated Harrisburg, PA 17105-2600
MATERIAL HOUSING: NYLON, RED CONTACTS: PH BRZ	APPD 8-12-92 A. TRAVIS	SIZE CAGE CODE 00779	SOCKET HEADER ASSEMBLY, 3 POSN, IN-LINE, METRIMATE
CONTACTS: SEE TABLE	APPD 8-12-92 C. RICHIE	DRAWING NO 207608	CONTACT FINISH
	PRODUCT SPEC 108-10033	SCALE 2:1	PART NO 207608-1

THIS DRAWING IS A CONTROLLED DOCUMENT AND THE INFORMATION CONTAINED HEREIN IS UNCLASSIFIED UNLESS INDICATED OTHERWISE. ANY REVISIONS TO THIS DRAWING SHALL BE CONDUCTED FOR THE LATEST REVISION.

CUSTOMER DRAWING