

Outlets - Including Adaptors & Jacks



CAT 6 KM8 & K8 (HK) JACK

Unmounted Category 6 performance Highband jack available as both shielded and unshielded variants. Adaptors and faceplates to be purchased separately.



K8 (HK) jack

Description	Pack Qty	KRONE Product No
KM8 (HK) jack UTP	1	6830/1/800/04
KM8 (HK) jack STP	1	6830/1/810/04
K8 (HK) jack UTP	8	6830/1/365/03

CAT 6 KM8 & K8 (HK) OUTLETS


UK style faceplate with angled adaptors, featuring 4 Category 6 performance Highband jacks available as both shielded and unshielded variants.



K8 (HK) quad outlet

Description	Pack Qty	KRONE Product No
KM8 (HK) UTP double outlet	10	6690/1/570/51
KM8 (HK) STP double outlet	10	6690/1/571/51
K8 (HK) UTP double outlet	10	6830/1/412/03
K8 (HK) UTP quad outlet	10	6830/1/414/03


CAT 6 K8 (HK) JACKS



Width = 21.5mm
Height = 31.0mm
Depth = 16.3mm

CAT 6 CL JACK

Compact Category 6 performance low profile jack providing a solution for floor box and faceplate applications. Available as both unshielded and shielded variants. White shutters are fitted. Adaptors and faceplates to be purchased separately.



CL unshielded jack

Description	Pack Qty	KRONE Product No
CAT 6 CL UTP, 568A/B	20	6537/1/001/00
CAT 6 CL STP, 568A/B	20	6537/1/050/00

RJ-K CL JACKS - UNSHIELDED

Compact high performance jack providing a solution for floor box and faceplate applications where only a maximum depth of 17mm is available. Shutters are fitted. Adaptors and faceplates to be purchased separately. Option of black or white shutter (blue for ISDN).



CL UTP, white shutter, 568A/B

Description	Pack Qty	KRONE Product No
CL UTP, white shutter, 568A/B	20	6540/1/200/01
CL UTP, black shutter, 568A/B	20	6540/1/201/01
CL UTP RJ11, white shutter	20	6540/1/204/00
CL UTP RJ11, black shutter	20	6540/1/205/00

RJ-K CL JACKS - SHIELDED


Compact high performance jack with an enclosing metal can to cover the whole of the rear of the jack. The angled cable shield connection is used in applications where the cable entry is from below the module/outlet and is at 45 degrees. Shutters are fitted. Adaptors and faceplates to be purchased separately.



CL FS angled, white shutter, 568A/B


Description	Pack Qty	KRONE Product No
CL FS Jack white shutter, 568A/B	20	6540/1/254/01
CL FS Jack angled, white shutter, 568A/B	20	6540/1/254/03

COMPACT RJ-K CL JACKS



Compact RJ-K CL UTP Jacks

Width = 21.5mm
Height = 30.4mm
Depth = 16.2mm




Compact RJ-K CL FS Jacks

In-line
Width = 24.1mm
Height = 38.7mm
Depth = 18mm



Angled
Width = 24.1mm
Height = 30.4mm
Depth = 31.3mm

COMPACT RJ-K CL COMPATIBILITY TABLE





RJ-K CL ADAPTORS

Range of adaptors to suit different faceplates. Purchase jacks and faceplates separately.




Description	Pack Qty	KRONE Product No
Standard (25x50) adaptor	20	6540/1/801/00
45° adaptor	20	6540/1/802/00
LJ6C adaptor with window	20	6540/1/810/00

COMPACT RJ-K CL ADAPTORS

CL LJ6C Type Adaptor	CL 45 Degree Adaptor (25mm x 50mm)	CL Standard Adaptor (25mm x 50mm)
 Cut out size = 36mm x 22mm Width = 24.8mm Height = 38.5mm Depth = 17.7mm	 Width = 24.8mm Height = 50mm Depth = 25.3mm	 Width = 24.8mm Height = 50mm Depth = 17mm

LJ6C FACEPLATES

Single, double and quad UK faceplates. Purchase jacks and adaptors separately.




LJ6C type double faceplate

Description	Pack Qty	KRONE Product No
LJ6C type single. Will accept 1 x LJ6C adaptor	10	6540/1/804/00
LJ6C type double. Will accept 2 x LJ6C adaptors	10	6540/1/803/01
LJ6C type quad. Will accept 4 x LJ6C adaptors	10	6540/1/805/00

UK STYLE FACEPLATES

UK style single and double gang faceplates. Purchase jacks and adaptors separately.




UK style faceplate

Description	Pack Qty	KRONE Product No
White 50x50 surround (single gang). Will accept up to 2x25x50 adaptors	10	6540/1/806/00
Brushed aluminium 50x50 surround (single gang). Will accept up to 2x25x50 adaptors	10	6540/1/806/04
White 50x100 surround (double gang). Will accept up to 4x25x50 adaptors	10	6540/1/807/00

EURO STYLE FACEPLATES

Euro style single faceplate. Will accept up to two 25x50 adaptors. Purchase jacks and adaptors separately.




Euro style faceplate

Description	Pack Qty	KRONE Product No
Euro style 50x50 surround (single gang).	10	6540/1/808/00


COMPACT RJ-K CL FACEPLATES

LJ6C Type Single




Width= 85mm
Height= 85mm
Depth = 8 mm

UK Style Double




Width = 80mm
Height= 80mm
Depth = 9.35mm

UK Style Quad




Width = 145mm
Height= 80mm
Depth = 9.35mm

LJ6C Type Double



Width= 85mm
Height= 85mm
Depth= 8mm


EURO Style Double



Width = 80mm
Height= 80mm
Depth = 10.5mm

OUTLET ACCESSORIES

Range of outlets accessories including cable anchors, blank inserts and backboxes.



In-line cable anchor

Description	Pack Qty	KRONE Product No
In-line cable anchor (supplied as standard with CL UTP jacks)	100	6540/1/809/00
Angled cable anchor - for use with applications where cable entry is from below the jack (supplied as standard with CL UTP jacks)	100	6540/1/809/01
LJ6C type blank insert - designed to be used in LJ6C faceplates where adaptors are not required	20	6540/1/800/01
Blank insert designed to be used in UK 50x50 and 50x100 faceplates where adaptors are not required	20	6540/1/801/01
12.5mm x 50mm insert	20	6540/1/801/04
UK backbox, single white	10	6536/1/005/00
UK backbox, double gang white	10	6536/3/044/00

FIBRE WALL OUTLETS

Outlets presenting MT-RJ, ST or SC sockets for fibre-to-the-user applications. Fully managed double gang footprint for blown and conventional cabling systems. Supplied with adaptors or empty as required. Integral fibre management system. Simple installation for fusion splicing of pigtails or direct termination. Splice protector holders and cable break-out units are also available if required.




4 ST outlet

Description	Pack Qty	KRONE Product No
MT-RJ dual outlet (2 sockets)	1	7033/1/067/02
MT-RJ quad outlet (4 sockets)	1	7033/1/067/04
1 SC duplex outlet	1	7033/1/069/02
2 SC duplex outlet	1	7033/1/069/04
2 ST outlet	1	7033/1/071/02
4 ST outlet	1	7033/1/071/04

RJ-K LN SINGLE OUTLET

UK style single faceplate featuring a high performance RJ-K LN unshielded modular jack.




LN single faceplate

Description	Pack Qty	KRONE Product No
Single faceplate, white shutter	10	6538/1/111/13
Single faceplate, black shutter	10	6538/1/112/13

RJ-K LN DOUBLE OUTLET

UK style double faceplate featuring two high performance RJ-K LN unshielded modular jacks.




LN double faceplate

Description	Pack Qty	KRONE Product No
Double faceplate, white shutter	10	6538/1/111/14
Double faceplate, black shutter	10	6538/1/112/14

RJ-K LN QUAD OUTLET


UK style quad faceplate featuring four high performance RJ-K LN unshielded modular jacks.



LN quad faceplate

Description	Pack Qty	KRONE Product No
Quad faceplate, white shutter	10	6538/1/111/17
Quad faceplate, black shutter	10	6538/1/112/17

RJ-K LN OUTLETS AND MOUNTING ADAPTOR



RJ-K LN MOUNTING ADAPTOR AND JACK

Mounting adaptor featuring a high performance RJ-K LN unshielded modular jack designed to 'snap-in' to a correctly dimensioned aperture. Particularly suitable for underfloor applications.



Description	Pack Qty	KRONE Product No
LN mounting adaptor, white shutter	10	6538/1/111/12
LN mounting adaptor, black shutter	10	6538/1/112/12
Adaptor template for use with LN mounting adaptor	10	6536/1/017/00

CAT 6 CL DISTRIBUTION BOX

Category 6 performance modular high density distribution boxes, enabling multiple connections at the desktop. Fit UK standard floorboxes, or can be desk or wall mounted. Extruded aluminium with black plastic moulded end caps.



Description	Pack Qty	KRONE Product No
6 way UTP distribution box	1	6537/1/300/06
8 way UTP distribution box	1	6537/1/300/08
10 way UTP distribution box	1	6537/1/300/10
12 way UTP distribution box	1	6537/1/300/12
6 way STP distribution box	1	6537/1/350/06
8 way STP distribution box	1	6537/1/350/08
10 way STP distribution box	1	6537/1/350/10
12 way STP distribution box	1	6537/1/350/12


CAT 6 CL MINIBOX

Category 6 performance modular high density distribution box, enabling multiple connections at the desktop. Specially designed to fit through the most compact of floor boxes.




Description	Pack Qty	KRONE Product No
4 way UTP minibox	1	6537/1/200/04
6 way UTP minibox	1	6537/1/200/06

DISTRIBUTION BOX RANGE



Minibox



Distribution Box

DISTRIBUTION BOX

Modular high density distribution boxes, enabling multiple connections at the desktop. Fits UK standard floorboxes or can be desk or wall mounted. Extruded aluminium with black plastic moulded end caps.



12 way distribution box

Description	Pack Qty	KRONE Product No
6 way UTP distribution box	1	6540/1/668/06
8 way UTP distribution box	1	6540/1/668/08
10 way UTP distribution box	1	6540/1/668/10
12 way UTP distribution box	1	6540/1/668/12
6 way STP distribution box	1	6540/1/669/06
8 way STP distribution box	1	6540/1/669/08
10 way STP distribution box	1	6540/1/669/10
12 way STP distribution box	1	6540/1/669/12

MINIBOX

Modular high density distribution boxes, enabling multiple connections at the desktop. Specially designed to fit through the most compact of floor boxes.



4 way UTP minibox

Description	Pack Qty	KRONE Product No
4 way UTP minibox	1	6540/1/674/04
6 way UTP minibox	1	6540/1/674/06

ISDN COMPACT CL JACK

An ISDN jack that can be mounted onto any of the range of adaptors and faceplates. Incorporates the resistors necessary for 'S' Bus termination. Label indicates resistor positions and wiring scheme. Blue shutter.

ISDN

ISDN compact jack

Description	Pack Qty	KRONE Product No
UTP ISDN jack	20	6540/1/206/00


ISDN TERMINATED OUTLETS

Fixed ISDN adaptor point which incorporates the resistors necessary for termination of 'S' Bus. Blue shutter.

ISDN

ISDN single outlet

Description	Pack Qty	KRONE Product No
Single ISDN terminated outlet	10	6539/1/100/01
Double outlet complete with one standard RJ45 and one ISDN terminated RJ45	10	6539/1/200/01
Quad outlet complete with three standard RJ45s and one ISDN terminated RJ45	10	6539/1/400/01



4 WAY ISDN BREAKOUT BOX

Expands 'single point to point' ISDN services to 4 access points. Portable and prewired with 1.5m cord.

ISDN

4 Way ISDN breakout box

Description	Pack Qty	KRONE Product No
4 way ISDN breakout box	1	6539/1/401/01

